

Web Application Scanning Detailed Scan Export: SCAN_PORTALES_ALCALDIA_CHIA_https://chia- cundinamarca.gov.co/

December 19, 2024 at 14:45 (UTC)

mintic.gov.co-1294

Confidential: The following report contains sensitive security information about the organization's IT infrastructure. Refer to your company's policy regarding data classification and handling of sensitive information.

Table of Contents

| | |
|--|-----|
| Scan Summary | 5 |
| Scan Notes | 6 |
| Scan Results | 7 |
| PHP Unsupported Version | 8 |
| PHP Unsupported Version Instances (1) | 9 |
| Missing HTTP Strict Transport Security Policy | 10 |
| Missing HTTP Strict Transport Security Policy Instances (25) | 12 |
| WordPress User Enumeration | 29 |
| WordPress User Enumeration Instances (1) | 30 |
| WordPress XML-RPC Interface Detected | 31 |
| WordPress XML-RPC Interface Detected Instances (1) | 32 |
| PHPinfo Information Disclosure | 33 |
| PHPinfo Information Disclosure Instances (1) | 34 |
| jQuery < 3.4.0 Prototype Pollution | 35 |
| jQuery < 3.4.0 Prototype Pollution Instances (1) | 36 |
| Host Header Injection | 37 |
| Host Header Injection Instances (1) | 38 |
| Source Code Passive Disclosure | 39 |
| Source Code Passive Disclosure Instances (1) | 41 |
| jQuery 1.2.0 < 3.5.0 Cross-Site Scripting | 42 |
| jQuery 1.2.0 < 3.5.0 Cross-Site Scripting Instances (1) | 43 |
| jQuery 1.12.4 < 3.0.0 Cross-Site Scripting | 44 |
| jQuery 1.12.4 < 3.0.0 Cross-Site Scripting Instances (1) | 45 |
| MediaElement.js < 2.21.1 Cross-Site Scripting | 46 |
| MediaElement.js < 2.21.1 Cross-Site Scripting Instances (1) | 47 |
| Web Cache Poisoning | 48 |
| Web Cache Poisoning Instances (1) | 49 |
| WordPress Cron Enabled | 50 |
| WordPress Cron Enabled Instances (1) | 51 |
| Missing 'X-Frame-Options' Header | 52 |
| Missing 'X-Frame-Options' Header Instances (25) | 54 |
| Cookie Without HttpOnly Flag Detected | 71 |
| Cookie Without HttpOnly Flag Detected Instances (2) | 72 |
| Cookie Without Secure Flag Detected | 74 |
| Cookie Without Secure Flag Detected Instances (3) | 75 |
| Joomla! Administration Panel Login Form Detected | 78 |
| Joomla! Administration Panel Login Form Detected Instances (1) | 79 |
| WordPress Administration Panel Login Form Detected | 80 |
| WordPress Administration Panel Login Form Detected Instances (1) | 81 |
| HTTP Header Information Disclosure | 82 |
| HTTP Header Information Disclosure Instances (25) | 83 |
| Missing 'X-Content-Type-Options' Header | 101 |
| Missing 'X-Content-Type-Options' Header Instances (25) | 102 |
| Missing Content Security Policy | 120 |
| Missing Content Security Policy Instances (25) | 122 |
| Missing 'Cache-Control' Header | 139 |
| Missing 'Cache-Control' Header Instances (25) | 140 |

| | |
|--|-----|
| Login Form Cross-Site Request Forgery | 157 |
| Login Form Cross-Site Request Forgery Instances (1) | 159 |
| Cookie Without SameSite Flag Detected | 160 |
| Cookie Without SameSite Flag Detected Instances (4) | 162 |
| Scan Information | 164 |
| Scan Information Instances (1) | 165 |
| Web Application Sitemap | 166 |
| Web Application Sitemap Instances (1) | 168 |
| Login Form Detected | 169 |
| Login Form Detected Instances (1) | 170 |
| Allowed HTTP Methods | 171 |
| Allowed HTTP Methods Instances (1) | 172 |
| Interesting Response | 173 |
| Interesting Response Instances (25) | 174 |
| Technologies Detected | 191 |
| Technologies Detected Instances (1) | 192 |
| Cookies Collected | 193 |
| Cookies Collected Instances (1) | 195 |
| Common Directories Detection | 196 |
| Common Directories Detection Instances (3) | 198 |
| Private IP Address Disclosure | 200 |
| Private IP Address Disclosure Instances (1) | 202 |
| E-mail Address Disclosure | 203 |
| E-mail Address Disclosure Instances (1) | 204 |
| Target Information | 205 |
| Target Information Instances (1) | 206 |
| Screenshot | 207 |
| Screenshot Instances (1) | 208 |
| Form Detected | 209 |
| Form Detected Instances (2) | 210 |
| External URLs | 212 |
| External URLs Instances (1) | 213 |
| WordPress Media Attachment Enumeration | 214 |
| WordPress Media Attachment Enumeration Instances (1) | 215 |
| Missing Permissions Policy | 216 |
| Missing Permissions Policy Instances (25) | 217 |
| Missing Referrer Policy | 234 |
| Missing Referrer Policy Instances (25) | 235 |
| Missing Subresource Integrity | 253 |
| Missing Subresource Integrity Instances (1) | 254 |
| Sitemap.xml File Detected | 255 |
| Sitemap.xml File Detected Instances (1) | 256 |
| Robots.txt File Detected | 257 |
| Robots.txt File Detected Instances (1) | 258 |
| Fetch/XHR Detected | 259 |
| Fetch/XHR Detected Instances (1) | 260 |
| SSL/TLS Certificate Information | 261 |
| SSL/TLS Certificate Information Instances (1) | 262 |
| Missing 'X-XSS-Protection' Header | 263 |
| Missing 'X-XSS-Protection' Header Instances (25) | 264 |
| SSL/TLS Versions Supported | 281 |
| SSL/TLS Versions Supported Instances (1) | 282 |
| Full Path Disclosure | 283 |
| Full Path Disclosure Instances (1) | 284 |
| SSL/TLS Server Cipher Suite Preference | 285 |
| SSL/TLS Server Cipher Suite Preference Instances (1) | 286 |
| Allowed HTTP Versions | 287 |

| | |
|--|-----|
| Allowed HTTP Versions Instances (1) | 288 |
| API Detected | 289 |
| API Detected Instances (1) | 290 |
| Security.txt File Not Detected | 291 |
| Security.txt File Not Detected Instances (1) | 292 |
| Out-of-Date JQuery Detected | 293 |
| Out-of-Date JQuery Detected Instances (1) | 294 |
| Out-of-Date JQuery UI Detected | 295 |
| Out-of-Date JQuery UI Detected Instances (1) | 296 |
| Out-of-Date MediaElement.Js Detected | 297 |
| Out-of-Date MediaElement.Js Detected Instances (1) | 298 |
| Performance Telemetry | 299 |
| Performance Telemetry Instances (1) | 300 |
| WordPress Plugins Detected | 301 |
| WordPress Plugins Detected Instances (1) | 302 |
| WordPress Current Theme Detected | 303 |
| WordPress Current Theme Detected Instances (1) | 304 |
| PostMessage Wildcard Event Listener Detected | 305 |
| PostMessage Wildcard Event Listener Detected Instances (1) | 306 |
| HTML Comments Detected | 307 |
| HTML Comments Detected Instances (21) | 308 |
| Input Reflected | 323 |
| Input Reflected Instances (2) | 324 |
| Path Relative Stylesheet Import | 326 |
| Path Relative Stylesheet Import Instances (23) | 327 |
| Virtual Hosts Detected | 345 |
| Virtual Hosts Detected Instances (1) | 346 |
| SSL/TLS Cipher Suites Supported | 347 |
| SSL/TLS Cipher Suites Supported Instances (1) | 348 |

Scan Summary

Vulnerability Breakdown

 1
CRITICAL

 0
HIGH

 36
MEDIUM

 137
LOW

Scan Details

NAME SCAN_PORTALES_ALCALDIA_CHIA_https://chia-cundinamarca.gov.co/

STATUS Completed

CREATE TIME 12/19/2024 at 12:00 AM UTC

START TIME 12/19/2024 at 12:02 AM UTC

END TIME 12/19/2024 at 08:02 AM UTC

TEMPLATE Scan

SCANNER Cloud

TARGET https://chia-cundinamarca.gov.co/

DESCRIPTION SCAN_PORTALES_ALCALDIA_CHIA_https://chia-cundinamarca.gov.co/

Scan Results

Vulnerabilities

| Severity | Plugin Id | Name | Family | Instances |
|----------|-----------|--|----------------------------|-----------|
| Critical | 98230 | PHP Unsupported Version | Component Vulnerability | 1 |
| Medium | 98056 | Missing HTTP Strict Transport Security Policy | HTTP Security Header | 25 |
| Medium | 98590 | jQuery < 3.4.0 Prototype Pollution | Component Vulnerability | 1 |
| Medium | 112383 | jQuery 1.2.0 < 3.5.0 Cross-Site Scripting | Component Vulnerability | 1 |
| Medium | 112435 | jQuery 1.12.4 < 3.0.0 Cross-Site Scripting | Component Vulnerability | 1 |
| Medium | 98203 | WordPress User Enumeration | Web Applications | 1 |
| Medium | 113449 | WordPress Cron Enabled | Component Vulnerability | 1 |
| Medium | 98215 | WordPress XML-RPC Interface Detected | Component Vulnerability | 1 |
| Medium | 113338 | Web Cache Poisoning | Web Applications | 1 |
| Medium | 98779 | Source Code Passive Disclosure | Data Exposure | 1 |
| Medium | 98223 | PHPinfo Information Disclosure | Web Applications | 1 |
| Medium | 98623 | Host Header Injection | Injection | 1 |
| Medium | 112556 | MediaElement.js < 2.21.1 Cross-Site Scripting | Component Vulnerability | 1 |
| Low | 112529 | Missing 'X-Content-Type-Options' Header | HTTP Security Header | 25 |
| Low | 98618 | HTTP Header Information Disclosure | HTTP Security Header | 25 |
| Low | 98060 | Missing 'X-Frame-Options' Header | HTTP Security Header | 25 |
| Low | 112551 | Missing Content Security Policy | HTTP Security Header | 25 |
| Low | 112553 | Missing 'Cache-Control' Header | HTTP Security Header | 25 |
| Low | 115540 | Cookie Without SameSite Flag Detected | HTTP Security Header | 4 |
| Low | 98064 | Cookie Without Secure Flag Detected | HTTP Security Header | 3 |
| Low | 98063 | Cookie Without HttpOnly Flag Detected | HTTP Security Header | 2 |
| Low | 98206 | Joomla! Administration Panel Login Form Detected | Web Applications | 1 |
| Low | 98207 | WordPress Administration Panel Login Form Detected | Web Applications | 1 |
| Low | 113332 | Login Form Cross-Site Request Forgery | Cross Site Request Forgery | 1 |

PHP Unsupported Version

VULNERABILITY **CRITICAL** PLUGIN ID 98230

Description

The installation of PHP detected on the remote host is no longer supported. Lack of support implies that no new security patches for the product will be released by the vendor. As a result, it is likely to contain security vulnerabilities.

Solution

Upgrade to a supported version of PHP.

See Also

<http://php.net/supported-versions.php>

Plugin Details

| | |
|-------------------|---------------------------|
| PUBLICATION DATE | 2018-08-09T00:00:00+00:00 |
| MODIFICATION DATE | 2024-01-11T00:00:00+00:00 |
| FAMILY | Component Vulnerability |
| SEVERITY | Critical |
| PLUGIN ID | 98230 |

Risk Information

| | |
|-------------------|--|
| CVSSV4 BASE SCORE | - |
| CVSSV4 VECTOR | - |
| CVSSV3 BASE SCORE | 10.0 |
| CVSSV3 VECTOR | CVSS:3.0/AV:N/AC:L/PR:N/UI:N/S:C/C:H/I:H/A:H |
| CVSS BASE SCORE | 10.0 |
| CVSS VECTOR | CVSS2#AV:N/AC:L/Au:N/C:C/I:C/A:C |

Reference Information

| | |
|-------|---|
| CWE | 16 |
| WASC | Application Misconfiguration |
| OWASP | 2021-A5, 2013-A5, 2013-A9, 2017-A9, 2017-A6, 2021-A6, 2010-A6, 2023-API8, 2019-API7 |
| CVE | - |
| BID | - |

PHP Unsupported Version Instances (1)

VULNERABILITY

CRITICAL

PLUGIN ID 98230

INSTANCE

<https://chia-cundinamarca.gov.co/test.php>

Identification

OUTPUT

Technology PHP version 7.4.33 has been detected. Upgrade to the last supported version of PHP: 8.1

Missing HTTP Strict Transport Security Policy

VULNERABILITY **MEDIUM** PLUGIN ID 98056

Description

The HTTP protocol by itself is clear text, meaning that any data that is transmitted via HTTP can be captured and the contents viewed. To keep data private and prevent it from being intercepted, HTTP is often tunnelled through either Secure Sockets Layer (SSL) or Transport Layer Security (TLS). When either of these encryption standards are used, it is referred to as HTTPS.

HTTP Strict Transport Security (HSTS) is an optional response header that can be configured on the server to instruct the browser to only communicate via HTTPS. This will be enforced by the browser even if the user requests a HTTP resource on the same server.

Cyber-criminals will often attempt to compromise sensitive information passed from the client to the server using HTTP. This can be conducted via various Man-in-The-Middle (MiTM) attacks or through network packet captures.

Scanner discovered that the affected application is using HTTPS however does not use the HSTS header.

Solution

Depending on the framework being used the implementation methods will vary, however it is advised that the 'Strict-Transport-Security' header be configured on the server.

One of the options for this header is 'max-age', which is a representation (in milliseconds) determining the time in which the client's browser will adhere to the header policy.

Depending on the environment and the application this time period could be from as low as minutes to as long as days.

See Also

<https://hstspreload.org/>

<https://tools.ietf.org/html/rfc6797>

<https://www.chromium.org/hsts>

https://www.owasp.org/index.php/HTTP_Strict_Transport_Security_Cheat_Sheet

Plugin Details

| | |
|-------------------|---------------------------|
| PUBLICATION DATE | 2017-03-31T00:00:00+00:00 |
| MODIFICATION DATE | 2024-03-18T00:00:00+00:00 |
| FAMILY | HTTP Security Header |
| SEVERITY | Medium |
| PLUGIN ID | 98056 |

Risk Information

| | |
|-------------------|--|
| CVSSV4 BASE SCORE | - |
| CVSSV4 VECTOR | - |
| CVSSV3 BASE SCORE | 6.5 |
| CVSSV3 VECTOR | CVSS:3.0/AV:N/AC:L/PR:N/UI:N/S:U/C:L/I:L/A:N |
| CVSS BASE SCORE | 5.8 |
| CVSS VECTOR | CVSS2#AV:N/AC:M/Au:N/C:P/I:P/A:N |

Reference Information

| | |
|-------|--|
| CWE | 319, 523 |
| WASC | Insufficient Transport Layer Protection |
| OWASP | 2010-A9, 2013-A6, 2017-A3, 2021-A2, 2023-API8, 2019-API7 |
| CVE | - |
| BID | - |

Missing HTTP Strict Transport Security Policy Instances (25)

VULNERABILITY **MEDIUM** PLUGIN ID 98056

INSTANCE

<https://chia-cundinamarca.gov.co/web/directorio/>

Identification

OUTPUT

The scanner did not find any Strict-Transport-Security header in the response returned by the target when querying URL <https://chia-cundinamarca.gov.co/web/directorio/>.

HTTP Info

REQUEST MADE

GET <https://chia-cundinamarca.gov.co/web/directorio/>

REQUEST HEADERS

Referer: <https://chia-cundinamarca.gov.co/web/>
Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: same-origin
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 00:46:26 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Link: <<https://chia-cundinamarca.gov.co/web/wp-json/>>; rel="https://api.w.org/", <<https://chia-cundinamarca.gov.co/web/wp-json/wp/v2/pages/566>>; rel="alternate"; title="JSON"; type="application/json", <<https://chia-cundinamarca.gov.co/web/?p=566>>; rel=shortlink
X-TEC-API-VERSION: v1
X-TEC-API-ROOT: <https://chia-cundinamarca.gov.co/web/wp-json/tribe/events/v1/>
X-TEC-API-ORIGIN: <https://chia-cundinamarca.gov.co/web>
Content-Encoding: gzip

INSTANCE

<https://chia-cundinamarca.gov.co/web/2024/10/24/comienza-el-censo-a-bares-y-establecimientos-nocturnos/>

Identification

OUTPUT

The scanner did not find any Strict-Transport-Security header in the response returned by the target when querying URL <https://chia-cundinamarca.gov.co/web/2024/10/24/comienza-el-censo-a-bares-y-establecimientos-nocturnos/>.

HTTP Info

REQUEST MADE

GET https://chia-cundinamarca.gov.co/web/2024/10/24/comienza-el-censo-a-bares-y-establecimientos-nocturnos/

REQUEST HEADERS

Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: none
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 06:43:09 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Link: <https://chia-cundinamarca.gov.co/web/wp-json/>; rel="https://api.w.org/", <https://chia-cundinamarca.gov.co/web/wp-json/wp/v2/posts/20823>; rel="alternate"; title="JSON"; type="application/json", <https://chia-cundinamarca.gov.co/web/?p=20823>; rel=shortlink
X-TEC-API-VERSION: v1
X-TEC-API-ROOT: https://chia-cundinamarca.gov.co/web/wp-json/tribe/events/v1/
X-TEC-API-ORIGIN: https://chia-cundinamarca.gov.co/web
Content-Encoding: gzip

INSTANCE

<https://chia-cundinamarca.gov.co/web>

Identification

OUTPUT

The scanner did not find any Strict-Transport-Security header in the response returned by the target when querying URL https://chia-cundinamarca.gov.co/web.

HTTP Info

REQUEST MADE

GET /web HTTP/1.1

REQUEST HEADERS

Host: chia-cundinamarca.gov.co
Accept-Encoding: gzip, deflate, br
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Accept: */*
Accept-Language: en-US,en;q=0.5
Cookie: googtrans=/es/it; cpsession=%3aHqQl26kRGUsy2BtJ%2c4b043945560fda9514b19964b4b5be42; timezone=Etc/UTC

RESPONSE HEADERS

HTTP/1.1 301 Moved Permanently
Server: nginx
Date: Thu, 19 Dec 2024 02:31:53 GMT
Content-Type: text/html; charset=iso-8859-1
Content-Length: 245
Connection: keep-alive
Location: https://chia-cundinamarca.gov.co/web/

INSTANCE

<https://chia-cundinamarca.gov.co/web/participa/>

Identification

OUTPUT

The scanner did not find any Strict-Transport-Security header in the response returned by the target when querying URL <https://chia-cundinamarca.gov.co/web/participa/>.

HTTP Info

REQUEST MADE

GET <https://chia-cundinamarca.gov.co/web/participa/>

REQUEST HEADERS

Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: none
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 03:39:13 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Link: <<https://chia-cundinamarca.gov.co/web/wp-json/>>; rel="https://api.w.org/", <<https://chia-cundinamarca.gov.co/web/wp-json/wp/v2/pages/21196>>; rel="alternate"; title="JSON"; type="application/json", <<https://chia-cundinamarca.gov.co/web/?p=21196>>; rel=shortlink
X-TEC-API-VERSION: v1
X-TEC-API-ROOT: <https://chia-cundinamarca.gov.co/web/wp-json/tribe/events/v1/>
X-TEC-API-ORIGIN: <https://chia-cundinamarca.gov.co/web>
Content-Encoding: gzip

INSTANCE

<https://chia-cundinamarca.gov.co/controlpanel/>

Identification

OUTPUT

The scanner did not find any Strict-Transport-Security header in the response returned by the target when querying URL <https://chia-cundinamarca.gov.co/controlpanel/>.

HTTP Info

REQUEST MADE

GET /controlpanel/ HTTP/1.1

REQUEST HEADERS

Host: chia-cundinamarca.gov.co
Accept-Encoding: gzip, deflate, br
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36

Accept: */*
Accept-Language: en-US,en;q=0.5
Cookie: googtrans=/es/it; cpsession=%3aHqQl26kRGUusy2BtJ%2c4b043945560fda9514b19964b4b5be42

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 01:57:07 GMT
Content-Type: text/html
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Content-Encoding: gzip

INSTANCE

<https://chia-cundinamarca.gov.co/web/2023/12/29/secretarias/>

Identification

OUTPUT

The scanner did not find any Strict-Transport-Security header in the response returned by the target when querying URL <https://chia-cundinamarca.gov.co/web/2023/12/29/secretarias/>.

HTTP Info

REQUEST MADE

GET <https://chia-cundinamarca.gov.co/web/2023/12/29/secretarias/>

REQUEST HEADERS

Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: none
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 03:25:45 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Link: <<https://chia-cundinamarca.gov.co/web/wp-json/>>; rel="https://api.w.org/", <<https://chia-cundinamarca.gov.co/web/wp-json/wp/v2/posts/653>>; rel="alternate"; title="JSON"; type="application/json", <<https://chia-cundinamarca.gov.co/web/?p=653>>; rel=shortlink
X-TEC-API-VERSION: v1
X-TEC-API-ROOT: <https://chia-cundinamarca.gov.co/web/wp-json/tribe/events/v1/>
X-TEC-API-ORIGIN: <https://chia-cundinamarca.gov.co/web>
Content-Encoding: gzip

INSTANCE

<https://chia-cundinamarca.gov.co/web/alcaldia/>

Identification

OUTPUT

The scanner did not find any Strict-Transport-Security header in the response returned by the target when querying URL <https://chia-cundinamarca.gov.co/web/alcaldia/>.

HTTP Info

REQUEST MADE

GET <https://chia-cundinamarca.gov.co/web/alcaldia/>

REQUEST HEADERS

Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: none
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 02:45:09 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Link: <<https://chia-cundinamarca.gov.co/web/wp-json/>>; rel="https://api.w.org/", <<https://chia-cundinamarca.gov.co/web/wp-json/wp/v2/pages/49>>; rel="alternate"; title="JSON"; type="application/json", <<https://chia-cundinamarca.gov.co/web/?p=49>>; rel=shortlink
X-TEC-API-VERSION: v1
X-TEC-API-ROOT: <https://chia-cundinamarca.gov.co/web/wp-json/tribe/events/v1/>
X-TEC-API-ORIGIN: <https://chia-cundinamarca.gov.co/web>
Content-Encoding: gzip

INSTANCE

<https://chia-cundinamarca.gov.co/web/2023/12/29/control-interno-disciplinario/>

Identification

OUTPUT

The scanner did not find any Strict-Transport-Security header in the response returned by the target when querying URL <https://chia-cundinamarca.gov.co/web/2023/12/29/control-interno-disciplinario/>.

HTTP Info

REQUEST MADE

GET <https://chia-cundinamarca.gov.co/web/2023/12/29/control-interno-disciplinario/>

REQUEST HEADERS

Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: none
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"

Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 05:37:32 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Link: <https://chia-cundinamarca.gov.co/web/wp-json/>; rel="https://api.w.org/", <https://chia-cundinamarca.gov.co/web/wp-json/wp/v2/posts/616>; rel="alternate"; title="JSON"; type="application/json", <https://chia-cundinamarca.gov.co/web/?p=616>; rel=shortlink
X-TEC-API-VERSION: v1
X-TEC-API-ROOT: https://chia-cundinamarca.gov.co/web/wp-json/tribe/events/v1/
X-TEC-API-ORIGIN: https://chia-cundinamarca.gov.co/web
Content-Encoding: gzip

INSTANCE

<https://chia-cundinamarca.gov.co/web/2024/12/18/chia-se-destaca-en-gestion-social-gracias-a-blanca-donoso/>

Identification

OUTPUT

The scanner did not find any Strict-Transport-Security header in the response returned by the target when querying URL <https://chia-cundinamarca.gov.co/web/2024/12/18/chia-se-destaca-en-gestion-social-gracias-a-blanca-donoso/>.

HTTP Info

REQUEST MADE

GET <https://chia-cundinamarca.gov.co/web/2024/12/18/chia-se-destaca-en-gestion-social-gracias-a-blanca-donoso/>

REQUEST HEADERS

Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: none
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 07:08:06 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Link: <https://chia-cundinamarca.gov.co/web/wp-json/>; rel="https://api.w.org/", <https://chia-cundinamarca.gov.co/web/wp-json/wp/v2/posts/22424>; rel="alternate"; title="JSON"; type="application/json", <https://chia-cundinamarca.gov.co/web/?p=22424>; rel=shortlink
X-TEC-API-VERSION: v1
X-TEC-API-ROOT: https://chia-cundinamarca.gov.co/web/wp-json/tribe/events/v1/
X-TEC-API-ORIGIN: https://chia-cundinamarca.gov.co/web
Content-Encoding: gzip

INSTANCE

<https://chia-cundinamarca.gov.co/web/2024/09/16/conozca-los-canales-de-atencion-de-las-empresas-prestadoras-de-servicios-publicos/>

Identification

OUTPUT

The scanner did not find any Strict-Transport-Security header in the response returned by the target when querying URL <https://chia-cundinamarca.gov.co/web/2024/09/16/conozca-los-canales-de-atencion-de-las-empresas-prestadoras-de-servicios-publicos/>.

HTTP Info

REQUEST MADE

GET <https://chia-cundinamarca.gov.co/web/2024/09/16/conozca-los-canales-de-atencion-de-las-empresas-prestadoras-de-servicios-publicos/>

REQUEST HEADERS

Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: none
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 05:51:53 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Link: <<https://chia-cundinamarca.gov.co/web/wp-json/>>; rel="https://api.w.org/", <<https://chia-cundinamarca.gov.co/web/wp-json/wp/v2/posts/19440>>; rel="alternate"; title="JSON"; type="application/json", <<https://chia-cundinamarca.gov.co/web/?p=19440>>; rel=shortlink
X-TEC-API-VERSION: v1
X-TEC-API-ROOT: <https://chia-cundinamarca.gov.co/web/wp-json/tribe/events/v1/>
X-TEC-API-ORIGIN: <https://chia-cundinamarca.gov.co/web>
Content-Encoding: gzip

INSTANCE

<https://chia-cundinamarca.gov.co/web/tramites-y-servicios/>

Identification

OUTPUT

The scanner did not find any Strict-Transport-Security header in the response returned by the target when querying URL <https://chia-cundinamarca.gov.co/web/tramites-y-servicios/>.

HTTP Info

REQUEST MADE

GET <https://chia-cundinamarca.gov.co/web/tramites-y-servicios/>

REQUEST HEADERS

Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: none
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 03:50:28 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Link: <https://chia-cundinamarca.gov.co/web/wp-json/>; rel="https://api.w.org/", <https://chia-cundinamarca.gov.co/web/wp-json/wp/v2/pages/63>; rel="alternate"; title="JSON"; type="application/json", <https://chia-cundinamarca.gov.co/web/?p=63>; rel=shortlink
X-TEC-API-VERSION: v1
X-TEC-API-ROOT: https://chia-cundinamarca.gov.co/web/wp-json/tribe/events/v1/
X-TEC-API-ORIGIN: https://chia-cundinamarca.gov.co/web
Content-Encoding: gzip

INSTANCE

<https://chia-cundinamarca.gov.co/web/2023/12/29/alcalde/>

Identification

OUTPUT

The scanner did not find any Strict-Transport-Security header in the response returned by the target when querying URL <https://chia-cundinamarca.gov.co/web/2023/12/29/alcalde/>.

HTTP Info

REQUEST MADE

GET <https://chia-cundinamarca.gov.co/web/2023/12/29/alcalde/>

REQUEST HEADERS

Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: none
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 02:58:37 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding

Link: <https://chia-cundinamarca.gov.co/web/wp-json/>; rel="https://api.w.org/", <https://chia-cundinamarca.gov.co/web/wp-json/wp/v2/posts/623>; rel="alternate"; title="JSON"; type="application/json", <https://chia-cundinamarca.gov.co/web/?p=623>; rel=shortlink
X-TEC-API-VERSION: v1
X-TEC-API-ROOT: https://chia-cundinamarca.gov.co/web/wp-json/tribe/events/v1/
X-TEC-API-ORIGIN: https://chia-cundinamarca.gov.co/web
Content-Encoding: gzip

INSTANCE

<https://chia-cundinamarca.gov.co/web/2023/12/29/informacion-de-la-entidad/>

Identification

OUTPUT

The scanner did not find any Strict-Transport-Security header in the response returned by the target when querying URL <https://chia-cundinamarca.gov.co/web/2023/12/29/informacion-de-la-entidad/>.

HTTP Info

REQUEST MADE

GET <https://chia-cundinamarca.gov.co/web/2023/12/29/informacion-de-la-entidad/>

REQUEST HEADERS

Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: none
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 03:11:24 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Link: <https://chia-cundinamarca.gov.co/web/wp-json/>; rel="https://api.w.org/", <https://chia-cundinamarca.gov.co/web/wp-json/wp/v2/posts/632>; rel="alternate"; title="JSON"; type="application/json", <https://chia-cundinamarca.gov.co/web/?p=632>; rel=shortlink
X-TEC-API-VERSION: v1
X-TEC-API-ROOT: https://chia-cundinamarca.gov.co/web/wp-json/tribe/events/v1/
X-TEC-API-ORIGIN: https://chia-cundinamarca.gov.co/web
Content-Encoding: gzip

INSTANCE

<https://chia-cundinamarca.gov.co/web/>

Identification

OUTPUT

The scanner did not find any Strict-Transport-Security header in the response returned by the target when querying URL <https://chia-cundinamarca.gov.co/web/>.

HTTP Info

REQUEST MADE

GET https://chia-cundinamarca.gov.co/web/

REQUEST HEADERS

Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: none
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 00:15:28 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Link: <https://chia-cundinamarca.gov.co/web/wp-json/>; rel="https://api.w.org/", <https://chia-cundinamarca.gov.co/web/wp-json/wp/v2/pages/1107>; rel="alternate"; title="JSON"; type="application/json", <https://chia-cundinamarca.gov.co/web/>; rel=shortlink
X-TEC-API-VERSION: v1
X-TEC-API-ROOT: https://chia-cundinamarca.gov.co/web/wp-json/tribe/events/v1/
X-TEC-API-ORIGIN: https://chia-cundinamarca.gov.co/web
Content-Encoding: gzip

INSTANCE

<https://chia-cundinamarca.gov.co/web/2024/02/26/impuesto-predial-unificado/>

Identification

OUTPUT

The scanner did not find any Strict-Transport-Security header in the response returned by the target when querying URL https://chia-cundinamarca.gov.co/web/2024/02/26/impuesto-predial-unificado/.

HTTP Info

REQUEST MADE

GET https://chia-cundinamarca.gov.co/web/2024/02/26/impuesto-predial-unificado/

REQUEST HEADERS

Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: none
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 06:17:33 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Link: <https://chia-cundinamarca.gov.co/web/wp-json/>; rel="https://api.w.org/", <https://chia-cundinamarca.gov.co/web/wp-json/wp/v2/posts/4113>; rel="alternate"; title="JSON"; type="application/json", <https://chia-cundinamarca.gov.co/web/?p=4113>; rel=shortlink
X-TEC-API-VERSION: v1
X-TEC-API-ROOT: https://chia-cundinamarca.gov.co/web/wp-json/tribe/events/v1/
X-TEC-API-ORIGIN: https://chia-cundinamarca.gov.co/web
Content-Encoding: gzip

INSTANCE

<https://chia-cundinamarca.gov.co/web/2024/08/24/paso-a-paso-para-acceder-a-su-estado-de-cuenta-liquidacion-y-factura-de-los-impuestos-predial-e-ica/>

Identification

OUTPUT

The scanner did not find any Strict-Transport-Security header in the response returned by the target when querying URL <https://chia-cundinamarca.gov.co/web/2024/08/24/paso-a-paso-para-acceder-a-su-estado-de-cuenta-liquidacion-y-factura-de-los-impuestos-predial-e-ica/>.

HTTP Info

REQUEST MADE

GET <https://chia-cundinamarca.gov.co/web/2024/08/24/paso-a-paso-para-acceder-a-su-estado-de-cuenta-liquidacion-y-factura-de-los-impuestos-predial-e-ica/>

REQUEST HEADERS

Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: none
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 06:04:16 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Link: <https://chia-cundinamarca.gov.co/web/wp-json/>; rel="https://api.w.org/", <https://chia-cundinamarca.gov.co/web/wp-json/wp/v2/posts/18365>; rel="alternate"; title="JSON"; type="application/json", <https://chia-cundinamarca.gov.co/web/?p=18365>; rel=shortlink
X-TEC-API-VERSION: v1
X-TEC-API-ROOT: https://chia-cundinamarca.gov.co/web/wp-json/tribe/events/v1/
X-TEC-API-ORIGIN: https://chia-cundinamarca.gov.co/web
Content-Encoding: gzip

INSTANCE

<https://chia-cundinamarca.gov.co/>

Identification

OUTPUT

The scanner did not find any Strict-Transport-Security header in the response returned by the target when querying URL <https://chia-cundinamarca.gov.co/>.

HTTP Info

REQUEST MADE

GET / HTTP/1.1

REQUEST HEADERS

Host: chia-cundinamarca.gov.co
Accept-Encoding: gzip, deflate, br
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 302 Found
Server: nginx
Date: Thu, 19 Dec 2024 00:02:28 GMT
Content-Type: text/html; charset=iso-8859-1
Content-Length: 221
Connection: keep-alive
Location: <https://chia-cundinamarca.gov.co/web/>

INSTANCE

<https://chia-cundinamarca.gov.co/web/transparencia-y-acceso-a-la-informacion-publica/>

Identification

OUTPUT

The scanner did not find any Strict-Transport-Security header in the response returned by the target when querying URL <https://chia-cundinamarca.gov.co/web/transparencia-y-acceso-a-la-informacion-publica/>.

HTTP Info

REQUEST MADE

GET <https://chia-cundinamarca.gov.co/web/transparencia-y-acceso-a-la-informacion-publica/>

REQUEST HEADERS

Referer: <https://chia-cundinamarca.gov.co/web/>
Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: same-origin
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 00:38:08 GMT

Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Link: <https://chia-cundinamarca.gov.co/web/wp-json/>; rel="https://api.w.org/", <https://chia-cundinamarca.gov.co/web/wp-json/wp/v2/pages/21>; rel="alternate"; title="JSON"; type="application/json", <https://chia-cundinamarca.gov.co/web/?p=21>; rel=shortlink
X-TEC-API-VERSION: v1
X-TEC-API-ROOT: https://chia-cundinamarca.gov.co/web/wp-json/tribe/events/v1/
X-TEC-API-ORIGIN: https://chia-cundinamarca.gov.co/web
Content-Encoding: gzip

INSTANCE

<https://chia-cundinamarca.gov.co/web/2023/12/30/7-1-4-programa-de-gestion-documental/>

Identification

OUTPUT

The scanner did not find any Strict-Transport-Security header in the response returned by the target when querying URL <https://chia-cundinamarca.gov.co/web/2023/12/30/7-1-4-programa-de-gestion-documental/>.

HTTP Info

REQUEST MADE

GET <https://chia-cundinamarca.gov.co/web/2023/12/30/7-1-4-programa-de-gestion-documental/>

REQUEST HEADERS

Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: none
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 05:16:57 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Link: <https://chia-cundinamarca.gov.co/web/wp-json/>; rel="https://api.w.org/", <https://chia-cundinamarca.gov.co/web/wp-json/wp/v2/posts/805>; rel="alternate"; title="JSON"; type="application/json", <https://chia-cundinamarca.gov.co/web/?p=805>; rel=shortlink
X-TEC-API-VERSION: v1
X-TEC-API-ROOT: https://chia-cundinamarca.gov.co/web/wp-json/tribe/events/v1/
X-TEC-API-ORIGIN: https://chia-cundinamarca.gov.co/web
Content-Encoding: gzip

INSTANCE

<https://chia-cundinamarca.gov.co/web/2024/05/10/tramite-para-solicitar-certificados-de-residencia-en-el-territorio-de-chia-y-personerias-juridicas/>

Identification

OUTPUT

The scanner did not find any Strict-Transport-Security header in the response returned by the target when querying URL <https://chia-cundinamarca.gov.co/web/2024/05/10/tramite-para-solicitar-certificados-de-residencia-en-el-territorio-de-chia-y-personerias-juridicas/>.

HTTP Info

REQUEST MADE

GET <https://chia-cundinamarca.gov.co/web/2024/05/10/tramite-para-solicitar-certificados-de-residencia-en-el-territorio-de-chia-y-personerias-juridicas/>

REQUEST HEADERS

Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: none
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 05:04:12 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Link: <<https://chia-cundinamarca.gov.co/web/wp-json/>>; rel="https://api.w.org/", <<https://chia-cundinamarca.gov.co/web/wp-json/wp/v2/posts/7526>>; rel="alternate"; title="JSON"; type="application/json", <<https://chia-cundinamarca.gov.co/web/?p=7526>>; rel=shortlink
X-TEC-API-VERSION: v1
X-TEC-API-ROOT: <https://chia-cundinamarca.gov.co/web/wp-json/tribe/events/v1/>
X-TEC-API-ORIGIN: <https://chia-cundinamarca.gov.co/web>
Content-Encoding: gzip

INSTANCE

<https://chia-cundinamarca.gov.co/web/2023/12/28/datos-abiertos/>

Identification

OUTPUT

The scanner did not find any Strict-Transport-Security header in the response returned by the target when querying URL <https://chia-cundinamarca.gov.co/web/2023/12/28/datos-abiertos/>.

HTTP Info

REQUEST MADE

GET <https://chia-cundinamarca.gov.co/web/2023/12/28/datos-abiertos/>

REQUEST HEADERS

Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: none
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1

User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 04:52:23 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Link: <https://chia-cundinamarca.gov.co/web/wp-json/>; rel="https://api.w.org/", <https://chia-cundinamarca.gov.co/web/wp-json/wp/v2/posts/585>; rel="alternate"; title="JSON"; type="application/json", <https://chia-cundinamarca.gov.co/web/?p=585>; rel=shortlink
X-TEC-API-VERSION: v1
X-TEC-API-ROOT: https://chia-cundinamarca.gov.co/web/wp-json/tribe/events/v1/
X-TEC-API-ORIGIN: https://chia-cundinamarca.gov.co/web
Content-Encoding: gzip

INSTANCE

<https://chia-cundinamarca.gov.co/images/>

Identification

OUTPUT

The scanner did not find any Strict-Transport-Security header in the response returned by the target when querying URL <https://chia-cundinamarca.gov.co/images/>.

HTTP Info

REQUEST MADE

GET <https://chia-cundinamarca.gov.co/images/>

REQUEST HEADERS

Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: none
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 01:41:55 GMT
Content-Type: text/html
Content-Length: 31
Connection: keep-alive
Last-Modified: Sun, 11 Dec 2016 21:51:10 GMT
Accept-Ranges: bytes

INSTANCE

<https://chia-cundinamarca.gov.co/cache/>

Identification

OUTPUT

The scanner did not find any Strict-Transport-Security header in the response returned by the target when querying URL <https://chia-cundinamarca.gov.co/cache/>.

HTTP Info

REQUEST MADE

GET <https://chia-cundinamarca.gov.co/cache/>

REQUEST HEADERS

Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: none
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 02:08:25 GMT
Content-Type: text/html
Content-Length: 31
Connection: keep-alive
Last-Modified: Sun, 11 Dec 2016 21:51:10 GMT
Accept-Ranges: bytes

INSTANCE

<https://chia-cundinamarca.gov.co/index.php/tramites-y-servicios/sisben>

Identification

OUTPUT

The scanner did not find any Strict-Transport-Security header in the response returned by the target when querying URL <https://chia-cundinamarca.gov.co/index.php/tramites-y-servicios/sisben>.

HTTP Info

REQUEST MADE

GET /index.php/tramites-y-servicios/sisben HTTP/1.1

REQUEST HEADERS

Host: chia-cundinamarca.gov.co
Accept-Encoding: gzip, deflate, br
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Accept: */*
Accept-Language: en-US,en;q=0.5
Cookie: googtrans=/es/it; cpsession=%3aHqQl26kRGUusy2BtJ%2c4b043945560fda9514b19964b4b5be42; timezone=Etc/UTC

RESPONSE HEADERS

HTTP/1.1 503 Service Temporarily Unavailable
Server: nginx

Date: Thu, 19 Dec 2024 04:01:41 GMT
Content-Type: text/html; charset=utf-8
Transfer-Encoding: chunked
Connection: keep-alive
X-Logged-In: False
X-Content-Powered-By: K2 v2.8.0 (by JoomlaWorks)
P3P: CP="NOI ADM DEV PSAi COM NAV OUR OTRo STP IND DEM"
Expires: Wed, 17 Aug 2005 00:00:00 GMT
Cache-Control: no-store, no-cache, must-revalidate, post-check=0, pre-check=0
Pragma: no-cache
Set-Cookie: 8b58dc30ff9e4328565181726d3386f8=a5b853b5f45bde4860b15e2765387503; path=/; HttpOnly
Last-Modified: Thu, 19 Dec 2024 04:01:41 GMT

INSTANCE

<https://chia-cundinamarca.gov.co/test.php>

Identification

OUTPUT

The scanner did not find any Strict-Transport-Security header in the response returned by the target when querying URL <https://chia-cundinamarca.gov.co/test.php>.

HTTP Info

REQUEST MADE

GET <https://chia-cundinamarca.gov.co/test.php>

REQUEST HEADERS

Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: none
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 02:22:54 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Content-Encoding: gzip

WordPress User Enumeration

VULNERABILITY **MEDIUM** PLUGIN ID 98203

Description

In default WordPress installation there are several methods to enumerate authors username. These WordPress users can then be used in brute-force attacks against WordPress login page to guess passwords.

Solution

Block requests to sensitive user information at the server using .htaccess file or WAF for example. You should block or redirect all requests made to '/wp-json/wp/v2/users/' and to 'author' parameter (via GET and POST requests).

See Also

<https://hackertarget.com/wordpress-user-enumeration/>

<https://wordpress.org/support/article/htaccess/>

Plugin Details

| | |
|-------------------|---------------------------|
| PUBLICATION DATE | 2020-09-09T00:00:00+00:00 |
| MODIFICATION DATE | 2023-12-06T00:00:00+00:00 |
| FAMILY | Web Applications |
| SEVERITY | Medium |
| PLUGIN ID | 98203 |

Risk Information

| | |
|-------------------|---|
| CVSSV4 BASE SCORE | 6.9 |
| CVSSV4 VECTOR | CVSS:4.0/AV:N/AC:L/AT:N/PR:N/UI:N/VC:L/VI:N/VA:N/SC:N/SI:N/SA:N |
| CVSSV3 BASE SCORE | 5.3 |
| CVSSV3 VECTOR | CVSS:3.0/AV:N/AC:L/PR:N/UI:N/S:U/C:L/I:N/A:N |
| CVSS BASE SCORE | 5.0 |
| CVSS VECTOR | CVSS2#AV:N/AC:L/Au:N/C:P/I:N/A:N |

Reference Information

| | |
|-------|--|
| CWE | 200 |
| WASC | Information Leakage |
| OWASP | 2017-A6, 2021-A1, 2013-A5, 2010-A6, 2023-API8, 2019-API7 |
| CVE | - |
| BID | - |

WordPress User Enumeration Instances (1)

VULNERABILITY **MEDIUM** PLUGIN ID 98203

INSTANCE

<https://chia-cundinamarca.gov.co/web/?author=1>

Identification

OUTPUT

WAS Scanner has enumerated the following WordPress users:

- administrador
 - funcion
-

WordPress XML-RPC Interface Detected

VULNERABILITY **MEDIUM** PLUGIN ID 98215

Description

A public facing WordPress XML-RPC interface has been detected.

An attacker may be able to launch attacks against the web server Via XML-RPC including:

- Login into WordPress backend Administrative interface
- Brute force user credentials
- Use pingbacks (for scanning or fingerprinting for example)

Solution

Block requests to sensitive user information at the server using .htaccess file or WAF for example. You should block or redirect all requests made to 'xmlrpc.php' (via GET and POST requests).

See Also

https://codex.wordpress.org/XML-RPC_Support

<https://codex.wordpress.org/htaccess>

Plugin Details

| | |
|-------------------|---------------------------|
| PUBLICATION DATE | 2018-05-11T00:00:00+00:00 |
| MODIFICATION DATE | 2021-11-17T00:00:00+00:00 |
| FAMILY | Component Vulnerability |
| SEVERITY | Medium |
| PLUGIN ID | 98215 |

Risk Information

| | |
|-------------------|--|
| CVSSV4 BASE SCORE | - |
| CVSSV4 VECTOR | - |
| CVSSV3 BASE SCORE | 5.3 |
| CVSSV3 VECTOR | CVSS:3.0/AV:N/AC:L/PR:N/UI:N/S:U/C:L/I:N/A:N |
| CVSS BASE SCORE | 5.0 |
| CVSS VECTOR | CVSS2#AV:N/AC:L/Au:N/C:P/I:N/A:N |

Reference Information

| | |
|-------|---|
| CWE | 200 |
| WASC | Information Leakage |
| OWASP | 2021-A1, 2013-A5, 2013-A9, 2017-A9, 2017-A6, 2021-A6, 2010-A6, 2023-API8, 2019-API7 |
| CVE | - |
| BID | - |

WordPress XML-RPC Interface Detected Instances (1)

VULNERABILITY **MEDIUM** PLUGIN ID 98215

INSTANCE

<https://chia-cundinamarca.gov.co/web/xmlrpc.php>

Identification

PROOF

XML-RPC server accepts POST requests only.

OUTPUT

The scanner was able to detect an accessible XMLRPC interface.

HTTP Info

REQUEST MADE

GET /web/xmlrpc.php HTTP/1.1

REQUEST HEADERS

Host: chia-cundinamarca.gov.co
Accept-Encoding: gzip, deflate, br
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Accept: */*
Accept-Language: en-US,en;q=0.5
Cookie: googtrans=/es/fr

RESPONSE HEADERS

HTTP/1.1 405 Method Not Allowed
Server: nginx
Date: Thu, 19 Dec 2024 00:37:51 GMT
Content-Type: text/plain; charset=UTF-8
Transfer-Encoding: chunked
Connection: keep-alive
Allow: POST

PHPinfo Information Disclosure

VULNERABILITY **MEDIUM** PLUGIN ID 98223

Description

Many PHP installation tutorials instruct the user to create a PHP file that calls the PHP function 'phpinfo()' for debugging purposes, and various PHP applications may also include such a file by default. By accessing it, a remote attacker can discover a large amount of information about the remote web server configuration to help conduct further attacks, including :

- Versions of the web server, operating system and PHP components
- Details of the PHP configuration
- Loaded PHP extensions with their configurations
- Server environment variables.

Solution

Remove the affected file(s).

See Also

<http://php.net/manual/en/function.phpinfo.php>

Plugin Details

| | |
|-------------------|---------------------------|
| PUBLICATION DATE | 2018-06-27T00:00:00+00:00 |
| MODIFICATION DATE | 2022-06-28T00:00:00+00:00 |
| FAMILY | Web Applications |
| SEVERITY | Medium |
| PLUGIN ID | 98223 |

Risk Information

| | |
|-------------------|---|
| CVSSV4 BASE SCORE | 6.9 |
| CVSSV4 VECTOR | CVSS:4.0/AV:N/AC:L/AT:N/PR:N/UI:N/VC:L/VI:N/VA:N/SC:N/SI:N/SA:N |
| CVSSV3 BASE SCORE | 5.8 |
| CVSSV3 VECTOR | CVSS:3.0/AV:N/AC:L/PR:N/UI:N/S:C/C:L/I:N/A:N |
| CVSS BASE SCORE | 5.0 |
| CVSS VECTOR | CVSS2#AV:N/AC:L/Au:N/C:P/I:N/A:N |

Reference Information

| | |
|-------|--|
| CWE | 200 |
| WASC | Information Leakage |
| OWASP | 2017-A6, 2021-A1, 2013-A5, 2010-A6, 2023-API8, 2019-API7 |
| CVE | - |
| BID | - |

PHPinfo Information Disclosure Instances (1)

VULNERABILITY **MEDIUM** PLUGIN ID 98223

INSTANCE

<https://chia-cundinamarca.gov.co/test.php>

Identification

PROOF

```
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN" "DTD/xhtml1-transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml"><head>
<style type="text/css">
body {background-color: #fff; color: #222; font-family: sans-serif;}
```

OUTPUT

The scanner detected the presence of the `test.php` file on <https://chia-cundinamarca.gov.co/test.php>

HTTP Info

REQUEST MADE

GET /test.php HTTP/1.1

REQUEST HEADERS

```
Host: chia-cundinamarca.gov.co
Accept-Encoding: gzip, deflate, br
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Accept: */*
Accept-Language: en-US,en;q=0.5
```

RESPONSE HEADERS

```
HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 00:12:39 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Content-Encoding: gzip
```

jQuery < 3.4.0 Prototype Pollution

VULNERABILITY **MEDIUM** PLUGIN ID 98590

Description

According to its self-reported version number, jQuery is prior to 3.4.0. Therefore, it may be affected by a prototype pollution vulnerability due to 'extend' function that can be tricked into modifying the prototype of 'Object'.

Note that the scanner has not tested for these issues but has instead relied only on the application's self-reported version number.

Solution

Upgrade to jQuery version 3.4.0 or later.

See Also

<https://github.com/jquery/jquery/pull/4333>

<https://snyk.io/blog/after-three-years-of-silence-a-new-jquery-prototype-pollution-vulnerability-emerges-once-again/>

<https://snyk.io/vuln/SNYK-JS-JQUERY-174006>

Plugin Details

| | |
|-------------------|---------------------------|
| PUBLICATION DATE | 2019-04-25T00:00:00+00:00 |
| MODIFICATION DATE | 2023-03-14T00:00:00+00:00 |
| FAMILY | Component Vulnerability |
| SEVERITY | Medium |
| PLUGIN ID | 98590 |

Risk Information

| | |
|-------------------|--|
| CVSSV4 BASE SCORE | - |
| CVSSV4 VECTOR | - |
| CVSSV3 BASE SCORE | 6.1 |
| CVSSV3 VECTOR | CVSS:3.0/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N |
| CVSS BASE SCORE | 4.3 |
| CVSS VECTOR | CVSS2#AV:N/AC:M/Au:N/C:N/I:P/A:N |

Reference Information

| | |
|-------|--|
| CWE | 1321, 20, 400, 79 |
| WASC | Cross-Site Scripting, Denial of Service, Improper Input Handling |
| OWASP | 2010-A4, 2021-A3, 2021-A6, 2010-A2, 2013-A3, 2013-A9, 2017-A9, 2017-A5, 2013-A4, 2017-A7, 2019-API7, 2023-API8 |
| CVE | CVE-2019-11358 |
| BID | 108023 |

jQuery < 3.4.0 Prototype Pollution Instances (1)

VULNERABILITY **MEDIUM** PLUGIN ID 98590

INSTANCE

<https://chia-cundinamarca.gov.co/index.php/tramites-y-servicios/sisben>

Identification

OUTPUT

Current Version: 1.12.4

Fixed Version: 3.4.0

Detected technology URL: <https://chia-cundinamarca.gov.co/index.php/tramites-y-servicios/sisben>

Host Header Injection

VULNERABILITY **MEDIUM** PLUGIN ID 98623

Description

When creating URI for links in web applications, developers often resort to the HTTP Host header available in HTTP request sent by client side. A remote attacker can exploit this by sending a fake header with a domain name under his control allowing him to poison web-cache or password reset emails for example.

Solution

Web application should not trust Host and X-Forwarded-Host and should use a secure SERVER_NAME instead of these headers.

See Also

<https://fr.slideshare.net/DefconRussia/http-host-header-attacks>

<https://www.linkedin.com/pulse/host-header-injection-depth-utkarsh-tiwari/>

<https://www.skeletonscribe.net/2013/05/practical-http-host-header-attacks.html>

Plugin Details

| | |
|-------------------|---------------------------|
| PUBLICATION DATE | 2019-06-25T00:00:00+00:00 |
| MODIFICATION DATE | 2024-12-03T00:00:00+00:00 |
| FAMILY | Injection |
| SEVERITY | Medium |
| PLUGIN ID | 98623 |

Risk Information

| | |
|-------------------|---|
| CVSSV4 BASE SCORE | 5.1 |
| CVSSV4 VECTOR | CVSS:4.0/AV:N/AC:L/AT:N/PR:N/UI:A/VC:L/VI:N/VA:N/SC:L/SI:L/SA:L |
| CVSSV3 BASE SCORE | 4.3 |
| CVSSV3 VECTOR | CVSS:3.0/AV:N/AC:L/PR:N/UI:R/S:U/C:L/I:N/A:N |
| CVSS BASE SCORE | 5.0 |
| CVSS VECTOR | CVSS2#AV:N/AC:L/Au:N/C:P/I:N/A:N |

Reference Information

| | |
|-------|--|
| CWE | 20 |
| WASC | Improper Input Handling |
| OWASP | 2010-A4, 2021-A3, 2013-A4, 2017-A5, 2019-API7, 2023-API8 |
| CVE | - |
| BID | - |

Host Header Injection Instances (1)

VULNERABILITY **MEDIUM** PLUGIN ID 98623

INSTANCE

<https://chia-cundinamarca.gov.co/web/>

Identification

PROOF

The header 'Host: tenablewasmZ8DbtInnV.com' has been injected and 'tenablewasmZ8DbtInnV.com' has been detected inside the response body.

OUTPUT

Host header injection has been detected on <https://chia-cundinamarca.gov.co/web/> using the injection tenablewasmZ8DbtInnV.com in HTTP header 'Host'.

HTTP Info

REQUEST MADE

GET /web/ HTTP/1.1

REQUEST HEADERS

Host: tenablewasmZ8DbtInnV.com
Accept-Encoding: gzip, deflate, br
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 404 Not Found
Server: nginx
Date: Thu, 19 Dec 2024 00:19:39 GMT
Content-Type: text/html
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Cache-Control: no-cache, no-store, must-revalidate
Pragma: no-cache
Expires: 0
Content-Encoding: gzip

Source Code Passive Disclosure

VULNERABILITY **MEDIUM** PLUGIN ID 98779

Description

Scanner has detected server-side source code within the server's response.

A modern web application will be reliant on several different programming languages. These languages can be broken up in two flavours. These are client-side languages (such as those that run in the browser -- like JavaScript) and server-side languages (which are executed by the server -- like ASP, PHP, JSP, etc.) to form the dynamic pages (client-side code) that are then sent to the client.

Because all server side code should be executed by the server, it should never be seen by the client, however in some scenarios it is possible that the server has a misconfiguration or the server side code has syntax errors, and therefore is not executed by the server but is instead sent to the client. As the server-side source code often contains sensitive information, such as database connection strings or details into the application workflow, this can be extremely risky.

Cyber-criminals will attempt to discover pages that either accidentally or forcefully allow the server-side source code to be disclosed, to assist in discovering further vulnerabilities or sensitive information.

Solution

It is important that the server does not deliver server side code to the client, and the server misconfiguration or server code should be changed to prevent this.

See Also

Plugin Details

| | |
|-------------------|---------------------------|
| PUBLICATION DATE | 2019-12-19T00:00:00+00:00 |
| MODIFICATION DATE | 2024-01-03T00:00:00+00:00 |
| FAMILY | Data Exposure |
| SEVERITY | Medium |
| PLUGIN ID | 98779 |

Risk Information

| | |
|-------------------|---|
| CVSSV4 BASE SCORE | 6.9 |
| CVSSV4 VECTOR | CVSS:4.0/AV:N/AC:L/AT:N/PR:N/UI:N/VC:L/VI:N/VA:N/SC:N/SI:N/SA:N |
| CVSSV3 BASE SCORE | 5.3 |
| CVSSV3 VECTOR | CVSS:3.0/AV:N/AC:L/PR:N/UI:N/S:U/C:L/I:N/A:N |
| CVSS BASE SCORE | 5.0 |
| CVSS VECTOR | CVSS2#AV:N/AC:L/Au:N/C:P/I:N/A:N |

Reference Information

| | |
|------|---------------------|
| CWE | 540 |
| WASC | Information Leakage |

| | |
|-------|--|
| OWASP | 2017-A6, 2021-A1, 2010-A6, 2013-A5, 2023-API3, 2019-API3 |
| CVE | - |
| BID | - |

Source Code Passive Disclosure Instances (1)

VULNERABILITY **MEDIUM** PLUGIN ID 98779

INSTANCE

<https://chia-cundinamarca.gov.co/web/wp-content/plugins/wordpress-seo/readme.txt>

Identification

PROOF

The following patterns were detected in the HTTP response body :
- <?php

OUTPUT

The scanner detected the presence of a 'PHP' source code in the web application response.

HTTP Info

REQUEST MADE

GET /web/wp-content/plugins/wordpress-seo/readme.txt HTTP/1.1

REQUEST HEADERS

Host: chia-cundinamarca.gov.co
Accept-Encoding: gzip, deflate, br
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Accept: */*
Accept-Language: en-US,en;q=0.5
Cookie: googtrans=/es/it

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 00:38:41 GMT
Content-Type: text/plain
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Last-Modified: Thu, 25 Jul 2024 23:02:08 GMT
Content-Encoding: gzip

jQuery 1.2.0 < 3.5.0 Cross-Site Scripting

VULNERABILITY **MEDIUM** PLUGIN ID 112383

Description

According to its self-reported version number, jQuery is at least 1.2.0 and prior to 3.5.0. Therefore, it may be affected by a cross-site scripting vulnerability via the regex operation in jQuery.htmlPrefilter.

Note that the scanner has not tested for these issues but has instead relied only on the application's self-reported version number.

Solution

Upgrade to jQuery version 3.5.0 or later.

See Also

<https://blog.jquery.com/2020/04/10/jquery-3-5-0-released/>

<https://github.com/jquery/jquery/commit/1d61fd9407e6fbe82fe55cb0b938307aa0791f77>

Plugin Details

| | |
|-------------------|---------------------------|
| PUBLICATION DATE | 2020-05-14T00:00:00+00:00 |
| MODIFICATION DATE | 2023-03-14T00:00:00+00:00 |
| FAMILY | Component Vulnerability |
| SEVERITY | Medium |
| PLUGIN ID | 112383 |

Risk Information

| | |
|-------------------|--|
| CVSSV4 BASE SCORE | - |
| CVSSV4 VECTOR | - |
| CVSSV3 BASE SCORE | 6.1 |
| CVSSV3 VECTOR | CVSS:3.0/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N |
| CVSS BASE SCORE | 4.3 |
| CVSS VECTOR | CVSS2#AV:N/AC:M/Au:N/C:N/I:P/A:N |

Reference Information

| | |
|-------|---|
| CWE | 79 |
| WASC | Cross-Site Scripting |
| OWASP | 2021-A3, 2021-A6, 2010-A2, 2013-A3, 2013-A9, 2017-A7, 2017-A9, 2019-API7, 2023-API8 |
| CVE | CVE-2020-11022, CVE-2020-11023 |
| BID | - |

jQuery 1.2.0 < 3.5.0 Cross-Site Scripting Instances (1)

VULNERABILITY **MEDIUM** PLUGIN ID 112383

INSTANCE

<https://chia-cundinamarca.gov.co/index.php/tramites-y-servicios/sisben>

Identification

OUTPUT

Current Version: 1.12.4

Fixed Version: 3.5.0

Detected technology URL: <https://chia-cundinamarca.gov.co/index.php/tramites-y-servicios/sisben>

jQuery 1.12.4 < 3.0.0 Cross-Site Scripting

VULNERABILITY **MEDIUM** PLUGIN ID 112435

Description

According to its self-reported version number, jQuery is at least 1.4.0 and prior to 1.12.0 or at least 1.12.4 and prior to 3.0.0-beta1. Therefore, it may be affected by a cross-site scripting vulnerability due to cross-domain ajax request performed without the dataType.

Note that the scanner has not tested for these issues but has instead relied only on the application's self-reported version number.

Solution

Upgrade to jQuery version 3.0.0 or later.

See Also

<https://github.com/jquery/jquery/issues/2432>

<https://github.com/jquery/jquery/pull/2588/commits/c254d308a7d3f1eac4d0b42837804cfffcb4bb2>

Plugin Details

| | |
|-------------------|---------------------------|
| PUBLICATION DATE | 2018-11-05T00:00:00+00:00 |
| MODIFICATION DATE | 2023-03-14T00:00:00+00:00 |
| FAMILY | Component Vulnerability |
| SEVERITY | Medium |
| PLUGIN ID | 112435 |

Risk Information

| | |
|-------------------|--|
| CVSSV4 BASE SCORE | - |
| CVSSV4 VECTOR | - |
| CVSSV3 BASE SCORE | 6.1 |
| CVSSV3 VECTOR | CVSS:3.0/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N |
| CVSS BASE SCORE | 4.3 |
| CVSS VECTOR | CVSS2#AV:N/AC:M/Au:N/C:N/I:P/A:N |

Reference Information

| | |
|-------|---|
| CWE | 79 |
| WASC | Cross-Site Scripting |
| OWASP | 2021-A3, 2021-A6, 2010-A2, 2013-A3, 2013-A9, 2017-A7, 2017-A9, 2019-API7, 2023-API8 |
| CVE | CVE-2015-9251 |
| BID | 105658 |

jQuery 1.12.4 < 3.0.0 Cross-Site Scripting Instances (1)

VULNERABILITY

MEDIUM

PLUGIN ID 112435

INSTANCE

<https://chia-cundinamarca.gov.co/index.php/tramites-y-servicios/sisben>

Identification

OUTPUT

Current Version: 1.12.4

Fixed Version: 3.0.0

Detected technology URL: <https://chia-cundinamarca.gov.co/index.php/tramites-y-servicios/sisben>

MediaElement.js < 2.21.1 Cross-Site Scripting

VULNERABILITY **MEDIUM** PLUGIN ID 112556

Description

According to its self-reported version number, MediaElement.js is prior to 2.21.1. Therefore, it may be affected by a cross-site scripting vulnerability in flashmediaelement.swf.

Note that the scanner has not tested for these issues but has instead relied only on the application's self-reported version number.

Solution

Upgrade to MediaElement.js version 2.21.1 or later.

See Also

<https://gist.github.com/cure53/df34ea68c26441f3ae98f821ba1feb9c>

<https://github.com/mediaelement/mediaelement/commit/34834eef8ac830b9145df169ec22016a4350f06e>

Plugin Details

| | |
|-------------------|---------------------------|
| PUBLICATION DATE | 2019-02-18T00:00:00+00:00 |
| MODIFICATION DATE | 2023-03-14T00:00:00+00:00 |
| FAMILY | Component Vulnerability |
| SEVERITY | Medium |
| PLUGIN ID | 112556 |

Risk Information

| | |
|-------------------|--|
| CVSSV4 BASE SCORE | - |
| CVSSV4 VECTOR | - |
| CVSSV3 BASE SCORE | 6.1 |
| CVSSV3 VECTOR | CVSS:3.0/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N |
| CVSS BASE SCORE | 4.3 |
| CVSS VECTOR | CVSS2#AV:N/AC:M/Au:N/C:N/I:P/A:N |

Reference Information

| | |
|-------|---|
| CWE | 79 |
| WASC | Cross-Site Scripting |
| OWASP | 2021-A3, 2021-A6, 2010-A2, 2013-A3, 2013-A9, 2017-A7, 2017-A9, 2019-API7, 2023-API8 |
| CVE | CVE-2016-4567 |
| BID | 90300 |

MediaElement.js < 2.21.1 Cross-Site Scripting Instances (1)

VULNERABILITY **MEDIUM** PLUGIN ID 112556

INSTANCE

<https://chia-cundinamarca.gov.co/index.php/tramites-y-servicios/sisben>

Identification

OUTPUT

Current Version: 2.17.0

Fixed Version: 2.21.1

Detected technology URL: <https://chia-cundinamarca.gov.co/index.php/tramites-y-servicios/sisben>

Web Cache Poisoning

VULNERABILITY **MEDIUM** PLUGIN ID 113338

Description

A caching system has been detected on the application and is vulnerable to web cache poisoning. By manipulating specific unkeyed inputs (headers or cookies that are not included when generating the cache key) it was possible to force the caching system to cache a response that contains user-controlled input. If a response is cached in a shared web cache, such as those commonly found in proxy servers, then all users of that cache will continue to receive the malicious content until the cache entry is purged.

Solution

Disable caching for the affected input or pages. If both the affected input and caching behavior are required, configure the cache to ensure that the input is included in the cache key.

See Also

<https://i.blackhat.com/us-18/Thu-August-9/us-18-Kettle-Practical-Web-Cache-Poisoning-Redefining-Unexploitable.pdf>
https://owasp.org/www-community/attacks/Cache_Poisoning

Plugin Details

| | |
|-------------------|---------------------------|
| PUBLICATION DATE | 2022-09-06T00:00:00+00:00 |
| MODIFICATION DATE | 2024-07-29T00:00:00+00:00 |
| FAMILY | Web Applications |
| SEVERITY | Medium |
| PLUGIN ID | 113338 |

Risk Information

| | |
|-------------------|---|
| CVSSV4 BASE SCORE | 7.2 |
| CVSSV4 VECTOR | CVSS:4.0/AV:N/AC:L/AT:N/PR:N/UI:P/VC:L/VI:L/VA:H/SC:N/SI:N/SA:N |
| CVSSV3 BASE SCORE | 6.1 |
| CVSSV3 VECTOR | CVSS:3.0/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N |
| CVSS BASE SCORE | 5.8 |
| CVSS VECTOR | CVSS2#AV:N/AC:M/Au:N/C:P/I:P/A:N |

Reference Information

| | |
|-------|-------------------------------|
| CWE | 444 |
| WASC | HTTP Request Smuggling |
| OWASP | 2021-A4, 2019-API7, 2023-API8 |
| CVE | - |
| BID | - |

Web Cache Poisoning Instances (1)

VULNERABILITY **MEDIUM** PLUGIN ID 113338

INSTANCE

<https://chia-cundinamarca.gov.co/test.php>

Identification

PROOF

The pattern was_662_bfeg was detected in the response body after injecting the header : 'User-Agent: was_662_bfeg'.

OUTPUT

The scanner was able to detect a Web Cache Poisoning through the header 'User-Agent'.

HTTP Info

REQUEST MADE

GET /test.php?cb=was_724_nndl HTTP/1.1

REQUEST HEADERS

Host: chia-cundinamarca.gov.co
Accept-Encoding: gzip, deflate, br
User-Agent: was_662_bfeg
Accept: */*
Accept-Language: en-US,en;q=0.5
Cookie: googtrans=/es/it; cpsession=%3aHqQl26kRGUsy2BtJ%2c4b043945560fda9514b19964b4b5be42; timezone=Etc/UTC

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 02:28:53 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Content-Encoding: gzip

WordPress Cron Enabled

VULNERABILITY **MEDIUM** PLUGIN ID 113449

Description

The wp-cron.php file is responsible for scheduled events in a WordPress website. By default, when a request is made, WordPress will generate an additional request from it to the wp-cron.php file. By generating a large number of requests to the website, it is therefore possible to make the site perform a DoS attack on itself.

Solution

Add the variable DISABLE_WP_CRON to true in the file wp-config.php and restrict access to the file wp-cron.php.

See Also

<https://medium.com/@thechannelguy/the-nightmare-that-is-wpcron-php-ae31c1d3ae30>

Plugin Details

| | |
|-------------------|---------------------------|
| PUBLICATION DATE | 2022-12-21T00:00:00+00:00 |
| MODIFICATION DATE | 2023-07-13T00:00:00+00:00 |
| FAMILY | Component Vulnerability |
| SEVERITY | Medium |
| PLUGIN ID | 113449 |

Risk Information

| | |
|-------------------|--|
| CVSSV4 BASE SCORE | - |
| CVSSV4 VECTOR | - |
| CVSSV3 BASE SCORE | 5.3 |
| CVSSV3 VECTOR | CVSS:3.0/AV:A/AC:H/PR:N/UI:N/S:U/C:N/I:N/A:H |
| CVSS BASE SCORE | 4.6 |
| CVSS VECTOR | CVSS2#AV:A/AC:H/Au:N/C:N/I:N/A:C |

Reference Information

| | |
|-------|---|
| CWE | 400 |
| WASC | Denial of Service |
| OWASP | 2021-A6, 2013-A9, 2017-A9, 2019-API7, 2023-API8 |
| CVE | CVE-2023-22622 |
| BID | - |

WordPress Cron Enabled Instances (1)

VULNERABILITY **MEDIUM** PLUGIN ID 113449

INSTANCE

<https://chia-cundinamarca.gov.co/web/wp-cron.php>

Identification

OUTPUT

The scanner was able to detect a WordPress instance with cron tasks enabled and accessible for any user.

HTTP Info

REQUEST MADE

POST /web/wp-cron.php HTTP/1.1

REQUEST HEADERS

Host: chia-cundinamarca.gov.co
Accept-Encoding: gzip, deflate, br
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Accept: */*
Accept-Language: en-US,en;q=0.5
Cookie: googtrans=/es/it
Content-Length: 0
Content-Type: application/x-www-form-urlencoded

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 01:00:24 GMT
Content-Type: text/html; charset=UTF-8
Content-Length: 0
Connection: keep-alive
Expires: Wed, 11 Jan 1984 05:00:00 GMT
Cache-Control: no-cache, must-revalidate, max-age=0

Missing 'X-Frame-Options' Header

VULNERABILITY **LOW** PLUGIN ID 98060

Description

Clickjacking (User Interface redress attack, UI redress attack, UI redressing) is a malicious technique of tricking a Web user into clicking on something different from what the user perceives they are clicking on, thus potentially revealing confidential information or taking control of their computer while clicking on seemingly innocuous web pages.

The server didn't return an `X-Frame-Options` header which means that this website could be at risk of a clickjacking attack.

The `X-Frame-Options` HTTP response header can be used to indicate whether or not a browser should be allowed to render a page inside a frame or iframe. Sites can use this to avoid clickjacking attacks, by ensuring that their content is not embedded into other sites.

Solution

Configure your web server to include an `X-Frame-Options` header.

See Also

<http://tools.ietf.org/html/rfc7034>

<https://developer.mozilla.org/en-US/docs/Web/HTTP/X-Frame-Options>

<https://www.owasp.org/index.php/Clickjacking>

Plugin Details

| | |
|-------------------|---------------------------|
| PUBLICATION DATE | 2017-03-31T00:00:00+00:00 |
| MODIFICATION DATE | 2024-03-25T00:00:00+00:00 |
| FAMILY | HTTP Security Header |
| SEVERITY | Low |
| PLUGIN ID | 98060 |

Risk Information

| | |
|-------------------|--|
| CVSSV4 BASE SCORE | - |
| CVSSV4 VECTOR | - |
| CVSSV3 BASE SCORE | 3.1 |
| CVSSV3 VECTOR | CVSS:3.0/AV:N/AC:H/PR:N/UI:R/S:U/C:N/I:L/A:N |
| CVSS BASE SCORE | 2.6 |
| CVSS VECTOR | CVSS2#AV:N/AC:H/Au:N/C:N/I:P/A:N |

Reference Information

| | |
|-------|---|
| CWE | 1021, 346 |
| WASC | Application Misconfiguration |
| OWASP | 2021-A7, 2017-A6, 2021-A4, 2013-A5, 2010-A6, 2023-API8, 2019-API7 |
| CVE | - |

BID

-

Missing 'X-Frame-Options' Header Instances (25)

VULNERABILITY **LOW** PLUGIN ID 98060

INSTANCE

<https://chia-cundinamarca.gov.co/web/2023/12/29/control-interno-disciplinario/>

Identification

OUTPUT

Page <https://chia-cundinamarca.gov.co/web/2023/12/29/control-interno-disciplinario/> has no X-Frame-Options header defined

HTTP Info

REQUEST MADE

GET <https://chia-cundinamarca.gov.co/web/2023/12/29/control-interno-disciplinario/>

REQUEST HEADERS

Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: none
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 05:37:32 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Link: <<https://chia-cundinamarca.gov.co/web/wp-json/>>; rel="https://api.w.org/", <<https://chia-cundinamarca.gov.co/web/wp-json/wp/v2/posts/616>>; rel="alternate"; title="JSON"; type="application/json", <<https://chia-cundinamarca.gov.co/web/?p=616>>; rel=shortlink
X-TEC-API-VERSION: v1
X-TEC-API-ROOT: <https://chia-cundinamarca.gov.co/web/wp-json/tribe/events/v1/>
X-TEC-API-ORIGIN: <https://chia-cundinamarca.gov.co/web>
Content-Encoding: gzip

INSTANCE

<https://chia-cundinamarca.gov.co/web/alcaldia/>

Identification

OUTPUT

Page <https://chia-cundinamarca.gov.co/web/alcaldia/> has no X-Frame-Options header defined

HTTP Info

REQUEST MADE

GET https://chia-cundinamarca.gov.co/web/alcaldia/

REQUEST HEADERS

Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: none
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 02:45:09 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Link: <https://chia-cundinamarca.gov.co/web/wp-json/>; rel="https://api.w.org/", <https://chia-cundinamarca.gov.co/web/wp-json/wp/v2/pages/49>; rel="alternate"; title="JSON"; type="application/json", <https://chia-cundinamarca.gov.co/web/?p=49>; rel="shortlink"
X-TEC-API-VERSION: v1
X-TEC-API-ROOT: https://chia-cundinamarca.gov.co/web/wp-json/tribe/events/v1/
X-TEC-API-ORIGIN: https://chia-cundinamarca.gov.co/web
Content-Encoding: gzip

INSTANCE

<https://chia-cundinamarca.gov.co/web/>

Identification

OUTPUT

Page https://chia-cundinamarca.gov.co/web/ has no X-Frame-Options header defined

HTTP Info

REQUEST MADE

GET https://chia-cundinamarca.gov.co/web/

REQUEST HEADERS

Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: none
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 00:15:28 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Connection: keep-alive

Vary: Accept-Encoding
Link: <https://chia-cundinamarca.gov.co/web/wp-json/>; rel="https://api.w.org/", <https://chia-cundinamarca.gov.co/web/wp-json/wp/v2/pages/1107>; rel="alternate"; title="JSON"; type="application/json", <https://chia-cundinamarca.gov.co/web/>; rel=shortlink
X-TEC-API-VERSION: v1
X-TEC-API-ROOT: https://chia-cundinamarca.gov.co/web/wp-json/tribe/events/v1/
X-TEC-API-ORIGIN: https://chia-cundinamarca.gov.co/web
Content-Encoding: gzip

INSTANCE

<https://chia-cundinamarca.gov.co/web/2024/12/17/los-salones-de-artes-plasticas-abren-sus-puertas-para-el-arte-y-cultura-en-chia/>

Identification

OUTPUT

Page <https://chia-cundinamarca.gov.co/web/2024/12/17/los-salones-de-artes-plasticas-abren-sus-puertas-para-el-arte-y-cultura-en-chia/> has no X-Frame-Options header defined

HTTP Info

REQUEST MADE

GET <https://chia-cundinamarca.gov.co/web/2024/12/17/los-salones-de-artes-plasticas-abren-sus-puertas-para-el-arte-y-cultura-en-chia/>

REQUEST HEADERS

Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: none
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 07:35:13 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Link: <https://chia-cundinamarca.gov.co/web/wp-json/>; rel="https://api.w.org/", <https://chia-cundinamarca.gov.co/web/wp-json/wp/v2/posts/22370>; rel="alternate"; title="JSON"; type="application/json", <https://chia-cundinamarca.gov.co/web/?p=22370>; rel=shortlink
X-TEC-API-VERSION: v1
X-TEC-API-ROOT: https://chia-cundinamarca.gov.co/web/wp-json/tribe/events/v1/
X-TEC-API-ORIGIN: https://chia-cundinamarca.gov.co/web
Content-Encoding: gzip

INSTANCE

<https://chia-cundinamarca.gov.co/web/2024/12/18/los-adultos-mayores-de-chia-se-gozaron-boyaca/>

Identification

OUTPUT

Page <https://chia-cundinamarca.gov.co/web/2024/12/18/los-adultos-mayores-de-chia-se-gozaron-boyaca/> has no X-Frame-Options header defined

HTTP Info

REQUEST MADE

GET <https://chia-cundinamarca.gov.co/web/2024/12/18/los-adultos-mayores-de-chia-se-gozaron-boyaca/>

REQUEST HEADERS

Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: none
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 07:21:39 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Link: <<https://chia-cundinamarca.gov.co/web/wp-json/>>; rel="https://api.w.org/", <<https://chia-cundinamarca.gov.co/web/wp-json/wp/v2/posts/22400>>; rel="alternate"; title="JSON"; type="application/json", <<https://chia-cundinamarca.gov.co/web/?p=22400>>; rel=shortlink
X-TEC-API-VERSION: v1
X-TEC-API-ROOT: <https://chia-cundinamarca.gov.co/web/wp-json/tribe/events/v1/>
X-TEC-API-ORIGIN: <https://chia-cundinamarca.gov.co/web>
Content-Encoding: gzip

INSTANCE

<https://chia-cundinamarca.gov.co/web/2024/02/26/impuesto-predial-unificado/>

Identification

OUTPUT

Page <https://chia-cundinamarca.gov.co/web/2024/02/26/impuesto-predial-unificado/> has no X-Frame-Options header defined

HTTP Info

REQUEST MADE

GET <https://chia-cundinamarca.gov.co/web/2024/02/26/impuesto-predial-unificado/>

REQUEST HEADERS

Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: none
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 06:17:33 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Link: <https://chia-cundinamarca.gov.co/web/wp-json/>; rel="https://api.w.org/", <https://chia-cundinamarca.gov.co/web/wp-json/wp/v2/posts/4113>; rel="alternate"; title="JSON"; type="application/json", <https://chia-cundinamarca.gov.co/web/?p=4113>; rel=shortlink
X-TEC-API-VERSION: v1
X-TEC-API-ROOT: https://chia-cundinamarca.gov.co/web/wp-json/tribe/events/v1/
X-TEC-API-ORIGIN: https://chia-cundinamarca.gov.co/web
Content-Encoding: gzip

INSTANCE

<https://chia-cundinamarca.gov.co/web/2024/08/24/paso-a-paso-para-acceder-a-su-estado-de-cuenta-liquidacion-y-factura-de-los-impuestos-predial-e-ica/>

Identification

OUTPUT

Page <https://chia-cundinamarca.gov.co/web/2024/08/24/paso-a-paso-para-acceder-a-su-estado-de-cuenta-liquidacion-y-factura-de-los-impuestos-predial-e-ica/> has no X-Frame-Options header defined

HTTP Info

REQUEST MADE

GET <https://chia-cundinamarca.gov.co/web/2024/08/24/paso-a-paso-para-acceder-a-su-estado-de-cuenta-liquidacion-y-factura-de-los-impuestos-predial-e-ica/>

REQUEST HEADERS

Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: none
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"
Accept: /*/*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 06:04:16 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Link: <https://chia-cundinamarca.gov.co/web/wp-json/>; rel="https://api.w.org/", <https://chia-cundinamarca.gov.co/web/wp-json/wp/v2/posts/18365>; rel="alternate"; title="JSON"; type="application/json", <https://chia-cundinamarca.gov.co/web/?p=18365>; rel=shortlink
X-TEC-API-VERSION: v1
X-TEC-API-ROOT: https://chia-cundinamarca.gov.co/web/wp-json/tribe/events/v1/
X-TEC-API-ORIGIN: https://chia-cundinamarca.gov.co/web
Content-Encoding: gzip

INSTANCE

<https://chia-cundinamarca.gov.co/web/directorio/>

Identification

OUTPUT

Page <https://chia-cundinamarca.gov.co/web/directorio/> has no X-Frame-Options header defined

HTTP Info

REQUEST MADE

GET <https://chia-cundinamarca.gov.co/web/directorio/>

REQUEST HEADERS

Referer: <https://chia-cundinamarca.gov.co/web/>
Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: same-origin
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 00:46:26 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Link: <<https://chia-cundinamarca.gov.co/web/wp-json/>>; rel="https://api.w.org/", <<https://chia-cundinamarca.gov.co/web/wp-json/wp/v2/pages/566>>; rel="alternate"; title="JSON"; type="application/json", <<https://chia-cundinamarca.gov.co/web/?p=566>>; rel=shortlink
X-TEC-API-VERSION: v1
X-TEC-API-ROOT: <https://chia-cundinamarca.gov.co/web/wp-json/tribe/events/v1/>
X-TEC-API-ORIGIN: <https://chia-cundinamarca.gov.co/web>
Content-Encoding: gzip

INSTANCE

<https://chia-cundinamarca.gov.co/web/2024/05/10/tramite-para-solicitar-certificados-de-residencia-en-el-territorio-de-chia-y-personerias-juridicas/>

Identification

OUTPUT

Page <https://chia-cundinamarca.gov.co/web/2024/05/10/tramite-para-solicitar-certificados-de-residencia-en-el-territorio-de-chia-y-personerias-juridicas/> has no X-Frame-Options header defined

HTTP Info

REQUEST MADE

GET <https://chia-cundinamarca.gov.co/web/2024/05/10/tramite-para-solicitar-certificados-de-residencia-en-el-territorio-de-chia-y-personerias-juridicas/>

REQUEST HEADERS

Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate

Sec-Fetch-Site: none
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 05:04:12 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Link: <https://chia-cundinamarca.gov.co/web/wp-json/>; rel="https://api.w.org/", <https://chia-cundinamarca.gov.co/web/wp-json/wp/v2/posts/7526>; rel="alternate"; title="JSON"; type="application/json", <https://chia-cundinamarca.gov.co/web/?p=7526>; rel=shortlink
X-TEC-API-VERSION: v1
X-TEC-API-ROOT: https://chia-cundinamarca.gov.co/web/wp-json/tribe/events/v1/
X-TEC-API-ORIGIN: https://chia-cundinamarca.gov.co/web
Content-Encoding: gzip

INSTANCE

<https://chia-cundinamarca.gov.co/images/>

Identification

OUTPUT

Page https://chia-cundinamarca.gov.co/images/ has no X-Frame-Options header defined

HTTP Info

REQUEST MADE

GET https://chia-cundinamarca.gov.co/images/

REQUEST HEADERS

Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: none
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 01:41:55 GMT
Content-Type: text/html
Content-Length: 31
Connection: keep-alive
Last-Modified: Sun, 11 Dec 2016 21:51:10 GMT
Accept-Ranges: bytes

INSTANCE

<https://chia-cundinamarca.gov.co/web/2023/12/28/datos-abiertos/>

Identification

OUTPUT

Page <https://chia-cundinamarca.gov.co/web/2023/12/28/datos-abiertos/> has no X-Frame-Options header defined

HTTP Info

REQUEST MADE

GET <https://chia-cundinamarca.gov.co/web/2023/12/28/datos-abiertos/>

REQUEST HEADERS

Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: none
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 04:52:23 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Link: <<https://chia-cundinamarca.gov.co/web/wp-json/>>; rel="https://api.w.org/", <<https://chia-cundinamarca.gov.co/web/wp-json/wp/v2/posts/585>>; rel="alternate"; title="JSON"; type="application/json", <<https://chia-cundinamarca.gov.co/web/?p=585>>; rel=shortlink
X-TEC-API-VERSION: v1
X-TEC-API-ROOT: <https://chia-cundinamarca.gov.co/web/wp-json/tribe/events/v1/>
X-TEC-API-ORIGIN: <https://chia-cundinamarca.gov.co/web>
Content-Encoding: gzip

INSTANCE

<https://chia-cundinamarca.gov.co/web/participa/>

Identification

OUTPUT

Page <https://chia-cundinamarca.gov.co/web/participa/> has no X-Frame-Options header defined

HTTP Info

REQUEST MADE

GET <https://chia-cundinamarca.gov.co/web/participa/>

REQUEST HEADERS

Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: none
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1

User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 03:39:13 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Link: <https://chia-cundinamarca.gov.co/web/wp-json/>; rel="https://api.w.org/", <https://chia-cundinamarca.gov.co/web/wp-json/wp/v2/pages/21196>; rel="alternate"; title="JSON"; type="application/json", <https://chia-cundinamarca.gov.co/web/?p=21196>; rel=shortlink
X-TEC-API-VERSION: v1
X-TEC-API-ROOT: https://chia-cundinamarca.gov.co/web/wp-json/tribe/events/v1/
X-TEC-API-ORIGIN: https://chia-cundinamarca.gov.co/web
Content-Encoding: gzip

INSTANCE

<https://chia-cundinamarca.gov.co/controlpanel/>

Identification

OUTPUT

Page https://chia-cundinamarca.gov.co/controlpanel/ has no X-Frame-Options header defined

HTTP Info

REQUEST MADE

GET /controlpanel/ HTTP/1.1

REQUEST HEADERS

Host: chia-cundinamarca.gov.co
Accept-Encoding: gzip, deflate, br
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Accept: */*
Accept-Language: en-US,en;q=0.5
Cookie: googtrans=/es/it; cpsession=%3aHqQl26kRGUsy2BtJ%2c4b043945560fda9514b19964b4b5be42

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 01:57:07 GMT
Content-Type: text/html
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Content-Encoding: gzip

INSTANCE

<https://chia-cundinamarca.gov.co/cache/>

Identification

OUTPUT

Page <https://chia-cundinamarca.gov.co/cache/> has no X-Frame-Options header defined

HTTP Info

REQUEST MADE

GET <https://chia-cundinamarca.gov.co/cache/>

REQUEST HEADERS

Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: none
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 02:08:25 GMT
Content-Type: text/html
Content-Length: 31
Connection: keep-alive
Last-Modified: Sun, 11 Dec 2016 21:51:10 GMT
Accept-Ranges: bytes

INSTANCE

<https://chia-cundinamarca.gov.co/test.php>

Identification

OUTPUT

Page <https://chia-cundinamarca.gov.co/test.php> has no X-Frame-Options header defined

HTTP Info

REQUEST MADE

GET <https://chia-cundinamarca.gov.co/test.php>

REQUEST HEADERS

Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: none
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 02:22:54 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked

Connection: keep-alive
Vary: Accept-Encoding
Content-Encoding: gzip

INSTANCE

<https://chia-cundinamarca.gov.co/web/2023/12/29/alcalde/>

Identification

OUTPUT

Page <https://chia-cundinamarca.gov.co/web/2023/12/29/alcalde/> has no X-Frame-Options header defined

HTTP Info

REQUEST MADE

GET <https://chia-cundinamarca.gov.co/web/2023/12/29/alcalde/>

REQUEST HEADERS

Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: none
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 02:58:37 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Link: <<https://chia-cundinamarca.gov.co/web/wp-json/>>; rel="https://api.w.org/", <<https://chia-cundinamarca.gov.co/web/wp-json/wp/v2/posts/623>>; rel="alternate"; title="JSON"; type="application/json", <<https://chia-cundinamarca.gov.co/web/?p=623>>; rel=shortlink
X-TEC-API-VERSION: v1
X-TEC-API-ROOT: <https://chia-cundinamarca.gov.co/web/wp-json/tribe/events/v1/>
X-TEC-API-ORIGIN: <https://chia-cundinamarca.gov.co/web>
Content-Encoding: gzip

INSTANCE

<https://chia-cundinamarca.gov.co/web/2023/12/30/7-1-4-programa-de-gestion-documental/>

Identification

OUTPUT

Page <https://chia-cundinamarca.gov.co/web/2023/12/30/7-1-4-programa-de-gestion-documental/> has no X-Frame-Options header defined

HTTP Info

REQUEST MADE

GET <https://chia-cundinamarca.gov.co/web/2023/12/30/7-1-4-programa-de-gestion-documental/>

REQUEST HEADERS

Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: none
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 05:16:57 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Link: <https://chia-cundinamarca.gov.co/web/wp-json/>; rel="https://api.w.org/", <https://chia-cundinamarca.gov.co/web/wp-json/wp/v2/posts/805>; rel="alternate"; title="JSON"; type="application/json", <https://chia-cundinamarca.gov.co/web/?p=805>; rel=shortlink
X-TEC-API-VERSION: v1
X-TEC-API-ROOT: https://chia-cundinamarca.gov.co/web/wp-json/tribe/events/v1/
X-TEC-API-ORIGIN: https://chia-cundinamarca.gov.co/web
Content-Encoding: gzip

INSTANCE

<https://chia-cundinamarca.gov.co/web/2023/12/29/secretarias/>

Identification

OUTPUT

Page <https://chia-cundinamarca.gov.co/web/2023/12/29/secretarias/> has no X-Frame-Options header defined

HTTP Info

REQUEST MADE

GET <https://chia-cundinamarca.gov.co/web/2023/12/29/secretarias/>

REQUEST HEADERS

Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: none
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 03:25:45 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Link: <https://chia-cundinamarca.gov.co/web/wp-json/>; rel="https://api.w.org/", <https://chia-cundinamarca.gov.co/web/wp-json/wp/v2/posts/653>; rel="alternate"; title="JSON"; type="application/json", <https://chia-cundinamarca.gov.co

/web/?p=653>; rel=shortlink
X-TEC-API-VERSION: v1
X-TEC-API-ROOT: https://chia-cundinamarca.gov.co/web/wp-json/tribe/events/v1/
X-TEC-API-ORIGIN: https://chia-cundinamarca.gov.co/web
Content-Encoding: gzip

INSTANCE

<https://chia-cundinamarca.gov.co/web/transparencia-y-acceso-a-la-informacion-publica/>

Identification

OUTPUT

Page https://chia-cundinamarca.gov.co/web/transparencia-y-acceso-a-la-informacion-publica/ has no X-Frame-Options header defined

HTTP Info

REQUEST MADE

GET https://chia-cundinamarca.gov.co/web/transparencia-y-acceso-a-la-informacion-publica/

REQUEST HEADERS

Referer: https://chia-cundinamarca.gov.co/web/
Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: same-origin
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 00:38:08 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Link: <https://chia-cundinamarca.gov.co/web/wp-json/>; rel="https://api.w.org/", <https://chia-cundinamarca.gov.co/web/wp-json/wp/v2/pages/21>; rel="alternate"; title="JSON"; type="application/json", <https://chia-cundinamarca.gov.co/web/?p=21>; rel=shortlink
X-TEC-API-VERSION: v1
X-TEC-API-ROOT: https://chia-cundinamarca.gov.co/web/wp-json/tribe/events/v1/
X-TEC-API-ORIGIN: https://chia-cundinamarca.gov.co/web
Content-Encoding: gzip

INSTANCE

<https://chia-cundinamarca.gov.co/web/2024/10/24/comienza-el-censo-a-bares-y-establecimientos-nocturnos/>

Identification

OUTPUT

Page https://chia-cundinamarca.gov.co/web/2024/10/24/comienza-el-censo-a-bares-y-establecimientos-nocturnos/ has no X-Frame-Options header defined

HTTP Info

REQUEST MADE

GET https://chia-cundinamarca.gov.co/web/2024/10/24/comienza-el-censo-a-bares-y-establecimientos-nocturnos/

REQUEST HEADERS

Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: none
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 06:43:09 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Link: <https://chia-cundinamarca.gov.co/web/wp-json/>; rel="https://api.w.org/", <https://chia-cundinamarca.gov.co/web/wp-json/wp/v2/posts/20823>; rel="alternate"; title="JSON"; type="application/json", <https://chia-cundinamarca.gov.co/web/?p=20823>; rel=shortlink
X-TEC-API-VERSION: v1
X-TEC-API-ROOT: https://chia-cundinamarca.gov.co/web/wp-json/tribe/events/v1/
X-TEC-API-ORIGIN: https://chia-cundinamarca.gov.co/web
Content-Encoding: gzip

INSTANCE

<https://chia-cundinamarca.gov.co/web/2024/12/18/chia-se-destaca-en-gestion-social-gracias-a-blanca-donoso/>

Identification

OUTPUT

Page https://chia-cundinamarca.gov.co/web/2024/12/18/chia-se-destaca-en-gestion-social-gracias-a-blanca-donoso/ has no X-Frame-Options header defined

HTTP Info

REQUEST MADE

GET https://chia-cundinamarca.gov.co/web/2024/12/18/chia-se-destaca-en-gestion-social-gracias-a-blanca-donoso/

REQUEST HEADERS

Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: none
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 07:08:06 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Link: <https://chia-cundinamarca.gov.co/web/wp-json/>; rel="https://api.w.org/", <https://chia-cundinamarca.gov.co/web/wp-json/wp/v2/posts/22424>; rel="alternate"; title="JSON"; type="application/json", <https://chia-cundinamarca.gov.co/web/?p=22424>; rel=shortlink
X-TEC-API-VERSION: v1
X-TEC-API-ROOT: https://chia-cundinamarca.gov.co/web/wp-json/tribe/events/v1/
X-TEC-API-ORIGIN: https://chia-cundinamarca.gov.co/web
Content-Encoding: gzip

INSTANCE

<https://chia-cundinamarca.gov.co/web/2024/09/16/conozca-los-canales-de-atencion-de-las-empresas-prestadoras-de-servicios-publicos/>

Identification

OUTPUT

Page <https://chia-cundinamarca.gov.co/web/2024/09/16/conozca-los-canales-de-atencion-de-las-empresas-prestadoras-de-servicios-publicos/> has no X-Frame-Options header defined

HTTP Info

REQUEST MADE

GET <https://chia-cundinamarca.gov.co/web/2024/09/16/conozca-los-canales-de-atencion-de-las-empresas-prestadoras-de-servicios-publicos/>

REQUEST HEADERS

Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: none
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 05:51:53 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Link: <https://chia-cundinamarca.gov.co/web/wp-json/>; rel="https://api.w.org/", <https://chia-cundinamarca.gov.co/web/wp-json/wp/v2/posts/19440>; rel="alternate"; title="JSON"; type="application/json", <https://chia-cundinamarca.gov.co/web/?p=19440>; rel=shortlink
X-TEC-API-VERSION: v1
X-TEC-API-ROOT: https://chia-cundinamarca.gov.co/web/wp-json/tribe/events/v1/
X-TEC-API-ORIGIN: https://chia-cundinamarca.gov.co/web
Content-Encoding: gzip

INSTANCE

<https://chia-cundinamarca.gov.co/index.php/tramites-y-servicios/sisben>

Identification

OUTPUT

Page <https://chia-cundinamarca.gov.co/index.php/tramites-y-servicios/sisben> has no X-Frame-Options header defined

HTTP Info

REQUEST MADE

GET /index.php/tramites-y-servicios/sisben HTTP/1.1

REQUEST HEADERS

Host: chia-cundinamarca.gov.co
Accept-Encoding: gzip, deflate, br
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Accept: */*
Accept-Language: en-US,en;q=0.5
Cookie: googtrans=/es/it; cpsession=%3aHqQL26kRGUusy2BtJ%2c4b043945560fda9514b19964b4b5be42; timezone=Etc/UTC

RESPONSE HEADERS

HTTP/1.1 503 Service Temporarily Unavailable
Server: nginx
Date: Thu, 19 Dec 2024 04:01:41 GMT
Content-Type: text/html; charset=utf-8
Transfer-Encoding: chunked
Connection: keep-alive
X-Logged-In: False
X-Content-Powered-By: K2 v2.8.0 (by JoomlaWorks)
P3P: CP="NOI ADM DEV PSAi COM NAV OUR OTRo STP IND DEM"
Expires: Wed, 17 Aug 2005 00:00:00 GMT
Cache-Control: no-store, no-cache, must-revalidate, post-check=0, pre-check=0
Pragma: no-cache
Set-Cookie: 8b58dc30ff9e4328565181726d3386f8=a5b853b5f45bde4860b15e2765387503; path=/; HttpOnly
Last-Modified: Thu, 19 Dec 2024 04:01:41 GMT

INSTANCE

<https://chia-cundinamarca.gov.co/web/tramites-y-servicios/>

Identification

OUTPUT

Page <https://chia-cundinamarca.gov.co/web/tramites-y-servicios/> has no X-Frame-Options header defined

HTTP Info

REQUEST MADE

GET <https://chia-cundinamarca.gov.co/web/tramites-y-servicios/>

REQUEST HEADERS

Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: none
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 03:50:28 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Link: <https://chia-cundinamarca.gov.co/web/wp-json/>; rel="https://api.w.org/", <https://chia-cundinamarca.gov.co/web/wp-json/wp/v2/pages/63>; rel="alternate"; title="JSON"; type="application/json", <https://chia-cundinamarca.gov.co/web/?p=63>; rel=shortlink
X-TEC-API-VERSION: v1
X-TEC-API-ROOT: https://chia-cundinamarca.gov.co/web/wp-json/tribe/events/v1/
X-TEC-API-ORIGIN: https://chia-cundinamarca.gov.co/web
Content-Encoding: gzip

INSTANCE

<https://chia-cundinamarca.gov.co/web/2023/12/29/informacion-de-la-entidad/>

Identification

OUTPUT

Page <https://chia-cundinamarca.gov.co/web/2023/12/29/informacion-de-la-entidad/> has no X-Frame-Options header defined

HTTP Info

REQUEST MADE

GET <https://chia-cundinamarca.gov.co/web/2023/12/29/informacion-de-la-entidad/>

REQUEST HEADERS

Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: none
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 03:11:24 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Link: <https://chia-cundinamarca.gov.co/web/wp-json/>; rel="https://api.w.org/", <https://chia-cundinamarca.gov.co/web/wp-json/wp/v2/posts/632>; rel="alternate"; title="JSON"; type="application/json", <https://chia-cundinamarca.gov.co/web/?p=632>; rel=shortlink
X-TEC-API-VERSION: v1
X-TEC-API-ROOT: https://chia-cundinamarca.gov.co/web/wp-json/tribe/events/v1/
X-TEC-API-ORIGIN: https://chia-cundinamarca.gov.co/web
Content-Encoding: gzip

Cookie Without HttpOnly Flag Detected

VULNERABILITY LOW PLUGIN ID 98063

Description

The HttpOnly flag assists in the prevention of client side-scripts (such as JavaScript) from accessing and using the cookie.

This can help prevent XSS attacks from targeting the cookies holding the client's session token (setting the HttpOnly flag does not prevent, nor safeguard against XSS vulnerabilities themselves).

Solution

The initial step to remedy this would be to determine whether any client-side scripts (such as JavaScript) need to access the cookie and if not, set the HttpOnly flag.

It should be noted that some older browsers are not compatible with the HttpOnly flag; therefore, setting this flag will not protect those clients against this form of attack.

See Also

<https://www.owasp.org/index.php/HttpOnly>

Plugin Details

| | |
|-------------------|---------------------------|
| PUBLICATION DATE | 2017-03-31T00:00:00+00:00 |
| MODIFICATION DATE | 2023-12-11T00:00:00+00:00 |
| FAMILY | HTTP Security Header |
| SEVERITY | Low |
| PLUGIN ID | 98063 |

Risk Information

| | |
|-------------------|---|
| CVSSV4 BASE SCORE | 2.1 |
| CVSSV4 VECTOR | CVSS:4.0/AV:N/AC:H/AT:N/PR:N/UI:A/VC:L/VI:N/VA:N/SC:N/SI:N/SA:N |
| CVSSV3 BASE SCORE | 3.1 |
| CVSSV3 VECTOR | CVSS:3.0/AV:N/AC:H/PR:N/UI:R/S:U/C:L/I:N/A:N |
| CVSS BASE SCORE | 2.6 |
| CVSS VECTOR | CVSS2#AV:N/AC:H/Au:N/C:P/I:N/A:N |

Reference Information

| | |
|-------|------------------------------------|
| CWE | 1004 |
| WASC | Application Misconfiguration |
| OWASP | 2010-A9, 2013-A6, 2017-A3, 2021-A5 |
| CVE | - |
| BID | - |

Cookie Without HttpOnly Flag Detected Instances (2)

VULNERABILITY LOW PLUGIN ID 98063

INSTANCE

<https://chia-cundinamarca.gov.co/>

| | |
|------------|----------|
| INPUT TYPE | cookie |
| INPUT NAME | timezone |

Identification

PROOF

```
timezone=Etc/UTC; Path=/
```

OUTPUT

The scanner detected a cookie named 'timezone' set with JavaScript which prevents the HTTPOnly attribute from being used.

If the cookie is set to handle sensitive information (for example session-based information), it should be set via the HTTP method.

HTTP Info

REQUEST MADE

```
GET https://chia-cundinamarca.gov.co/cache/
```

REQUEST HEADERS

```
Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: none
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"
Accept: */*
Accept-Language: en-US,en;q=0.5
```

RESPONSE HEADERS

```
HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 02:08:25 GMT
Content-Type: text/html
Content-Length: 31
Connection: keep-alive
Last-Modified: Sun, 11 Dec 2016 21:51:10 GMT
Accept-Ranges: bytes
```

INSTANCE

<https://chia-cundinamarca.gov.co/>

| | |
|------------|-----------|
| INPUT TYPE | cookie |
| INPUT NAME | googtrans |

Identification

PROOF

googtrans=/es/fr; Path=/

OUTPUT

The scanner detected a cookie named 'googtrans' set with JavaScript which prevents the HTTPOnly attribute from being used.

If the cookie is set to handle sensitive information (for example session-based information), it should be set via the HTTP method.

HTTP Info

REQUEST MADE

GET https://chia-cundinamarca.gov.co/web/

REQUEST HEADERS

Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: none
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 00:22:39 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Link: <https://chia-cundinamarca.gov.co/web/wp-json/>; rel="https://api.w.org/", <https://chia-cundinamarca.gov.co/web/wp-json/wp/v2/pages/1107>; rel="alternate"; title="JSON"; type="application/json", <https://chia-cundinamarca.gov.co/web/>; rel=shortlink
X-TEC-API-VERSION: v1
X-TEC-API-ROOT: https://chia-cundinamarca.gov.co/web/wp-json/tribe/events/v1/
X-TEC-API-ORIGIN: https://chia-cundinamarca.gov.co/web
Content-Encoding: gzip

Cookie Without Secure Flag Detected

VULNERABILITY LOW PLUGIN ID 98064

Description

When the `secure` flag is set on a cookie, the browser will prevent it from being sent over a clear text channel (HTTP) and only allow it to be sent when an encrypted channel is used (HTTPS).

The scanner discovered that a cookie was set by the server without the secure flag being set. Although the initial setting of this cookie was via an HTTPS connection, any HTTP link to the same server will result in the cookie being sent in clear text.

Note that if the cookie does not contain sensitive information, the risk of this vulnerability is mitigated.

Solution

If the cookie contains sensitive information, then the server should ensure that the cookie has the `secure` flag set.

See Also

https://cheatsheetseries.owasp.org/cheatsheets/Session_Management_Cheat_Sheet.html#secure-attribute

Plugin Details

| | |
|-------------------|---------------------------|
| PUBLICATION DATE | 2017-03-31T00:00:00+00:00 |
| MODIFICATION DATE | 2023-12-11T00:00:00+00:00 |
| FAMILY | HTTP Security Header |
| SEVERITY | Low |
| PLUGIN ID | 98064 |

Risk Information

| | |
|-------------------|---|
| CVSSV4 BASE SCORE | 2.1 |
| CVSSV4 VECTOR | CVSS:4.0/AV:N/AC:H/AT:N/PR:N/UI:A/VC:L/VI:N/VA:N/SC:N/SI:N/SA:N |
| CVSSV3 BASE SCORE | 3.1 |
| CVSSV3 VECTOR | CVSS:3.0/AV:N/AC:H/PR:N/UI:R/S:U/C:L/I:N/A:N |
| CVSS BASE SCORE | 2.6 |
| CVSS VECTOR | CVSS2#AV:N/AC:H/Au:N/C:P/I:N/A:N |

Reference Information

| | |
|-------|---|
| CWE | 614 |
| WASC | Insufficient Transport Layer Protection |
| OWASP | 2010-A9, 2013-A6, 2017-A3, 2021-A5 |
| CVE | - |
| BID | - |

Cookie Without Secure Flag Detected Instances (3)

VULNERABILITY LOW PLUGIN ID 98064

INSTANCE

<https://chia-cundinamarca.gov.co/>

| | |
|------------|----------|
| INPUT TYPE | cookie |
| INPUT NAME | timezone |

Identification

PROOF

```
timezone=Etc/UTC; Path=/
```

OUTPUT

The scanner detected a cookie named 'timezone' set with JavaScript without the Secure flag set.

HTTP Info

REQUEST MADE

```
GET https://chia-cundinamarca.gov.co/cache/
```

REQUEST HEADERS

```
Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: none
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"
Accept: */*
Accept-Language: en-US,en;q=0.5
```

RESPONSE HEADERS

```
HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 02:08:25 GMT
Content-Type: text/html
Content-Length: 31
Connection: keep-alive
Last-Modified: Sun, 11 Dec 2016 21:51:10 GMT
Accept-Ranges: bytes
```

INSTANCE

<https://chia-cundinamarca.gov.co/>

| | |
|------------|----------------------------------|
| INPUT TYPE | cookie |
| INPUT NAME | 8b58dc30ff9e4328565181726d3386f8 |

Identification

PROOF

```
Set-Cookie : 8b58dc30ff9e4328565181726d3386f8=a5b853b5f45bde4860b15e2765387503; Path=/; HttpOnly
```

OUTPUT

The scanner detected a cookie named '8b58dc30ff9e4328565181726d3386f8' set through a 'Set-Cookie' header without the Secure flag set.

HTTP Info

REQUEST MADE

GET /index.php/tramites-y-servicios/sisben HTTP/1.1

REQUEST HEADERS

Host: chia-cundinamarca.gov.co
Accept-Encoding: gzip, deflate, br
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Accept: */*
Accept-Language: en-US,en;q=0.5
Cookie: googtrans=/es/it; cpsession=%3aHqQl26kRGUusy2BtJ%2c4b043945560fda9514b19964b4b5be42; timezone=Etc/UTC

RESPONSE HEADERS

HTTP/1.1 503 Service Temporarily Unavailable
Server: nginx
Date: Thu, 19 Dec 2024 04:01:41 GMT
Content-Type: text/html; charset=utf-8
Transfer-Encoding: chunked
Connection: keep-alive
X-Logged-In: False
X-Content-Powered-By: K2 v2.8.0 (by JoomlaWorks)
P3P: CP="NOI ADM DEV PSAi COM NAV OUR OTRo STP IND DEM"
Expires: Wed, 17 Aug 2005 00:00:00 GMT
Cache-Control: no-store, no-cache, must-revalidate, post-check=0, pre-check=0
Pragma: no-cache
Set-Cookie: 8b58dc30ff9e4328565181726d3386f8=a5b853b5f45bde4860b15e2765387503; path=/; HttpOnly
Last-Modified: Thu, 19 Dec 2024 04:01:41 GMT

INSTANCE

<https://chia-cundinamarca.gov.co/>

| | |
|------------|-----------|
| INPUT TYPE | cookie |
| INPUT NAME | googtrans |

Identification

PROOF

googtrans=/es/fr; Path=/

OUTPUT

The scanner detected a cookie named 'googtrans' set with JavaScript without the Secure flag set.

HTTP Info

REQUEST MADE

GET https://chia-cundinamarca.gov.co/web/

REQUEST HEADERS

Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: none
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0

Sec-Ch-Ua-Platform: "Linux"
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 00:22:39 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Link: <https://chia-cundinamarca.gov.co/web/wp-json/>; rel="https://api.w.org/", <https://chia-cundinamarca.gov.co/web/wp-json/wp/v2/pages/1107>; rel="alternate"; title="JSON"; type="application/json", <https://chia-cundinamarca.gov.co/web/>; rel=shortlink
X-TEC-API-VERSION: v1
X-TEC-API-ROOT: https://chia-cundinamarca.gov.co/web/wp-json/tribe/events/v1/
X-TEC-API-ORIGIN: https://chia-cundinamarca.gov.co/web
Content-Encoding: gzip

Joomla! Administration Panel Login Form Detected

VULNERABILITY **LOW** PLUGIN ID 98206

Description

Joomla! Administration Panel has been detected on the target web application.

This may present an attacker with an exploit vector which could be leveraged using other techniques, such as a Brute-Force or Dictionary Attack, allowing an attacker to gain access to administrative functionality.

Solution

Restrict access to administrative functionality using a .htaccess file, limiting access to known IP Addresses.

See Also

[https://docs.joomla.org/Htaccess_examples_\(security\)](https://docs.joomla.org/Htaccess_examples_(security))

Plugin Details

| | |
|-------------------|---------------------------|
| PUBLICATION DATE | 2018-01-25T00:00:00+00:00 |
| MODIFICATION DATE | 2021-09-07T00:00:00+00:00 |
| FAMILY | Web Applications |
| SEVERITY | Low |
| PLUGIN ID | 98206 |

Risk Information

| | |
|-------------------|---|
| CVSSV4 BASE SCORE | 6.3 |
| CVSSV4 VECTOR | CVSS:4.0/AV:N/AC:H/AT:N/PR:N/UI:N/VC:L/VI:N/VA:N/SC:N/SI:N/SA:N |
| CVSSV3 BASE SCORE | 3.1 |
| CVSSV3 VECTOR | CVSS:3.0/AV:N/AC:H/PR:N/UI:R/S:U/C:L/I:N/A:N |
| CVSS BASE SCORE | 2.6 |
| CVSS VECTOR | CVSS2#AV:N/AC:H/Au:N/C:P/I:N/A:N |

Reference Information

| | |
|-------|--|
| CWE | 16 |
| WASC | Application Misconfiguration |
| OWASP | 2021-A5, 2017-A6, 2013-A5, 2010-A6, 2023-API8, 2019-API7 |
| CVE | - |
| BID | - |

Joomla! Administration Panel Login Form Detected Instances (1)

VULNERABILITY LOW PLUGIN ID 98206

INSTANCE

<https://chia-cundinamarca.gov.co/index.php/tramites-y-servicios/administrator/index.php>

Identification

OUTPUT

Joomla! admin panel has been detected at <https://chia-cundinamarca.gov.co/index.php/tramites-y-servicios/administrator/index.php>

HTTP Info

REQUEST MADE

GET /index.php/tramites-y-servicios/administrator/index.php HTTP/1.1

REQUEST HEADERS

Host: chia-cundinamarca.gov.co
Accept-Encoding: gzip, deflate, br
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Accept: */*
Accept-Language: en-US,en;q=0.5
Cookie: googtrans=/es/pt; cpsession=%3aHqQl26kRGUsy2BtJ%2c4b043945560fda9514b19964b4b5be42; timezone=Etc/UTC; 8b58dc30ff9e4328565181726d3386f8=c068ca0ed92cb77db0a25d80556aa8ac

RESPONSE HEADERS

HTTP/1.1 303 See other
Server: nginx
Date: Thu, 19 Dec 2024 04:28:34 GMT
Content-Type: text/html; charset=utf-8
Content-Length: 0
Connection: keep-alive
Location: <https://chia-cundinamarca.gov.co/index.php>

WordPress Administration Panel Login Form Detected

VULNERABILITY **LOW** PLUGIN ID 98207

Description

WordPress Administration Panel has been detected on the target web application.

This may present an attacker with an exploit vector which could be leveraged using other techniques, such as a Brute-Force or Dictionary Attack, allowing an attacker to gain access to administrative functionality.

Solution

Restrict access to administrative functionality using a .htaccess file, limiting access to known IP Addresses.

See Also

<https://codex.wordpress.org/htaccess>

Plugin Details

| | |
|-------------------|---------------------------|
| PUBLICATION DATE | 2018-02-05T00:00:00+00:00 |
| MODIFICATION DATE | 2021-09-07T00:00:00+00:00 |
| FAMILY | Web Applications |
| SEVERITY | Low |
| PLUGIN ID | 98207 |

Risk Information

| | |
|-------------------|---|
| CVSSV4 BASE SCORE | 6.3 |
| CVSSV4 VECTOR | CVSS:4.0/AV:N/AC:H/AT:N/PR:N/UI:N/VC:L/VI:N/VA:N/SC:N/SI:N/SA:N |
| CVSSV3 BASE SCORE | 3.1 |
| CVSSV3 VECTOR | CVSS:3.0/AV:N/AC:H/PR:N/UI:R/S:U/C:L/I:N/A:N |
| CVSS BASE SCORE | 2.6 |
| CVSS VECTOR | CVSS2#AV:N/AC:H/Au:N/C:P/I:N/A:N |

Reference Information

| | |
|-------|--|
| CWE | 16 |
| WASC | Application Misconfiguration |
| OWASP | 2021-A5, 2017-A6, 2013-A5, 2010-A6, 2023-API8, 2019-API7 |
| CVE | - |
| BID | - |

WordPress Administration Panel Login Form Detected Instances (1)

VULNERABILITY LOW PLUGIN ID 98207

INSTANCE

<https://chia-cundinamarca.gov.co/web/wp-login.php>

Identification

OUTPUT

WordPress admin panel has been detected at <https://chia-cundinamarca.gov.co/web/wp-login.php>

HTTP Info

REQUEST MADE

GET /web/wp-login.php HTTP/1.1

REQUEST HEADERS

Host: chia-cundinamarca.gov.co
Accept-Encoding: gzip, deflate, br
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Accept: */*
Accept-Language: en-US,en;q=0.5
Cookie: googtrans=/es/it

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 01:00:30 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Expires: Wed, 11 Jan 1984 05:00:00 GMT
Cache-Control: no-cache, must-revalidate, max-age=0
X-Frame-Options: SAMEORIGIN
Set-Cookie: wordpress_test_cookie=WP%20Cookie%20check; path=/web/; secure
Content-Encoding: gzip

HTTP Header Information Disclosure

VULNERABILITY **LOW** PLUGIN ID 98618

Description

The HTTP headers sent by the remote web server disclose information that can aid an attacker, such as the server version and technologies used by the web server.

Solution

Modify the HTTP headers of the web server to not disclose detailed information about the underlying web server.

See Also

<http://projects.webappsec.org/w/page/13246925/Fingerprinting>

<https://developer.mozilla.org/en-US/docs/Web/HTTP/Headers>

Plugin Details

| | |
|-------------------|---------------------------|
| PUBLICATION DATE | 2019-06-12T00:00:00+00:00 |
| MODIFICATION DATE | 2024-03-25T00:00:00+00:00 |
| FAMILY | HTTP Security Header |
| SEVERITY | Low |
| PLUGIN ID | 98618 |

Risk Information

| | |
|-------------------|---|
| CVSSV4 BASE SCORE | 2.1 |
| CVSSV4 VECTOR | CVSS:4.0/AV:N/AC:H/AT:N/PR:N/UI:A/VC:L/VI:N/VA:N/SC:N/SI:N/SA:N |
| CVSSV3 BASE SCORE | 3.1 |
| CVSSV3 VECTOR | CVSS:3.0/AV:N/AC:H/PR:N/UI:R/S:U/C:L/I:N/A:N |
| CVSS BASE SCORE | 2.6 |
| CVSS VECTOR | CVSS2#AV:N/AC:H/Au:N/C:P/I:N/A:N |

Reference Information

| | |
|-------|--|
| CWE | 200 |
| WASC | Information Leakage |
| OWASP | 2017-A6, 2021-A1, 2013-A5, 2010-A6, 2023-API8, 2019-API7 |
| CVE | - |
| BID | - |

HTTP Header Information Disclosure Instances (25)

VULNERABILITY **LOW** PLUGIN ID 98618

INSTANCE

<https://chia-cundinamarca.gov.co/web/directorio/>

Identification

OUTPUT

The following header information disclosures have been detected on <https://chia-cundinamarca.gov.co/web/directorio/>:

- Server: nginx

HTTP Info

REQUEST MADE

GET <https://chia-cundinamarca.gov.co/web/directorio/>

REQUEST HEADERS

Referer: <https://chia-cundinamarca.gov.co/web/>
Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: same-origin
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 00:46:26 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Link: <<https://chia-cundinamarca.gov.co/web/wp-json/>>; rel="https://api.w.org/", <<https://chia-cundinamarca.gov.co/web/wp-json/wp/v2/pages/566>>; rel="alternate"; title="JSON"; type="application/json", <<https://chia-cundinamarca.gov.co/web/?p=566>>; rel=shortlink
X-TEC-API-VERSION: v1
X-TEC-API-ROOT: <https://chia-cundinamarca.gov.co/web/wp-json/tribe/events/v1/>
X-TEC-API-ORIGIN: <https://chia-cundinamarca.gov.co/web/>
Content-Encoding: gzip

INSTANCE

<https://chia-cundinamarca.gov.co/web/2024/09/16/conozca-los-canales-de-atencion-de-las-empresas-prestadoras-de-servicios-publicos/>

Identification

OUTPUT

The following header information disclosures have been detected on <https://chia-cundinamarca.gov.co/web/2024/09/16/conozca-los-canales-de-atencion-de-las-empresas-prestadoras-de-servicios-publicos/>:

- Server: nginx

HTTP Info

REQUEST MADE

GET https://chia-cundinamarca.gov.co/web/2024/09/16/conozca-los-canales-de-atencion-de-las-empresas-prestadoras-de-servicios-publicos/

REQUEST HEADERS

Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: none
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 05:51:53 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Link: <https://chia-cundinamarca.gov.co/web/wp-json/>; rel="https://api.w.org/", <https://chia-cundinamarca.gov.co/web/wp-json/wp/v2/posts/19440>; rel="alternate"; title="JSON"; type="application/json", <https://chia-cundinamarca.gov.co/web/?p=19440>; rel=shortlink
X-TEC-API-VERSION: v1
X-TEC-API-ROOT: https://chia-cundinamarca.gov.co/web/wp-json/tribe/events/v1/
X-TEC-API-ORIGIN: https://chia-cundinamarca.gov.co/web
Content-Encoding: gzip

INSTANCE

<https://chia-cundinamarca.gov.co/controlpanel/>

Identification

OUTPUT

The following header information disclosures have been detected on https://chia-cundinamarca.gov.co/controlpanel/:

- Server: nginx

HTTP Info

REQUEST MADE

GET /controlpanel/ HTTP/1.1

REQUEST HEADERS

Host: chia-cundinamarca.gov.co
Accept-Encoding: gzip, deflate, br
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Accept: */*
Accept-Language: en-US,en;q=0.5
Cookie: googtrans=/es/it; cpsession=%3aHqQl26kRGUsy2BtJ%2c4b043945560fda9514b19964b4b5be42

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 01:57:07 GMT
Content-Type: text/html

Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Content-Encoding: gzip

INSTANCE

<https://chia-cundinamarca.gov.co/web/2023/12/29/control-interno-disciplinario/>

Identification

OUTPUT

The following header information disclosures have been detected on <https://chia-cundinamarca.gov.co/web/2023/12/29/control-interno-disciplinario/>:

- Server: nginx

HTTP Info

REQUEST MADE

GET <https://chia-cundinamarca.gov.co/web/2023/12/29/control-interno-disciplinario/>

REQUEST HEADERS

Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: none
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 05:37:32 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Link: <<https://chia-cundinamarca.gov.co/web/wp-json/>>; rel="https://api.w.org/", <<https://chia-cundinamarca.gov.co/web/wp-json/wp/v2/posts/616>>; rel="alternate"; title="JSON"; type="application/json", <<https://chia-cundinamarca.gov.co/web/?p=616>>; rel=shortlink
X-TEC-API-VERSION: v1
X-TEC-API-ROOT: <https://chia-cundinamarca.gov.co/web/wp-json/tribe/events/v1/>
X-TEC-API-ORIGIN: <https://chia-cundinamarca.gov.co/web>
Content-Encoding: gzip

INSTANCE

<https://chia-cundinamarca.gov.co/web/alcaldia/>

Identification

OUTPUT

The following header information disclosures have been detected on <https://chia-cundinamarca.gov.co/web/alcaldia/>:

- Server: nginx

HTTP Info

REQUEST MADE

GET https://chia-cundinamarca.gov.co/web/alcaldia/

REQUEST HEADERS

Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: none
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 02:45:09 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Link: <https://chia-cundinamarca.gov.co/web/wp-json/>; rel="https://api.w.org/", <https://chia-cundinamarca.gov.co/web/wp-json/wp/v2/pages/49>; rel="alternate"; title="JSON"; type="application/json", <https://chia-cundinamarca.gov.co/web/?p=49>; rel=shortlink
X-TEC-API-VERSION: v1
X-TEC-API-ROOT: https://chia-cundinamarca.gov.co/web/wp-json/tribe/events/v1/
X-TEC-API-ORIGIN: https://chia-cundinamarca.gov.co/web
Content-Encoding: gzip

INSTANCE

<https://chia-cundinamarca.gov.co/web>

Identification

OUTPUT

The following header information disclosures have been detected on https://chia-cundinamarca.gov.co/web:

- Server: nginx

HTTP Info

REQUEST MADE

GET /web HTTP/1.1

REQUEST HEADERS

Host: chia-cundinamarca.gov.co
Accept-Encoding: gzip, deflate, br
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Accept: */*
Accept-Language: en-US,en;q=0.5
Cookie: googtrans=/es/it; cpsession=%3aHqQl26kRGUsy2BtJ%2c4b043945560fda9514b19964b4b5be42; timezone=Etc/UTC

RESPONSE HEADERS

HTTP/1.1 301 Moved Permanently
Server: nginx
Date: Thu, 19 Dec 2024 02:31:53 GMT
Content-Type: text/html; charset=iso-8859-1
Content-Length: 245

Connection: keep-alive
Location: https://chia-cundinamarca.gov.co/web/

INSTANCE

<https://chia-cundinamarca.gov.co/web/2024/12/18/chia-se-destaca-en-gestion-social-gracias-a-blanca-donoso/>

Identification

OUTPUT

The following header information disclosures have been detected on https://chia-cundinamarca.gov.co/web/2024/12/18/chia-se-destaca-en-gestion-social-gracias-a-blanca-donoso/:

- Server: nginx

HTTP Info

REQUEST MADE

GET https://chia-cundinamarca.gov.co/web/2024/12/18/chia-se-destaca-en-gestion-social-gracias-a-blanca-donoso/

REQUEST HEADERS

Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: none
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 07:08:06 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Link: <https://chia-cundinamarca.gov.co/web/wp-json/>; rel="https://api.w.org/", <https://chia-cundinamarca.gov.co/web/wp-json/wp/v2/posts/22424>; rel="alternate"; title="JSON"; type="application/json", <https://chia-cundinamarca.gov.co/web/?p=22424>; rel=shortlink
X-TEC-API-VERSION: v1
X-TEC-API-ROOT: https://chia-cundinamarca.gov.co/web/wp-json/tribe/events/v1/
X-TEC-API-ORIGIN: https://chia-cundinamarca.gov.co/web
Content-Encoding: gzip

INSTANCE

<https://chia-cundinamarca.gov.co/web/participa/>

Identification

OUTPUT

The following header information disclosures have been detected on https://chia-cundinamarca.gov.co/web/participa/:

- Server: nginx

HTTP Info

REQUEST MADE

GET https://chia-cundinamarca.gov.co/web/participa/

REQUEST HEADERS

Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: none
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 03:39:13 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Link: <https://chia-cundinamarca.gov.co/web/wp-json/>; rel="https://api.w.org/", <https://chia-cundinamarca.gov.co/web/wp-json/wp/v2/pages/21196>; rel="alternate"; title="JSON"; type="application/json", <https://chia-cundinamarca.gov.co/web/?p=21196>; rel=shortlink
X-TEC-API-VERSION: v1
X-TEC-API-ROOT: https://chia-cundinamarca.gov.co/web/wp-json/tribe/events/v1/
X-TEC-API-ORIGIN: https://chia-cundinamarca.gov.co/web
Content-Encoding: gzip

INSTANCE

<https://chia-cundinamarca.gov.co/web/2024/10/24/comienza-el-censo-a-bares-y-establecimientos-nocturnos/>

Identification

OUTPUT

The following header information disclosures have been detected on https://chia-cundinamarca.gov.co/web/2024/10/24/comienza-el-censo-a-bares-y-establecimientos-nocturnos/:

- Server: nginx

HTTP Info

REQUEST MADE

GET https://chia-cundinamarca.gov.co/web/2024/10/24/comienza-el-censo-a-bares-y-establecimientos-nocturnos/

REQUEST HEADERS

Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: none
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 06:43:09 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Link: <https://chia-cundinamarca.gov.co/web/wp-json/>; rel="https://api.w.org/", <https://chia-cundinamarca.gov.co/web/wp-json/wp/v2/posts/20823>; rel="alternate"; title="JSON"; type="application/json", <https://chia-cundinamarca.gov.co/web/?p=20823>; rel=shortlink
X-TEC-API-VERSION: v1
X-TEC-API-ROOT: https://chia-cundinamarca.gov.co/web/wp-json/tribe/events/v1/
X-TEC-API-ORIGIN: https://chia-cundinamarca.gov.co/web
Content-Encoding: gzip

INSTANCE

<https://chia-cundinamarca.gov.co/web/2023/12/29/secretarias/>

Identification

OUTPUT

The following header information disclosures have been detected on <https://chia-cundinamarca.gov.co/web/2023/12/29/secretarias/>:

- Server: nginx

HTTP Info

REQUEST MADE

GET <https://chia-cundinamarca.gov.co/web/2023/12/29/secretarias/>

REQUEST HEADERS

Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: none
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 03:25:45 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Link: <https://chia-cundinamarca.gov.co/web/wp-json/>; rel="https://api.w.org/", <https://chia-cundinamarca.gov.co/web/wp-json/wp/v2/posts/653>; rel="alternate"; title="JSON"; type="application/json", <https://chia-cundinamarca.gov.co/web/?p=653>; rel=shortlink
X-TEC-API-VERSION: v1
X-TEC-API-ROOT: https://chia-cundinamarca.gov.co/web/wp-json/tribe/events/v1/
X-TEC-API-ORIGIN: https://chia-cundinamarca.gov.co/web
Content-Encoding: gzip

INSTANCE

<https://chia-cundinamarca.gov.co/web/2024/02/26/impuesto-predial-unificado/>

Identification

OUTPUT

The following header information disclosures have been detected on <https://chia-cundinamarca.gov.co/web/2024/02/26/impuesto-predial-unificado/>:

- Server: nginx

HTTP Info

REQUEST MADE

GET <https://chia-cundinamarca.gov.co/web/2024/02/26/impuesto-predial-unificado/>

REQUEST HEADERS

Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: none
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 06:17:33 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Link: <<https://chia-cundinamarca.gov.co/web/wp-json/>>; rel="https://api.w.org/", <<https://chia-cundinamarca.gov.co/web/wp-json/wp/v2/posts/4113>>; rel="alternate"; title="JSON"; type="application/json", <<https://chia-cundinamarca.gov.co/web/?p=4113>>; rel=shortlink
X-TEC-API-VERSION: v1
X-TEC-API-ROOT: <https://chia-cundinamarca.gov.co/web/wp-json/tribe/events/v1/>
X-TEC-API-ORIGIN: <https://chia-cundinamarca.gov.co/web>
Content-Encoding: gzip

INSTANCE

<https://chia-cundinamarca.gov.co/>

Identification

OUTPUT

The following header information disclosures have been detected on <https://chia-cundinamarca.gov.co/>:

- Server: nginx

HTTP Info

REQUEST MADE

GET / HTTP/1.1

REQUEST HEADERS

Host: chia-cundinamarca.gov.co
Accept-Encoding: gzip, deflate, br
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 302 Found
Server: nginx
Date: Thu, 19 Dec 2024 00:02:28 GMT
Content-Type: text/html; charset=iso-8859-1
Content-Length: 221
Connection: keep-alive
Location: https://chia-cundinamarca.gov.co/web/

INSTANCE

<https://chia-cundinamarca.gov.co/web/>

Identification

OUTPUT

The following header information disclosures have been detected on https://chia-cundinamarca.gov.co/web/:

- Server: nginx

HTTP Info

REQUEST MADE

GET https://chia-cundinamarca.gov.co/web/

REQUEST HEADERS

Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: none
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 00:15:28 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Link: <https://chia-cundinamarca.gov.co/web/wp-json/>; rel="https://api.w.org/", <https://chia-cundinamarca.gov.co/web/wp-json/wp/v2/pages/1107>; rel="alternate"; title="JSON"; type="application/json", <https://chia-cundinamarca.gov.co/web/>; rel=shortlink
X-TEC-API-VERSION: v1
X-TEC-API-ROOT: https://chia-cundinamarca.gov.co/web/wp-json/tribe/events/v1/
X-TEC-API-ORIGIN: https://chia-cundinamarca.gov.co/web
Content-Encoding: gzip

INSTANCE

<https://chia-cundinamarca.gov.co/web/transparencia-y-acceso-a-la-informacion-publica/>

Identification

OUTPUT

The following header information disclosures have been detected on <https://chia-cundinamarca.gov.co/web/transparencia-y-acceso-a-la-informacion-publica/>:

- Server: nginx

HTTP Info

REQUEST MADE

GET <https://chia-cundinamarca.gov.co/web/transparencia-y-acceso-a-la-informacion-publica/>

REQUEST HEADERS

Referer: <https://chia-cundinamarca.gov.co/web/>
Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: same-origin
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 00:38:08 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Link: <<https://chia-cundinamarca.gov.co/web/wp-json/>>; rel="https://api.w.org/", <<https://chia-cundinamarca.gov.co/web/wp-json/wp/v2/pages/21>>; rel="alternate"; title="JSON"; type="application/json", <<https://chia-cundinamarca.gov.co/web/?p=21>>; rel=shortlink
X-TEC-API-VERSION: v1
X-TEC-API-ROOT: <https://chia-cundinamarca.gov.co/web/wp-json/tribe/events/v1/>
X-TEC-API-ORIGIN: <https://chia-cundinamarca.gov.co/web>
Content-Encoding: gzip

INSTANCE

<https://chia-cundinamarca.gov.co/images/>

Identification

OUTPUT

The following header information disclosures have been detected on <https://chia-cundinamarca.gov.co/images/>:

- Server: nginx

HTTP Info

REQUEST MADE

GET <https://chia-cundinamarca.gov.co/images/>

REQUEST HEADERS

Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: none

Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 01:41:55 GMT
Content-Type: text/html
Content-Length: 31
Connection: keep-alive
Last-Modified: Sun, 11 Dec 2016 21:51:10 GMT
Accept-Ranges: bytes

INSTANCE

<https://chia-cundinamarca.gov.co/cache/>

Identification

OUTPUT

The following header information disclosures have been detected on <https://chia-cundinamarca.gov.co/cache/>:

- Server: nginx

HTTP Info

REQUEST MADE

GET <https://chia-cundinamarca.gov.co/cache/>

REQUEST HEADERS

Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: none
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 02:08:25 GMT
Content-Type: text/html
Content-Length: 31
Connection: keep-alive
Last-Modified: Sun, 11 Dec 2016 21:51:10 GMT
Accept-Ranges: bytes

INSTANCE

<https://chia-cundinamarca.gov.co/test.php>

Identification

OUTPUT

The following header information disclosures have been detected on <https://chia-cundinamarca.gov.co/test.php>:

- Server: nginx

HTTP Info

REQUEST MADE

GET <https://chia-cundinamarca.gov.co/test.php>

REQUEST HEADERS

Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: none
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"
Accept: /*/*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 02:22:54 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Content-Encoding: gzip

INSTANCE

<https://chia-cundinamarca.gov.co/web/2023/12/29/alcalde/>

Identification

OUTPUT

The following header information disclosures have been detected on <https://chia-cundinamarca.gov.co/web/2023/12/29/alcalde/>:

- Server: nginx

HTTP Info

REQUEST MADE

GET <https://chia-cundinamarca.gov.co/web/2023/12/29/alcalde/>

REQUEST HEADERS

Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: none
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"

Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 02:58:37 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Link: <https://chia-cundinamarca.gov.co/web/wp-json/>; rel="https://api.w.org/", <https://chia-cundinamarca.gov.co/web/wp-json/wp/v2/posts/623>; rel="alternate"; title="JSON"; type="application/json", <https://chia-cundinamarca.gov.co/web/?p=623>; rel=shortlink
X-TEC-API-VERSION: v1
X-TEC-API-ROOT: https://chia-cundinamarca.gov.co/web/wp-json/tribe/events/v1/
X-TEC-API-ORIGIN: https://chia-cundinamarca.gov.co/web
Content-Encoding: gzip

INSTANCE

<https://chia-cundinamarca.gov.co/web/2023/12/29/informacion-de-la-entidad/>

Identification

OUTPUT

The following header information disclosures have been detected on <https://chia-cundinamarca.gov.co/web/2023/12/29/informacion-de-la-entidad/>:

- Server: nginx

HTTP Info

REQUEST MADE

GET <https://chia-cundinamarca.gov.co/web/2023/12/29/informacion-de-la-entidad/>

REQUEST HEADERS

Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: none
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 03:11:24 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Link: <https://chia-cundinamarca.gov.co/web/wp-json/>; rel="https://api.w.org/", <https://chia-cundinamarca.gov.co/web/wp-json/wp/v2/posts/632>; rel="alternate"; title="JSON"; type="application/json", <https://chia-cundinamarca.gov.co/web/?p=632>; rel=shortlink
X-TEC-API-VERSION: v1
X-TEC-API-ROOT: https://chia-cundinamarca.gov.co/web/wp-json/tribe/events/v1/
X-TEC-API-ORIGIN: https://chia-cundinamarca.gov.co/web
Content-Encoding: gzip

INSTANCE

<https://chia-cundinamarca.gov.co/web/tramites-y-servicios/>

Identification

OUTPUT

The following header information disclosures have been detected on <https://chia-cundinamarca.gov.co/web/tramites-y-servicios/>:

- Server: nginx

HTTP Info

REQUEST MADE

GET <https://chia-cundinamarca.gov.co/web/tramites-y-servicios/>

REQUEST HEADERS

Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: none
Sec-Fetch-User: ?l
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 03:50:28 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Link: <<https://chia-cundinamarca.gov.co/web/wp-json/>>; rel="https://api.w.org/", <<https://chia-cundinamarca.gov.co/web/wp-json/wp/v2/pages/63>>; rel="alternate"; title="JSON"; type="application/json", <<https://chia-cundinamarca.gov.co/web/?p=63>>; rel=shortlink
X-TEC-API-VERSION: v1
X-TEC-API-ROOT: <https://chia-cundinamarca.gov.co/web/wp-json/tribe/events/v1/>
X-TEC-API-ORIGIN: <https://chia-cundinamarca.gov.co/web>
Content-Encoding: gzip

INSTANCE

<https://chia-cundinamarca.gov.co/index.php/tramites-y-servicios/sisben>

Identification

OUTPUT

The following header information disclosures have been detected on <https://chia-cundinamarca.gov.co/index.php/tramites-y-servicios/sisben>:

- Server: nginx

HTTP Info

REQUEST MADE

GET /index.php/tramites-y-servicios/sisben HTTP/1.1

REQUEST HEADERS

Host: chia-cundinamarca.gov.co
Accept-Encoding: gzip, deflate, br
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Accept: */*
Accept-Language: en-US,en;q=0.5
Cookie: googtrans=/es/it; cpsession=%3aHqQl26kRGUsy2BtJ%2c4b043945560fda9514b19964b4b5be42; timezone=Etc/UTC

RESPONSE HEADERS

HTTP/1.1 503 Service Temporarily Unavailable
Server: nginx
Date: Thu, 19 Dec 2024 04:01:41 GMT
Content-Type: text/html; charset=utf-8
Transfer-Encoding: chunked
Connection: keep-alive
X-Logged-In: False
X-Content-Powered-By: K2 v2.8.0 (by JoomlaWorks)
P3P: CP="NOI ADM DEV PSAi COM NAV OUR OTRo STP IND DEM"
Expires: Wed, 17 Aug 2005 00:00:00 GMT
Cache-Control: no-store, no-cache, must-revalidate, post-check=0, pre-check=0
Pragma: no-cache
Set-Cookie: 8b58dc30ff9e4328565181726d3386f8=a5b853b5f45bde4860b15e2765387503; path=/; HttpOnly
Last-Modified: Thu, 19 Dec 2024 04:01:41 GMT

INSTANCE

<https://chia-cundinamarca.gov.co/web/2023/12/28/datos-abiertos/>

Identification

OUTPUT

The following header information disclosures have been detected on <https://chia-cundinamarca.gov.co/web/2023/12/28/datos-abiertos/>:

- Server: nginx

HTTP Info

REQUEST MADE

GET <https://chia-cundinamarca.gov.co/web/2023/12/28/datos-abiertos/>

REQUEST HEADERS

Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: none
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 04:52:23 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Link: <<https://chia-cundinamarca.gov.co/web/wp-json/>>; rel="https://api.w.org/", <<https://chia-cundinamarca.gov.co/web/wp-json/wp/v2/posts/585>>; rel="alternate"; title="JSON"; type="application/json", <<https://chia-cundinamarca.gov.co/web/?p=585>>; rel=shortlink

X-TEC-API-VERSION: v1
X-TEC-API-ROOT: https://chia-cundinamarca.gov.co/web/wp-json/tribe/events/v1/
X-TEC-API-ORIGIN: https://chia-cundinamarca.gov.co/web
Content-Encoding: gzip

INSTANCE

<https://chia-cundinamarca.gov.co/web/2024/05/10/tramite-para-solicitar-certificados-de-residencia-en-el-territorio-de-chia-y-personerias-juridicas/>

Identification

OUTPUT

The following header information disclosures have been detected on https://chia-cundinamarca.gov.co/web/2024/05/10/tramite-para-solicitar-certificados-de-residencia-en-el-territorio-de-chia-y-personerias-juridicas/:

- Server: nginx

HTTP Info

REQUEST MADE

GET https://chia-cundinamarca.gov.co/web/2024/05/10/tramite-para-solicitar-certificados-de-residencia-en-el-territorio-de-chia-y-personerias-juridicas/

REQUEST HEADERS

Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: none
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 05:04:12 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Link: <https://chia-cundinamarca.gov.co/web/wp-json/>; rel="https://api.w.org/", <https://chia-cundinamarca.gov.co/web/wp-json/wp/v2/posts/7526>; rel="alternate"; title="JSON"; type="application/json", <https://chia-cundinamarca.gov.co/web/?p=7526>; rel=shortlink
X-TEC-API-VERSION: v1
X-TEC-API-ROOT: https://chia-cundinamarca.gov.co/web/wp-json/tribe/events/v1/
X-TEC-API-ORIGIN: https://chia-cundinamarca.gov.co/web
Content-Encoding: gzip

INSTANCE

<https://chia-cundinamarca.gov.co/web/2023/12/30/7-1-4-programa-de-gestion-documental/>

Identification

OUTPUT

The following header information disclosures have been detected on https://chia-cundinamarca.gov.co/web/2023/12/30/7-1-4-programa-de-gestion-documental/:

- Server: nginx

HTTP Info

REQUEST MADE

GET https://chia-cundinamarca.gov.co/web/2023/12/30/7-1-4-programa-de-gestion-documental/

REQUEST HEADERS

Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: none
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 05:16:57 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Link: <https://chia-cundinamarca.gov.co/web/wp-json/>; rel="https://api.w.org/", <https://chia-cundinamarca.gov.co/web/wp-json/wp/v2/posts/805>; rel="alternate"; title="JSON"; type="application/json", <https://chia-cundinamarca.gov.co/web/?p=805>; rel=shortlink
X-TEC-API-VERSION: v1
X-TEC-API-ROOT: https://chia-cundinamarca.gov.co/web/wp-json/tribe/events/v1/
X-TEC-API-ORIGIN: https://chia-cundinamarca.gov.co/web
Content-Encoding: gzip

INSTANCE

<https://chia-cundinamarca.gov.co/web/2024/08/24/paso-a-paso-para-acceder-a-su-estado-de-cuenta-liquidacion-y-factura-de-los-impuestos-predial-e-ica/>

Identification

OUTPUT

The following header information disclosures have been detected on https://chia-cundinamarca.gov.co/web/2024/08/24/paso-a-paso-para-acceder-a-su-estado-de-cuenta-liquidacion-y-factura-de-los-impuestos-predial-e-ica/:

- Server: nginx

HTTP Info

REQUEST MADE

GET https://chia-cundinamarca.gov.co/web/2024/08/24/paso-a-paso-para-acceder-a-su-estado-de-cuenta-liquidacion-y-factura-de-los-impuestos-predial-e-ica/

REQUEST HEADERS

Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: none
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36

Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 06:04:16 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Link: <https://chia-cundinamarca.gov.co/web/wp-json/>; rel="https://api.w.org/", <https://chia-cundinamarca.gov.co/web/wp-json/wp/v2/posts/18365>; rel="alternate"; title="JSON"; type="application/json", <https://chia-cundinamarca.gov.co/web/?p=18365>; rel=shortlink
X-TEC-API-VERSION: v1
X-TEC-API-ROOT: https://chia-cundinamarca.gov.co/web/wp-json/tribe/events/v1/
X-TEC-API-ORIGIN: https://chia-cundinamarca.gov.co/web
Content-Encoding: gzip

Missing 'X-Content-Type-Options' Header

VULNERABILITY **LOW** PLUGIN ID 112529

Description

The HTTP 'X-Content-Type-Options' response header prevents the browser from MIME-sniffing a response away from the declared content-type.

The server did not return a correct 'X-Content-Type-Options' header, which means that this website could be at risk of a Cross-Site Scripting (XSS) attack.

Solution

Configure your web server to include an 'X-Content-Type-Options' header with a value of 'nosniff'.

See Also

<https://developer.mozilla.org/en-US/docs/Web/HTTP/Headers/X-Content-Type-Options>

https://www.owasp.org/index.php/OWASP_Secure-Headers_Project#xcto

Plugin Details

| | |
|-------------------|---------------------------|
| PUBLICATION DATE | 2018-11-28T00:00:00+00:00 |
| MODIFICATION DATE | 2024-03-25T00:00:00+00:00 |
| FAMILY | HTTP Security Header |
| SEVERITY | Low |
| PLUGIN ID | 112529 |

Risk Information

| | |
|-------------------|--|
| CVSSV4 BASE SCORE | - |
| CVSSV4 VECTOR | - |
| CVSSV3 BASE SCORE | 3.1 |
| CVSSV3 VECTOR | CVSS:3.0/AV:N/AC:H/PR:N/UI:R/S:U/C:L/I:N/A:N |
| CVSS BASE SCORE | 2.6 |
| CVSS VECTOR | CVSS2#AV:N/AC:H/Au:N/C:P/I:N/A:N |

Reference Information

| | |
|-------|---|
| CWE | 693 |
| WASC | Application Misconfiguration |
| OWASP | 2017-A6, 2013-A5, 2010-A6, 2023-API8, 2019-API7 |
| CVE | - |
| BID | - |

Missing 'X-Content-Type-Options' Header Instances (25)

VULNERABILITY LOW PLUGIN ID 112529

INSTANCE

<https://chia-cundinamarca.gov.co/web/2023/12/28/datos-abiertos/>

Identification

OUTPUT

The scanner detected the lack of a correct X-Content-Type-Options header configuration in the target application response

HTTP Info

REQUEST MADE

GET https://chia-cundinamarca.gov.co/web/2023/12/28/datos-abiertos/

REQUEST HEADERS

Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: none
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 04:52:23 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Link: <https://chia-cundinamarca.gov.co/web/wp-json/>; rel="https://api.w.org/", <https://chia-cundinamarca.gov.co/web/wp-json/wp/v2/posts/585>; rel="alternate"; title="JSON"; type="application/json", <https://chia-cundinamarca.gov.co/web/?p=585>; rel=shortlink
X-TEC-API-VERSION: v1
X-TEC-API-ROOT: https://chia-cundinamarca.gov.co/web/wp-json/tribe/events/v1/
X-TEC-API-ORIGIN: https://chia-cundinamarca.gov.co/web
Content-Encoding: gzip

INSTANCE

<https://chia-cundinamarca.gov.co/web/2024/02/26/impuesto-predial-unificado/>

Identification

OUTPUT

The scanner detected the lack of a correct X-Content-Type-Options header configuration in the target application response

HTTP Info

REQUEST MADE

GET https://chia-cundinamarca.gov.co/web/2024/02/26/impuesto-predial-unificado/

REQUEST HEADERS

Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: none
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"
Accept: /*/*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 06:17:33 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Link: <https://chia-cundinamarca.gov.co/web/wp-json/>; rel="https://api.w.org/", <https://chia-cundinamarca.gov.co/web/wp-json/wp/v2/posts/4113>; rel="alternate"; title="JSON"; type="application/json", <https://chia-cundinamarca.gov.co/web/?p=4113>; rel=shortlink
X-TEC-API-VERSION: v1
X-TEC-API-ROOT: https://chia-cundinamarca.gov.co/web/wp-json/tribe/events/v1/
X-TEC-API-ORIGIN: https://chia-cundinamarca.gov.co/web
Content-Encoding: gzip

INSTANCE

<https://chia-cundinamarca.gov.co/web/2024/12/18/chia-se-destaca-en-gestion-social-gracias-a-blanca-donos/>

Identification

OUTPUT

The scanner detected the lack of a correct X-Content-Type-Options header configuration in the target application response

HTTP Info

REQUEST MADE

GET https://chia-cundinamarca.gov.co/web/2024/12/18/chia-se-destaca-en-gestion-social-gracias-a-blanca-donos/

REQUEST HEADERS

Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: none
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"
Accept: /*/*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 07:08:06 GMT
Content-Type: text/html; charset=UTF-8

Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Link: <https://chia-cundinamarca.gov.co/web/wp-json/>; rel="https://api.w.org/", <https://chia-cundinamarca.gov.co/web/wp-json/wp/v2/posts/22424>; rel="alternate"; title="JSON"; type="application/json", <https://chia-cundinamarca.gov.co/web/?p=22424>; rel=shortlink
X-TEC-API-VERSION: v1
X-TEC-API-ROOT: https://chia-cundinamarca.gov.co/web/wp-json/tribe/events/v1/
X-TEC-API-ORIGIN: https://chia-cundinamarca.gov.co/web
Content-Encoding: gzip

INSTANCE

<https://chia-cundinamarca.gov.co/web/>

Identification

OUTPUT

The scanner detected the lack of a correct X-Content-Type-Options header configuration in the target application response

HTTP Info

REQUEST MADE

GET https://chia-cundinamarca.gov.co/web/

REQUEST HEADERS

Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: none
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 00:15:28 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Link: <https://chia-cundinamarca.gov.co/web/wp-json/>; rel="https://api.w.org/", <https://chia-cundinamarca.gov.co/web/wp-json/wp/v2/pages/1107>; rel="alternate"; title="JSON"; type="application/json", <https://chia-cundinamarca.gov.co/web/>; rel=shortlink
X-TEC-API-VERSION: v1
X-TEC-API-ROOT: https://chia-cundinamarca.gov.co/web/wp-json/tribe/events/v1/
X-TEC-API-ORIGIN: https://chia-cundinamarca.gov.co/web
Content-Encoding: gzip

INSTANCE

<https://chia-cundinamarca.gov.co/test.php>

Identification

OUTPUT

The scanner detected the lack of a correct X-Content-Type-Options header configuration in the target application response

HTTP Info

REQUEST MADE

GET https://chia-cundinamarca.gov.co/test.php

REQUEST HEADERS

Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: none
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"
Accept: /*/*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 02:22:54 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Content-Encoding: gzip

INSTANCE

<https://chia-cundinamarca.gov.co/web/directorio/>

Identification

OUTPUT

The scanner detected the lack of a correct X-Content-Type-Options header configuration in the target application response

HTTP Info

REQUEST MADE

GET https://chia-cundinamarca.gov.co/web/directorio/

REQUEST HEADERS

Referer: https://chia-cundinamarca.gov.co/web/
Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: same-origin
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"
Accept: /*/*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 00:46:26 GMT

Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Link: <https://chia-cundinamarca.gov.co/web/wp-json/>; rel="https://api.w.org/", <https://chia-cundinamarca.gov.co/web/wp-json/wp/v2/pages/566>; rel="alternate"; title="JSON"; type="application/json", <https://chia-cundinamarca.gov.co/web/?p=566>; rel=shortlink
X-TEC-API-VERSION: v1
X-TEC-API-ROOT: https://chia-cundinamarca.gov.co/web/wp-json/tribe/events/v1/
X-TEC-API-ORIGIN: https://chia-cundinamarca.gov.co/web
Content-Encoding: gzip

INSTANCE

<https://chia-cundinamarca.gov.co/web/alcaldia/>

Identification

OUTPUT

The scanner detected the lack of a correct X-Content-Type-Options header configuration in the target application response

HTTP Info

REQUEST MADE

GET https://chia-cundinamarca.gov.co/web/alcaldia/

REQUEST HEADERS

Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: none
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 02:45:09 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Link: <https://chia-cundinamarca.gov.co/web/wp-json/>; rel="https://api.w.org/", <https://chia-cundinamarca.gov.co/web/wp-json/wp/v2/pages/49>; rel="alternate"; title="JSON"; type="application/json", <https://chia-cundinamarca.gov.co/web/?p=49>; rel=shortlink
X-TEC-API-VERSION: v1
X-TEC-API-ROOT: https://chia-cundinamarca.gov.co/web/wp-json/tribe/events/v1/
X-TEC-API-ORIGIN: https://chia-cundinamarca.gov.co/web
Content-Encoding: gzip

INSTANCE

<https://chia-cundinamarca.gov.co/web/2023/12/29/control-interno-disciplinario/>

Identification

OUTPUT

The scanner detected the lack of a correct X-Content-Type-Options header configuration in the target application response

HTTP Info

REQUEST MADE

GET https://chia-cundinamarca.gov.co/web/2023/12/29/control-interno-disciplinario/

REQUEST HEADERS

Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: none
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"
Accept: /*/*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 05:37:32 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Link: <https://chia-cundinamarca.gov.co/web/wp-json/>; rel="https://api.w.org/", <https://chia-cundinamarca.gov.co/web/wp-json/wp/v2/posts/616>; rel="alternate"; title="JSON"; type="application/json", <https://chia-cundinamarca.gov.co/web/?p=616>; rel=shortlink
X-TEC-API-VERSION: v1
X-TEC-API-ROOT: https://chia-cundinamarca.gov.co/web/wp-json/tribe/events/v1/
X-TEC-API-ORIGIN: https://chia-cundinamarca.gov.co/web
Content-Encoding: gzip

INSTANCE

<https://chia-cundinamarca.gov.co/web/2024/12/18/los-adultos-mayores-de-chia-se-gozaron-boyaca/>

Identification

OUTPUT

The scanner detected the lack of a correct X-Content-Type-Options header configuration in the target application response

HTTP Info

REQUEST MADE

GET https://chia-cundinamarca.gov.co/web/2024/12/18/los-adultos-mayores-de-chia-se-gozaron-boyaca/

REQUEST HEADERS

Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: none
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"
Accept: /*/*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 07:21:39 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Link: <https://chia-cundinamarca.gov.co/web/wp-json/>; rel="https://api.w.org/", <https://chia-cundinamarca.gov.co/web/wp-json/wp/v2/posts/22400>; rel="alternate"; title="JSON"; type="application/json", <https://chia-cundinamarca.gov.co/web/?p=22400>; rel=shortlink
X-TEC-API-VERSION: v1
X-TEC-API-ROOT: https://chia-cundinamarca.gov.co/web/wp-json/tribe/events/v1/
X-TEC-API-ORIGIN: https://chia-cundinamarca.gov.co/web
Content-Encoding: gzip

INSTANCE

<https://chia-cundinamarca.gov.co/controlpanel/>

Identification

OUTPUT

The scanner detected the lack of a correct X-Content-Type-Options header configuration in the target application response

HTTP Info

REQUEST MADE

GET /controlpanel/ HTTP/1.1

REQUEST HEADERS

Host: chia-cundinamarca.gov.co
Accept-Encoding: gzip, deflate, br
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Accept: */*
Accept-Language: en-US,en;q=0.5
Cookie: googtrans=/es/it; cpsession=%3aHqQl26kRGUusy2BtJ%2c4b043945560fda9514b19964b4b5be42

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 01:57:07 GMT
Content-Type: text/html
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Content-Encoding: gzip

INSTANCE

<https://chia-cundinamarca.gov.co/web/2024/12/17/los-salones-de-artes-plasticas-abren-sus-puertas-para-el-arte-y-cultura-en-chia/>

Identification

OUTPUT

The scanner detected the lack of a correct X-Content-Type-Options header configuration in the target application response

HTTP Info

REQUEST MADE

GET https://chia-cundinamarca.gov.co/web/2024/12/17/los-salones-de-artes-plasticas-abren-sus-puertas-para-el-arte-y-cultura-en-chia/

REQUEST HEADERS

Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: none
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 07:35:13 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Link: <https://chia-cundinamarca.gov.co/web/wp-json/>; rel="https://api.w.org/", <https://chia-cundinamarca.gov.co/web/wp-json/wp/v2/posts/22370>; rel="alternate"; title="JSON"; type="application/json", <https://chia-cundinamarca.gov.co/web/?p=22370>; rel=shortlink
X-TEC-API-VERSION: v1
X-TEC-API-ROOT: https://chia-cundinamarca.gov.co/web/wp-json/tribe/events/v1/
X-TEC-API-ORIGIN: https://chia-cundinamarca.gov.co/web
Content-Encoding: gzip

INSTANCE

<https://chia-cundinamarca.gov.co/web/participa/>

Identification

OUTPUT

The scanner detected the lack of a correct X-Content-Type-Options header configuration in the target application response

HTTP Info

REQUEST MADE

GET https://chia-cundinamarca.gov.co/web/participa/

REQUEST HEADERS

Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: none
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 03:39:13 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Link: <https://chia-cundinamarca.gov.co/web/wp-json/>; rel="https://api.w.org/", <https://chia-cundinamarca.gov.co/web/wp-json/wp/v2/pages/21196>; rel="alternate"; title="JSON"; type="application/json", <https://chia-cundinamarca.gov.co/web/?p=21196>; rel=shortlink
X-TEC-API-VERSION: v1
X-TEC-API-ROOT: https://chia-cundinamarca.gov.co/web/wp-json/tribe/events/v1/
X-TEC-API-ORIGIN: https://chia-cundinamarca.gov.co/web
Content-Encoding: gzip

INSTANCE

<https://chia-cundinamarca.gov.co/cache/>

Identification

OUTPUT

The scanner detected the lack of a correct X-Content-Type-Options header configuration in the target application response

HTTP Info

REQUEST MADE

GET https://chia-cundinamarca.gov.co/cache/

REQUEST HEADERS

Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: none
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 02:08:25 GMT
Content-Type: text/html
Content-Length: 31
Connection: keep-alive
Last-Modified: Sun, 11 Dec 2016 21:51:10 GMT
Accept-Ranges: bytes

INSTANCE

<https://chia-cundinamarca.gov.co/web/2023/12/29/alcalde/>

Identification

OUTPUT

The scanner detected the lack of a correct X-Content-Type-Options header configuration in the target application response

HTTP Info

REQUEST MADE

GET https://chia-cundinamarca.gov.co/web/2023/12/29/alcalde/

REQUEST HEADERS

Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: none
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 02:58:37 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Link: <https://chia-cundinamarca.gov.co/web/wp-json/>; rel="https://api.w.org/", <https://chia-cundinamarca.gov.co/web/wp-json/wp/v2/posts/623>; rel="alternate"; title="JSON"; type="application/json", <https://chia-cundinamarca.gov.co/web/?p=623>; rel=shortlink
X-TEC-API-VERSION: v1
X-TEC-API-ROOT: https://chia-cundinamarca.gov.co/web/wp-json/tribe/events/v1/
X-TEC-API-ORIGIN: https://chia-cundinamarca.gov.co/web
Content-Encoding: gzip

INSTANCE

<https://chia-cundinamarca.gov.co/web/2024/05/10/tramite-para-solicitar-certificados-de-residencia-en-el-territorio-de-chia-y-personerias-juridicas/>

Identification

OUTPUT

The scanner detected the lack of a correct X-Content-Type-Options header configuration in the target application response

HTTP Info

REQUEST MADE

GET https://chia-cundinamarca.gov.co/web/2024/05/10/tramite-para-solicitar-certificados-de-residencia-en-el-territorio-de-chia-y-personerias-juridicas/

REQUEST HEADERS

Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: none
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 05:04:12 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Link: <https://chia-cundinamarca.gov.co/web/wp-json/>; rel="https://api.w.org/", <https://chia-cundinamarca.gov.co/web/wp-json/wp/v2/posts/7526>; rel="alternate"; title="JSON"; type="application/json", <https://chia-cundinamarca.gov.co/web/?p=7526>; rel=shortlink
X-TEC-API-VERSION: v1
X-TEC-API-ROOT: https://chia-cundinamarca.gov.co/web/wp-json/tribe/events/v1/
X-TEC-API-ORIGIN: https://chia-cundinamarca.gov.co/web
Content-Encoding: gzip

INSTANCE

<https://chia-cundinamarca.gov.co/images/>

Identification

OUTPUT

The scanner detected the lack of a correct X-Content-Type-Options header configuration in the target application response

HTTP Info

REQUEST MADE

GET https://chia-cundinamarca.gov.co/images/

REQUEST HEADERS

Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: none
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 01:41:55 GMT
Content-Type: text/html
Content-Length: 31
Connection: keep-alive
Last-Modified: Sun, 11 Dec 2016 21:51:10 GMT
Accept-Ranges: bytes

INSTANCE

<https://chia-cundinamarca.gov.co/web/2024/08/24/paso-a-paso-para-acceder-a-su-estado-de-cuenta-liquidacion-y-factura-de-los-impuestos-predial-e-ica/>

Identification

OUTPUT

The scanner detected the lack of a correct X-Content-Type-Options header configuration in the target application response

HTTP Info

REQUEST MADE

GET https://chia-cundinamarca.gov.co/web/2024/08/24/paso-a-paso-para-acceder-a-su-estado-de-cuenta-liquidacion-y-factura-de-los-impuestos-predial-e-ica/

REQUEST HEADERS

Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: none
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 06:04:16 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Link: <https://chia-cundinamarca.gov.co/web/wp-json/>; rel="https://api.w.org/", <https://chia-cundinamarca.gov.co/web/wp-json/wp/v2/posts/18365>; rel="alternate"; title="JSON"; type="application/json", <https://chia-cundinamarca.gov.co/web/?p=18365>; rel=shortlink
X-TEC-API-VERSION: v1
X-TEC-API-ROOT: https://chia-cundinamarca.gov.co/web/wp-json/tribe/events/v1/
X-TEC-API-ORIGIN: https://chia-cundinamarca.gov.co/web
Content-Encoding: gzip

INSTANCE

<https://chia-cundinamarca.gov.co/web/tramites-y-servicios/>

Identification

OUTPUT

The scanner detected the lack of a correct X-Content-Type-Options header configuration in the target application response

HTTP Info

REQUEST MADE

GET https://chia-cundinamarca.gov.co/web/tramites-y-servicios/

REQUEST HEADERS

Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: none
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"

Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 03:50:28 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Link: <https://chia-cundinamarca.gov.co/web/wp-json/>; rel="https://api.w.org/", <https://chia-cundinamarca.gov.co/web/wp-json/wp/v2/pages/63>; rel="alternate"; title="JSON"; type="application/json", <https://chia-cundinamarca.gov.co/web/?p=63>; rel=shortlink
X-TEC-API-VERSION: v1
X-TEC-API-ROOT: https://chia-cundinamarca.gov.co/web/wp-json/tribe/events/v1/
X-TEC-API-ORIGIN: https://chia-cundinamarca.gov.co/web
Content-Encoding: gzip

INSTANCE

<https://chia-cundinamarca.gov.co/web/2023/12/29/secretarias/>

Identification

OUTPUT

The scanner detected the lack of a correct X-Content-Type-Options header configuration in the target application response

HTTP Info

REQUEST MADE

GET https://chia-cundinamarca.gov.co/web/2023/12/29/secretarias/

REQUEST HEADERS

Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: none
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 03:25:45 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Link: <https://chia-cundinamarca.gov.co/web/wp-json/>; rel="https://api.w.org/", <https://chia-cundinamarca.gov.co/web/wp-json/wp/v2/posts/653>; rel="alternate"; title="JSON"; type="application/json", <https://chia-cundinamarca.gov.co/web/?p=653>; rel=shortlink
X-TEC-API-VERSION: v1
X-TEC-API-ROOT: https://chia-cundinamarca.gov.co/web/wp-json/tribe/events/v1/
X-TEC-API-ORIGIN: https://chia-cundinamarca.gov.co/web
Content-Encoding: gzip

INSTANCE

<https://chia-cundinamarca.gov.co/web/2023/12/29/informacion-de-la-entidad/>

Identification

OUTPUT

The scanner detected the lack of a correct X-Content-Type-Options header configuration in the target application response

HTTP Info

REQUEST MADE

GET https://chia-cundinamarca.gov.co/web/2023/12/29/informacion-de-la-entidad/

REQUEST HEADERS

Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: none
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 03:11:24 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Link: <https://chia-cundinamarca.gov.co/web/wp-json/>; rel="https://api.w.org/", <https://chia-cundinamarca.gov.co/web/wp-json/wp/v2/posts/632>; rel="alternate"; title="JSON"; type="application/json", <https://chia-cundinamarca.gov.co/web/?p=632>; rel=shortlink
X-TEC-API-VERSION: v1
X-TEC-API-ROOT: https://chia-cundinamarca.gov.co/web/wp-json/tribe/events/v1/
X-TEC-API-ORIGIN: https://chia-cundinamarca.gov.co/web
Content-Encoding: gzip

INSTANCE

<https://chia-cundinamarca.gov.co/web/2024/10/24/comienza-el-censo-a-bares-y-establecimientos-nocturnos/>

Identification

OUTPUT

The scanner detected the lack of a correct X-Content-Type-Options header configuration in the target application response

HTTP Info

REQUEST MADE

GET https://chia-cundinamarca.gov.co/web/2024/10/24/comienza-el-censo-a-bares-y-establecimientos-nocturnos/

REQUEST HEADERS

Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: none

Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 06:43:09 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Link: <https://chia-cundinamarca.gov.co/web/wp-json/>; rel="https://api.w.org/", <https://chia-cundinamarca.gov.co/web/wp-json/wp/v2/posts/20823>; rel="alternate"; title="JSON"; type="application/json", <https://chia-cundinamarca.gov.co/web/?p=20823>; rel=shortlink
X-TEC-API-VERSION: v1
X-TEC-API-ROOT: https://chia-cundinamarca.gov.co/web/wp-json/tribe/events/v1/
X-TEC-API-ORIGIN: https://chia-cundinamarca.gov.co/web
Content-Encoding: gzip

INSTANCE

<https://chia-cundinamarca.gov.co/index.php/tramites-y-servicios/sisben>

Identification

OUTPUT

The scanner detected the lack of a correct X-Content-Type-Options header configuration in the target application response

HTTP Info

REQUEST MADE

GET /index.php/tramites-y-servicios/sisben HTTP/1.1

REQUEST HEADERS

Host: chia-cundinamarca.gov.co
Accept-Encoding: gzip, deflate, br
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Accept: */*
Accept-Language: en-US,en;q=0.5
Cookie: googtrans=/es/it; cpsession=%3aHqQl26kRGUsy2BtJ%2c4b043945560fda9514b19964b4b5be42; timezone=Etc/UTC

RESPONSE HEADERS

HTTP/1.1 503 Service Temporarily Unavailable
Server: nginx
Date: Thu, 19 Dec 2024 04:01:41 GMT
Content-Type: text/html; charset=utf-8
Transfer-Encoding: chunked
Connection: keep-alive
X-Logged-In: False
X-Content-Powered-By: K2 v2.8.0 (by JoomlaWorks)
P3P: CP="NOI ADM DEV PSAi COM NAV OUR OTRo STP IND DEM"
Expires: Wed, 17 Aug 2005 00:00:00 GMT
Cache-Control: no-store, no-cache, must-revalidate, post-check=0, pre-check=0
Pragma: no-cache
Set-Cookie: 8b58dc30ff9e4328565181726d3386f8=a5b853b5f45bde4860b15e2765387503; path=/; HttpOnly
Last-Modified: Thu, 19 Dec 2024 04:01:41 GMT

INSTANCE

<https://chia-cundinamarca.gov.co/web/2024/09/16/conozca-los-canales-de-atencion-de-las-empresas-prestadoras-de-servicios-publicos/>

Identification

OUTPUT

The scanner detected the lack of a correct X-Content-Type-Options header configuration in the target application response

HTTP Info

REQUEST MADE

GET https://chia-cundinamarca.gov.co/web/2024/09/16/conozca-los-canales-de-atencion-de-las-empresas-prestadoras-de-servicios-publicos/

REQUEST HEADERS

Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: none
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 05:51:53 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Link: <https://chia-cundinamarca.gov.co/web/wp-json/>; rel="https://api.w.org/", <https://chia-cundinamarca.gov.co/web/wp-json/wp/v2/posts/19440>; rel="alternate"; title="JSON"; type="application/json", <https://chia-cundinamarca.gov.co/web/?p=19440>; rel=shortlink
X-TEC-API-VERSION: v1
X-TEC-API-ROOT: https://chia-cundinamarca.gov.co/web/wp-json/tribe/events/v1/
X-TEC-API-ORIGIN: https://chia-cundinamarca.gov.co/web
Content-Encoding: gzip

INSTANCE

<https://chia-cundinamarca.gov.co/web/2023/12/30/7-1-4-programa-de-gestion-documental/>

Identification

OUTPUT

The scanner detected the lack of a correct X-Content-Type-Options header configuration in the target application response

HTTP Info

REQUEST MADE

GET https://chia-cundinamarca.gov.co/web/2023/12/30/7-1-4-programa-de-gestion-documental/

REQUEST HEADERS

Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: none
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 05:16:57 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Link: <https://chia-cundinamarca.gov.co/web/wp-json/>; rel="https://api.w.org/", <https://chia-cundinamarca.gov.co/web/wp-json/wp/v2/posts/805>; rel="alternate"; title="JSON"; type="application/json", <https://chia-cundinamarca.gov.co/web/?p=805>; rel=shortlink
X-TEC-API-VERSION: v1
X-TEC-API-ROOT: https://chia-cundinamarca.gov.co/web/wp-json/tribe/events/v1/
X-TEC-API-ORIGIN: https://chia-cundinamarca.gov.co/web
Content-Encoding: gzip

INSTANCE

<https://chia-cundinamarca.gov.co/web/transparencia-y-acceso-a-la-informacion-publica/>

Identification

OUTPUT

The scanner detected the lack of a correct X-Content-Type-Options header configuration in the target application response

HTTP Info

REQUEST MADE

GET https://chia-cundinamarca.gov.co/web/transparencia-y-acceso-a-la-informacion-publica/

REQUEST HEADERS

Referer: https://chia-cundinamarca.gov.co/web/
Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: same-origin
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 00:38:08 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding

Link: <<https://chia-cundinamarca.gov.co/web/wp-json/>>; rel="https://api.w.org/", <<https://chia-cundinamarca.gov.co/web/wp-json/wp/v2/pages/21>>; rel="alternate"; title="JSON"; type="application/json", <<https://chia-cundinamarca.gov.co/web/?p=21>>; rel=shortlink
X-TEC-API-VERSION: v1
X-TEC-API-ROOT: <https://chia-cundinamarca.gov.co/web/wp-json/tribe/events/v1/>
X-TEC-API-ORIGIN: <https://chia-cundinamarca.gov.co/web>
Content-Encoding: gzip

Missing Content Security Policy

VULNERABILITY **LOW** PLUGIN ID 112551

Description

Content Security Policy (CSP) is a web security standard that helps to mitigate attacks like cross-site scripting (XSS), clickjacking or mixed content issues. CSP provides mechanisms to websites to restrict content that browsers will be allowed to load.

No CSP header has been detected on this host. This URL is flagged as a specific example.

Solution

Configure Content Security Policy on your website by adding 'Content-Security-Policy' HTTP header or meta tag `http-equiv=Content-Security-Policy`.

See Also

<https://developer.mozilla.org/en-US/docs/Web/HTTP/CSP>

<https://csp-evaluator.withgoogle.com/>

<https://content-security-policy.com/>

<https://developers.google.com/web/fundamentals/security/csp/>

<https://developer.mozilla.org/en-US/docs/Web/HTTP/Headers/Content-Security-Policy>

Plugin Details

| | |
|-------------------|---------------------------|
| PUBLICATION DATE | 2019-02-14T00:00:00+00:00 |
| MODIFICATION DATE | 2024-03-25T00:00:00+00:00 |
| FAMILY | HTTP Security Header |
| SEVERITY | Low |
| PLUGIN ID | 112551 |

Risk Information

| | |
|-------------------|--|
| CVSSV4 BASE SCORE | - |
| CVSSV4 VECTOR | - |
| CVSSV3 BASE SCORE | 3.1 |
| CVSSV3 VECTOR | CVSS:3.0/AV:N/AC:H/PR:N/UI:R/S:U/C:L/I:N/A:N |
| CVSS BASE SCORE | 2.6 |
| CVSS VECTOR | CVSS2#AV:N/AC:H/Au:N/C:P/I:N/A:N |

Reference Information

| | |
|-------|--|
| CWE | 1021 |
| WASC | Application Misconfiguration |
| OWASP | 2017-A6, 2021-A4, 2013-A5, 2010-A6, 2023-API8, 2019-API7 |
| CVE | - |

BID

-

Missing Content Security Policy Instances (25)

VULNERABILITY LOW PLUGIN ID 112551

INSTANCE

<https://chia-cundinamarca.gov.co/web/2024/12/18/los-adultos-mayores-de-chia-se-gozaron-boyaca/>

Identification

OUTPUT

https://chia-cundinamarca.gov.co/web/2024/12/18/los-adultos-mayores-de-chia-se-gozaron-boyaca/ has no Content Security Policy defined.

HTTP Info

REQUEST MADE

GET https://chia-cundinamarca.gov.co/web/2024/12/18/los-adultos-mayores-de-chia-se-gozaron-boyaca/

REQUEST HEADERS

Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: none
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 07:21:39 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Link: <https://chia-cundinamarca.gov.co/web/wp-json/>; rel="https://api.w.org/", <https://chia-cundinamarca.gov.co/web/wp-json/wp/v2/posts/22400>; rel="alternate"; title="JSON"; type="application/json", <https://chia-cundinamarca.gov.co/web/?p=22400>; rel=shortlink
X-TEC-API-VERSION: v1
X-TEC-API-ROOT: https://chia-cundinamarca.gov.co/web/wp-json/tribe/events/v1/
X-TEC-API-ORIGIN: https://chia-cundinamarca.gov.co/web
Content-Encoding: gzip

INSTANCE

<https://chia-cundinamarca.gov.co/web/2024/12/18/chia-se-destaca-en-gestion-social-gracias-a-blanca-donoso/>

Identification

OUTPUT

https://chia-cundinamarca.gov.co/web/2024/12/18/chia-se-destaca-en-gestion-social-gracias-a-blanca-donoso/ has no Content Security Policy defined.

HTTP Info

REQUEST MADE

GET https://chia-cundinamarca.gov.co/web/2024/12/18/chia-se-destaca-en-gestion-social-gracias-a-blanca-donoso/

REQUEST HEADERS

Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: none
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 07:08:06 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Link: <https://chia-cundinamarca.gov.co/web/wp-json/>; rel="https://api.w.org/", <https://chia-cundinamarca.gov.co/web/wp-json/wp/v2/posts/22424>; rel="alternate"; title="JSON"; type="application/json", <https://chia-cundinamarca.gov.co/web/?p=22424>; rel=shortlink
X-TEC-API-VERSION: v1
X-TEC-API-ROOT: https://chia-cundinamarca.gov.co/web/wp-json/tribe/events/v1/
X-TEC-API-ORIGIN: https://chia-cundinamarca.gov.co/web
Content-Encoding: gzip

INSTANCE

<https://chia-cundinamarca.gov.co/web/alcaldia/>

Identification

OUTPUT

https://chia-cundinamarca.gov.co/web/alcaldia/ has no Content Security Policy defined.

HTTP Info

REQUEST MADE

GET https://chia-cundinamarca.gov.co/web/alcaldia/

REQUEST HEADERS

Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: none
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 02:45:09 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked

Connection: keep-alive
Vary: Accept-Encoding
Link: <https://chia-cundinamarca.gov.co/web/wp-json/>; rel="https://api.w.org/", <https://chia-cundinamarca.gov.co/web/wp-json/wp/v2/pages/49>; rel="alternate"; title="JSON"; type="application/json", <https://chia-cundinamarca.gov.co/web/?p=49>; rel=shortlink
X-TEC-API-VERSION: v1
X-TEC-API-ROOT: https://chia-cundinamarca.gov.co/web/wp-json/tribe/events/v1/
X-TEC-API-ORIGIN: https://chia-cundinamarca.gov.co/web
Content-Encoding: gzip

INSTANCE

<https://chia-cundinamarca.gov.co/web/2023/12/29/control-interno-disciplinario/>

Identification

OUTPUT

https://chia-cundinamarca.gov.co/web/2023/12/29/control-interno-disciplinario/ has no Content Security Policy defined.

HTTP Info

REQUEST MADE

GET https://chia-cundinamarca.gov.co/web/2023/12/29/control-interno-disciplinario/

REQUEST HEADERS

Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: none
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 05:37:32 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Link: <https://chia-cundinamarca.gov.co/web/wp-json/>; rel="https://api.w.org/", <https://chia-cundinamarca.gov.co/web/wp-json/wp/v2/posts/616>; rel="alternate"; title="JSON"; type="application/json", <https://chia-cundinamarca.gov.co/web/?p=616>; rel=shortlink
X-TEC-API-VERSION: v1
X-TEC-API-ROOT: https://chia-cundinamarca.gov.co/web/wp-json/tribe/events/v1/
X-TEC-API-ORIGIN: https://chia-cundinamarca.gov.co/web
Content-Encoding: gzip

INSTANCE

<https://chia-cundinamarca.gov.co/web/2024/09/16/conozca-los-canales-de-atencion-de-las-empresas-prestadoras-de-servicios-publicos/>

Identification

OUTPUT

https://chia-cundinamarca.gov.co/web/2024/09/16/conozca-los-canales-de-atencion-de-las-empresas-prestadoras-de-servicios-publicos/ has no Content Security Policy defined.

HTTP Info

REQUEST MADE

GET https://chia-cundinamarca.gov.co/web/2024/09/16/conozca-los-canales-de-atencion-de-las-empresas-prestadoras-de-servicios-publicos/

REQUEST HEADERS

Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: none
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 05:51:53 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Link: <https://chia-cundinamarca.gov.co/web/wp-json/>; rel="https://api.w.org/", <https://chia-cundinamarca.gov.co/web/wp-json/wp/v2/posts/19440>; rel="alternate"; title="JSON"; type="application/json", <https://chia-cundinamarca.gov.co/web/?p=19440>; rel=shortlink
X-TEC-API-VERSION: v1
X-TEC-API-ROOT: https://chia-cundinamarca.gov.co/web/wp-json/tribe/events/v1/
X-TEC-API-ORIGIN: https://chia-cundinamarca.gov.co/web
Content-Encoding: gzip

INSTANCE

<https://chia-cundinamarca.gov.co/web/2023/12/29/secretarias/>

Identification

OUTPUT

https://chia-cundinamarca.gov.co/web/2023/12/29/secretarias/ has no Content Security Policy defined.

HTTP Info

REQUEST MADE

GET https://chia-cundinamarca.gov.co/web/2023/12/29/secretarias/

REQUEST HEADERS

Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: none
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 03:25:45 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Link: <https://chia-cundinamarca.gov.co/web/wp-json/>; rel="https://api.w.org/", <https://chia-cundinamarca.gov.co/web/wp-json/wp/v2/posts/653>; rel="alternate"; title="JSON"; type="application/json", <https://chia-cundinamarca.gov.co/web/?p=653>; rel=shortlink
X-TEC-API-VERSION: v1
X-TEC-API-ROOT: https://chia-cundinamarca.gov.co/web/wp-json/tribe/events/v1/
X-TEC-API-ORIGIN: https://chia-cundinamarca.gov.co/web
Content-Encoding: gzip

INSTANCE

<https://chia-cundinamarca.gov.co/web/directorio/>

Identification

OUTPUT

https://chia-cundinamarca.gov.co/web/directorio/ has no Content Security Policy defined.

HTTP Info

REQUEST MADE

GET https://chia-cundinamarca.gov.co/web/directorio/

REQUEST HEADERS

Referer: https://chia-cundinamarca.gov.co/web/
Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: same-origin
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 00:46:26 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Link: <https://chia-cundinamarca.gov.co/web/wp-json/>; rel="https://api.w.org/", <https://chia-cundinamarca.gov.co/web/wp-json/wp/v2/pages/566>; rel="alternate"; title="JSON"; type="application/json", <https://chia-cundinamarca.gov.co/web/?p=566>; rel=shortlink
X-TEC-API-VERSION: v1
X-TEC-API-ROOT: https://chia-cundinamarca.gov.co/web/wp-json/tribe/events/v1/
X-TEC-API-ORIGIN: https://chia-cundinamarca.gov.co/web
Content-Encoding: gzip

INSTANCE

<https://chia-cundinamarca.gov.co/web/2024/10/24/comienza-el-censo-a-bares-y-establecimientos-nocturnos/>

Identification

OUTPUT

https://chia-cundinamarca.gov.co/web/2024/10/24/comienza-el-censo-a-bares-y-establecimientos-nocturnos/ has no Content Security Policy defined.

HTTP Info

REQUEST MADE

GET https://chia-cundinamarca.gov.co/web/2024/10/24/comienza-el-censo-a-bares-y-establecimientos-nocturnos/

REQUEST HEADERS

Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: none
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 06:43:09 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Link: <https://chia-cundinamarca.gov.co/web/wp-json/>; rel="https://api.w.org/", <https://chia-cundinamarca.gov.co/web/wp-json/wp/v2/posts/20823>; rel="alternate"; title="JSON"; type="application/json", <https://chia-cundinamarca.gov.co/web/?p=20823>; rel=shortlink
X-TEC-API-VERSION: v1
X-TEC-API-ROOT: https://chia-cundinamarca.gov.co/web/wp-json/tribe/events/v1/
X-TEC-API-ORIGIN: https://chia-cundinamarca.gov.co/web
Content-Encoding: gzip

INSTANCE

<https://chia-cundinamarca.gov.co/controlpanel/>

Identification

OUTPUT

https://chia-cundinamarca.gov.co/controlpanel/ has no Content Security Policy defined.

HTTP Info

REQUEST MADE

GET /controlpanel/ HTTP/1.1

REQUEST HEADERS

Host: chia-cundinamarca.gov.co
Accept-Encoding: gzip, deflate, br
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Accept: */*
Accept-Language: en-US,en;q=0.5
Cookie: googtrans=/es/it; cpsession=%3aHqL26kRGUsy2BtJ%2c4b043945560fda9514b19964b4b5be42

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 01:57:07 GMT
Content-Type: text/html
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Content-Encoding: gzip

INSTANCE

<https://chia-cundinamarca.gov.co/web/participa/>

Identification

OUTPUT

https://chia-cundinamarca.gov.co/web/participa/ has no Content Security Policy defined.

HTTP Info

REQUEST MADE

GET https://chia-cundinamarca.gov.co/web/participa/

REQUEST HEADERS

Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: none
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 03:39:13 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Link: <https://chia-cundinamarca.gov.co/web/wp-json/>; rel="https://api.w.org/", <https://chia-cundinamarca.gov.co/web/wp-json/wp/v2/pages/21196>; rel="alternate"; title="JSON"; type="application/json", <https://chia-cundinamarca.gov.co/web/?p=21196>; rel=shortlink
X-TEC-API-VERSION: v1
X-TEC-API-ROOT: https://chia-cundinamarca.gov.co/web/wp-json/tribe/events/v1/
X-TEC-API-ORIGIN: https://chia-cundinamarca.gov.co/web
Content-Encoding: gzip

INSTANCE

<https://chia-cundinamarca.gov.co/test.php>

Identification

OUTPUT

https://chia-cundinamarca.gov.co/test.php has no Content Security Policy defined.

HTTP Info

REQUEST MADE

GET https://chia-cundinamarca.gov.co/test.php

REQUEST HEADERS

Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: none
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 02:22:54 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Content-Encoding: gzip

INSTANCE

<https://chia-cundinamarca.gov.co/web/2023/12/29/alcalde/>

Identification

OUTPUT

https://chia-cundinamarca.gov.co/web/2023/12/29/alcalde/ has no Content Security Policy defined.

HTTP Info

REQUEST MADE

GET https://chia-cundinamarca.gov.co/web/2023/12/29/alcalde/

REQUEST HEADERS

Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: none
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 02:58:37 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Link: <https://chia-cundinamarca.gov.co/web/wp-json/>; rel="https://api.w.org/", <https://chia-cundinamarca.gov.co/web/wp-json/wp/v2/posts/623>; rel="alternate"; title="JSON"; type="application/json", <https://chia-cundinamarca.gov.co

/web/?p=623>; rel=shortlink
X-TEC-API-VERSION: v1
X-TEC-API-ROOT: https://chia-cundinamarca.gov.co/web/wp-json/tribe/events/v1/
X-TEC-API-ORIGIN: https://chia-cundinamarca.gov.co/web
Content-Encoding: gzip

INSTANCE

<https://chia-cundinamarca.gov.co/web/2024/12/17/los-salones-de-artes-plasticas-abren-sus-puertas-para-el-arte-y-cultura-en-chia/>

Identification

OUTPUT

https://chia-cundinamarca.gov.co/web/2024/12/17/los-salones-de-artes-plasticas-abren-sus-puertas-para-el-arte-y-cultura-en-chia/ has no Content Security Policy defined.

HTTP Info

REQUEST MADE

GET https://chia-cundinamarca.gov.co/web/2024/12/17/los-salones-de-artes-plasticas-abren-sus-puertas-para-el-arte-y-cultura-en-chia/

REQUEST HEADERS

Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: none
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 07:35:13 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Link: <https://chia-cundinamarca.gov.co/web/wp-json/>; rel="https://api.w.org/", <https://chia-cundinamarca.gov.co/web/wp-json/wp/v2/posts/22370>; rel="alternate"; title="JSON"; type="application/json", <https://chia-cundinamarca.gov.co/web/?p=22370>; rel=shortlink
X-TEC-API-VERSION: v1
X-TEC-API-ROOT: https://chia-cundinamarca.gov.co/web/wp-json/tribe/events/v1/
X-TEC-API-ORIGIN: https://chia-cundinamarca.gov.co/web
Content-Encoding: gzip

INSTANCE

<https://chia-cundinamarca.gov.co/web/2023/12/30/7-1-4-programa-de-gestion-documental/>

Identification

OUTPUT

https://chia-cundinamarca.gov.co/web/2023/12/30/7-1-4-programa-de-gestion-documental/ has no Content Security Policy defined.

HTTP Info

REQUEST MADE

GET https://chia-cundinamarca.gov.co/web/2023/12/30/7-1-4-programa-de-gestion-documental/

REQUEST HEADERS

Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: none
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 05:16:57 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Link: <https://chia-cundinamarca.gov.co/web/wp-json/>; rel="https://api.w.org/", <https://chia-cundinamarca.gov.co/web/wp-json/wp/v2/posts/805>; rel="alternate"; title="JSON"; type="application/json", <https://chia-cundinamarca.gov.co/web/?p=805>; rel=shortlink
X-TEC-API-VERSION: v1
X-TEC-API-ROOT: https://chia-cundinamarca.gov.co/web/wp-json/tribe/events/v1/
X-TEC-API-ORIGIN: https://chia-cundinamarca.gov.co/web
Content-Encoding: gzip

INSTANCE

<https://chia-cundinamarca.gov.co/web/tramites-y-servicios/>

Identification

OUTPUT

https://chia-cundinamarca.gov.co/web/tramites-y-servicios/ has no Content Security Policy defined.

HTTP Info

REQUEST MADE

GET https://chia-cundinamarca.gov.co/web/tramites-y-servicios/

REQUEST HEADERS

Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: none
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx

Date: Thu, 19 Dec 2024 03:50:28 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Link: <https://chia-cundinamarca.gov.co/web/wp-json/>; rel="https://api.w.org/", <https://chia-cundinamarca.gov.co/web/wp-json/wp/v2/pages/63>; rel="alternate"; title="JSON"; type="application/json", <https://chia-cundinamarca.gov.co/web/?p=63>; rel=shortlink
X-TEC-API-VERSION: v1
X-TEC-API-ROOT: https://chia-cundinamarca.gov.co/web/wp-json/tribe/events/v1/
X-TEC-API-ORIGIN: https://chia-cundinamarca.gov.co/web
Content-Encoding: gzip

INSTANCE

<https://chia-cundinamarca.gov.co/web/>

Identification

OUTPUT

https://chia-cundinamarca.gov.co/web/ has no Content Security Policy defined.

HTTP Info

REQUEST MADE

GET https://chia-cundinamarca.gov.co/web/

REQUEST HEADERS

Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: none
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 00:15:28 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Link: <https://chia-cundinamarca.gov.co/web/wp-json/>; rel="https://api.w.org/", <https://chia-cundinamarca.gov.co/web/wp-json/wp/v2/pages/1107>; rel="alternate"; title="JSON"; type="application/json", <https://chia-cundinamarca.gov.co/web/>; rel=shortlink
X-TEC-API-VERSION: v1
X-TEC-API-ROOT: https://chia-cundinamarca.gov.co/web/wp-json/tribe/events/v1/
X-TEC-API-ORIGIN: https://chia-cundinamarca.gov.co/web
Content-Encoding: gzip

INSTANCE

<https://chia-cundinamarca.gov.co/index.php/tramites-y-servicios/sisben>

Identification

OUTPUT

https://chia-cundinamarca.gov.co/index.php/tramites-y-servicios/sisben has no Content Security Policy defined.

HTTP Info

REQUEST MADE

GET /index.php/tramites-y-servicios/sisben HTTP/1.1

REQUEST HEADERS

Host: chia-cundinamarca.gov.co
Accept-Encoding: gzip, deflate, br
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Accept: */*
Accept-Language: en-US,en;q=0.5
Cookie: googtrans=/es/it; cpsession=%3aHqQl26kRGUsy2BtJ%2c4b043945560fda9514b19964b4b5be42; timezone=Etc/UTC

RESPONSE HEADERS

HTTP/1.1 503 Service Temporarily Unavailable
Server: nginx
Date: Thu, 19 Dec 2024 04:01:41 GMT
Content-Type: text/html; charset=utf-8
Transfer-Encoding: chunked
Connection: keep-alive
X-Logged-In: False
X-Content-Powered-By: K2 v2.8.0 (by JoomlaWorks)
P3P: CP="NOI ADM DEV PSAi COM NAV OUR OTRP STP IND DEM"
Expires: Wed, 17 Aug 2005 00:00:00 GMT
Cache-Control: no-store, no-cache, must-revalidate, post-check=0, pre-check=0
Pragma: no-cache
Set-Cookie: 8b58dc30ff9e4328565181726d3386f8=a5b853b5f45bde4860b15e2765387503; path=/; HttpOnly
Last-Modified: Thu, 19 Dec 2024 04:01:41 GMT

INSTANCE

<https://chia-cundinamarca.gov.co/web/transparencia-y-acceso-a-la-informacion-publica/>

Identification

OUTPUT

https://chia-cundinamarca.gov.co/web/transparencia-y-acceso-a-la-informacion-publica/ has no Content Security Policy defined.

HTTP Info

REQUEST MADE

GET https://chia-cundinamarca.gov.co/web/transparencia-y-acceso-a-la-informacion-publica/

REQUEST HEADERS

Referer: https://chia-cundinamarca.gov.co/web/
Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: same-origin
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx

Date: Thu, 19 Dec 2024 00:38:08 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Link: <https://chia-cundinamarca.gov.co/web/wp-json/>; rel="https://api.w.org/", <https://chia-cundinamarca.gov.co/web/wp-json/wp/v2/pages/21>; rel="alternate"; title="JSON"; type="application/json", <https://chia-cundinamarca.gov.co/web/?p=21>; rel=shortlink
X-TEC-API-VERSION: v1
X-TEC-API-ROOT: https://chia-cundinamarca.gov.co/web/wp-json/tribe/events/v1/
X-TEC-API-ORIGIN: https://chia-cundinamarca.gov.co/web
Content-Encoding: gzip

INSTANCE

<https://chia-cundinamarca.gov.co/web/2023/12/28/datos-abiertos/>

Identification

OUTPUT

https://chia-cundinamarca.gov.co/web/2023/12/28/datos-abiertos/ has no Content Security Policy defined.

HTTP Info

REQUEST MADE

GET https://chia-cundinamarca.gov.co/web/2023/12/28/datos-abiertos/

REQUEST HEADERS

Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: none
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 04:52:23 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Link: <https://chia-cundinamarca.gov.co/web/wp-json/>; rel="https://api.w.org/", <https://chia-cundinamarca.gov.co/web/wp-json/wp/v2/posts/585>; rel="alternate"; title="JSON"; type="application/json", <https://chia-cundinamarca.gov.co/web/?p=585>; rel=shortlink
X-TEC-API-VERSION: v1
X-TEC-API-ROOT: https://chia-cundinamarca.gov.co/web/wp-json/tribe/events/v1/
X-TEC-API-ORIGIN: https://chia-cundinamarca.gov.co/web
Content-Encoding: gzip

INSTANCE

<https://chia-cundinamarca.gov.co/web/2023/12/29/informacion-de-la-entidad/>

Identification

OUTPUT

https://chia-cundinamarca.gov.co/web/2023/12/29/informacion-de-la-entidad/ has no Content Security Policy defined.

HTTP Info

REQUEST MADE

GET https://chia-cundinamarca.gov.co/web/2023/12/29/informacion-de-la-entidad/

REQUEST HEADERS

Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: none
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 03:11:24 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Link: <https://chia-cundinamarca.gov.co/web/wp-json/>; rel="https://api.w.org/", <https://chia-cundinamarca.gov.co/web/wp-json/wp/v2/posts/632>; rel="alternate"; title="JSON"; type="application/json", <https://chia-cundinamarca.gov.co/web/?p=632>; rel=shortlink
X-TEC-API-VERSION: v1
X-TEC-API-ROOT: https://chia-cundinamarca.gov.co/web/wp-json/tribe/events/v1/
X-TEC-API-ORIGIN: https://chia-cundinamarca.gov.co/web
Content-Encoding: gzip

INSTANCE

<https://chia-cundinamarca.gov.co/web/2024/02/26/impuesto-predial-unificado/>

Identification

OUTPUT

https://chia-cundinamarca.gov.co/web/2024/02/26/impuesto-predial-unificado/ has no Content Security Policy defined.

HTTP Info

REQUEST MADE

GET https://chia-cundinamarca.gov.co/web/2024/02/26/impuesto-predial-unificado/

REQUEST HEADERS

Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: none
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 06:17:33 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Link: <https://chia-cundinamarca.gov.co/web/wp-json/>; rel="https://api.w.org/", <https://chia-cundinamarca.gov.co/web/wp-json/wp/v2/posts/4113>; rel="alternate"; title="JSON"; type="application/json", <https://chia-cundinamarca.gov.co/web/?p=4113>; rel=shortlink
X-TEC-API-VERSION: v1
X-TEC-API-ROOT: https://chia-cundinamarca.gov.co/web/wp-json/tribe/events/v1/
X-TEC-API-ORIGIN: https://chia-cundinamarca.gov.co/web
Content-Encoding: gzip

INSTANCE

<https://chia-cundinamarca.gov.co/images/>

Identification

OUTPUT

https://chia-cundinamarca.gov.co/images/ has no Content Security Policy defined.

HTTP Info

REQUEST MADE

GET https://chia-cundinamarca.gov.co/images/

REQUEST HEADERS

Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: none
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 01:41:55 GMT
Content-Type: text/html
Content-Length: 31
Connection: keep-alive
Last-Modified: Sun, 11 Dec 2016 21:51:10 GMT
Accept-Ranges: bytes

INSTANCE

<https://chia-cundinamarca.gov.co/web/2024/08/24/paso-a-paso-para-acceder-a-su-estado-de-cuenta-liquidacion-y-factura-de-los-impuestos-predial-e-ica/>

Identification

OUTPUT

https://chia-cundinamarca.gov.co/web/2024/08/24/paso-a-paso-para-acceder-a-su-estado-de-cuenta-liquidacion-y-factura-de-los-impuestos-predial-e-ica/ has no Content Security Policy defined.

HTTP Info

REQUEST MADE

GET https://chia-cundinamarca.gov.co/web/2024/08/24/paso-a-paso-para-acceder-a-su-estado-de-cuenta-liquidacion-y-factura-de-los-impuestos-predial-e-ica/

REQUEST HEADERS

Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: none
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 06:04:16 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Link: <https://chia-cundinamarca.gov.co/web/wp-json/>; rel="https://api.w.org/", <https://chia-cundinamarca.gov.co/web/wp-json/wp/v2/posts/18365>; rel="alternate"; title="JSON"; type="application/json", <https://chia-cundinamarca.gov.co/web/?p=18365>; rel=shortlink
X-TEC-API-VERSION: v1
X-TEC-API-ROOT: https://chia-cundinamarca.gov.co/web/wp-json/tribe/events/v1/
X-TEC-API-ORIGIN: https://chia-cundinamarca.gov.co/web
Content-Encoding: gzip

INSTANCE

<https://chia-cundinamarca.gov.co/web/2024/05/10/tramite-para-solicitar-certificados-de-residencia-en-el-territorio-de-chia-y-personerias-juridicas/>

Identification

OUTPUT

https://chia-cundinamarca.gov.co/web/2024/05/10/tramite-para-solicitar-certificados-de-residencia-en-el-territorio-de-chia-y-personerias-juridicas/ has no Content Security Policy defined.

HTTP Info

REQUEST MADE

GET https://chia-cundinamarca.gov.co/web/2024/05/10/tramite-para-solicitar-certificados-de-residencia-en-el-territorio-de-chia-y-personerias-juridicas/

REQUEST HEADERS

Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: none
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0

Sec-Ch-Ua-Platform: "Linux"
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 05:04:12 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Link: <https://chia-cundinamarca.gov.co/web/wp-json/>; rel="https://api.w.org/", <https://chia-cundinamarca.gov.co/web/wp-json/wp/v2/posts/7526>; rel="alternate"; title="JSON"; type="application/json", <https://chia-cundinamarca.gov.co/web/?p=7526>; rel=shortlink
X-TEC-API-VERSION: v1
X-TEC-API-ROOT: https://chia-cundinamarca.gov.co/web/wp-json/tribe/events/v1/
X-TEC-API-ORIGIN: https://chia-cundinamarca.gov.co/web
Content-Encoding: gzip

INSTANCE

<https://chia-cundinamarca.gov.co/cache/>

Identification

OUTPUT

https://chia-cundinamarca.gov.co/cache/ has no Content Security Policy defined.

HTTP Info

REQUEST MADE

GET https://chia-cundinamarca.gov.co/cache/

REQUEST HEADERS

Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: none
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 02:08:25 GMT
Content-Type: text/html
Content-Length: 31
Connection: keep-alive
Last-Modified: Sun, 11 Dec 2016 21:51:10 GMT
Accept-Ranges: bytes

Missing 'Cache-Control' Header

VULNERABILITY **LOW** PLUGIN ID 112553

Description

The HTTP 'Cache-Control' header is used to specify directives for caching mechanisms.

The server did not return or returned an invalid 'Cache-Control' header which means page containing sensitive information (password, credit card, personal data, social security number, etc) could be stored on client side disk and then be exposed to unauthorised persons. This URL is flagged as a specific example.

Solution

Configure your web server to include a 'Cache-Control' header with appropriate directives. If page contains sensitive information 'Cache-Control' value should be 'no-store' and 'Pragma' header value should be 'no-cache'.

See Also

<https://developer.mozilla.org/en-US/docs/Web/HTTP/Headers/Cache-Control>

[https://www.owasp.org/index.php/Testing_for_Browser_cache_weakness_\(OTG-AUTHN-006\)](https://www.owasp.org/index.php/Testing_for_Browser_cache_weakness_(OTG-AUTHN-006))

Plugin Details

| | |
|-------------------|---------------------------|
| PUBLICATION DATE | 2019-02-15T00:00:00+00:00 |
| MODIFICATION DATE | 2024-03-25T00:00:00+00:00 |
| FAMILY | HTTP Security Header |
| SEVERITY | Low |
| PLUGIN ID | 112553 |

Risk Information

| | |
|-------------------|---|
| CVSSV4 BASE SCORE | 2.1 |
| CVSSV4 VECTOR | CVSS:4.0/AV:N/AC:H/AT:N/PR:N/UI:A/VC:L/VI:N/VA:N/SC:N/SI:N/SA:N |
| CVSSV3 BASE SCORE | 3.7 |
| CVSSV3 VECTOR | CVSS:3.0/AV:N/AC:H/PR:N/UI:N/S:U/C:L/I:N/A:N |
| CVSS BASE SCORE | 2.6 |
| CVSS VECTOR | CVSS2#AV:N/AC:H/Au:N/C:P/I:N/A:N |

Reference Information

| | |
|-------|--|
| CWE | 525 |
| WASC | Application Misconfiguration |
| OWASP | 2017-A6, 2021-A4, 2013-A5, 2010-A6, 2023-API8, 2019-API7 |
| CVE | - |
| BID | - |

Missing 'Cache-Control' Header Instances (25)

VULNERABILITY LOW PLUGIN ID 112553

INSTANCE

<https://chia-cundinamarca.gov.co/web/directorio/>

Identification

OUTPUT

https://chia-cundinamarca.gov.co/web/directorio/ has no Cache Control header defined.

HTTP Info

REQUEST MADE

GET https://chia-cundinamarca.gov.co/web/directorio/

REQUEST HEADERS

Referer: https://chia-cundinamarca.gov.co/web/
Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: same-origin
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 00:46:26 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Link: <https://chia-cundinamarca.gov.co/web/wp-json/>; rel="https://api.w.org/", <https://chia-cundinamarca.gov.co/web/wp-json/wp/v2/pages/566>; rel="alternate"; title="JSON"; type="application/json", <https://chia-cundinamarca.gov.co/web/?p=566>; rel=shortlink
X-TEC-API-VERSION: v1
X-TEC-API-ROOT: https://chia-cundinamarca.gov.co/web/wp-json/tribe/events/v1/
X-TEC-API-ORIGIN: https://chia-cundinamarca.gov.co/web
Content-Encoding: gzip

INSTANCE

<https://chia-cundinamarca.gov.co/web/2023/12/29/informacion-de-la-entidad/>

Identification

OUTPUT

https://chia-cundinamarca.gov.co/web/2023/12/29/informacion-de-la-entidad/ has no Cache Control header defined.

HTTP Info

REQUEST MADE

GET https://chia-cundinamarca.gov.co/web/2023/12/29/informacion-de-la-entidad/

REQUEST HEADERS

Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: none
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 03:11:24 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Link: <https://chia-cundinamarca.gov.co/web/wp-json/>; rel="https://api.w.org/", <https://chia-cundinamarca.gov.co/web/wp-json/wp/v2/posts/632>; rel="alternate"; title="JSON"; type="application/json", <https://chia-cundinamarca.gov.co/web/?p=632>; rel=shortlink
X-TEC-API-VERSION: v1
X-TEC-API-ROOT: https://chia-cundinamarca.gov.co/web/wp-json/tribe/events/v1/
X-TEC-API-ORIGIN: https://chia-cundinamarca.gov.co/web
Content-Encoding: gzip

INSTANCE

<https://chia-cundinamarca.gov.co/web/2023/12/29/secretarias/>

Identification

OUTPUT

https://chia-cundinamarca.gov.co/web/2023/12/29/secretarias/ has no Cache Control header defined.

HTTP Info

REQUEST MADE

GET https://chia-cundinamarca.gov.co/web/2023/12/29/secretarias/

REQUEST HEADERS

Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: none
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 03:25:45 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Connection: keep-alive

Vary: Accept-Encoding
Link: <https://chia-cundinamarca.gov.co/web/wp-json/>; rel="https://api.w.org/", <https://chia-cundinamarca.gov.co/web/wp-json/wp/v2/posts/653>; rel="alternate"; title="JSON"; type="application/json", <https://chia-cundinamarca.gov.co/web/?p=653>; rel=shortlink
X-TEC-API-VERSION: v1
X-TEC-API-ROOT: https://chia-cundinamarca.gov.co/web/wp-json/tribe/events/v1/
X-TEC-API-ORIGIN: https://chia-cundinamarca.gov.co/web
Content-Encoding: gzip

INSTANCE

<https://chia-cundinamarca.gov.co/web/participa/>

Identification

OUTPUT

https://chia-cundinamarca.gov.co/web/participa/ has no Cache Control header defined.

HTTP Info

REQUEST MADE

GET https://chia-cundinamarca.gov.co/web/participa/

REQUEST HEADERS

Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: none
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 03:39:13 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Link: <https://chia-cundinamarca.gov.co/web/wp-json/>; rel="https://api.w.org/", <https://chia-cundinamarca.gov.co/web/wp-json/wp/v2/pages/21196>; rel="alternate"; title="JSON"; type="application/json", <https://chia-cundinamarca.gov.co/web/?p=21196>; rel=shortlink
X-TEC-API-VERSION: v1
X-TEC-API-ROOT: https://chia-cundinamarca.gov.co/web/wp-json/tribe/events/v1/
X-TEC-API-ORIGIN: https://chia-cundinamarca.gov.co/web
Content-Encoding: gzip

INSTANCE

<https://chia-cundinamarca.gov.co/web/2024/05/10/tramite-para-solicitar-certificados-de-residencia-en-el-territorio-de-chia-y-personerias-juridicas/>

Identification

OUTPUT

https://chia-cundinamarca.gov.co/web/2024/05/10/tramite-para-solicitar-certificados-de-residencia-en-el-territorio-de-chia-y-personerias-juridicas/ has no Cache Control header defined.

HTTP Info

REQUEST MADE

GET https://chia-cundinamarca.gov.co/web/2024/05/10/tramite-para-solicitar-certificados-de-residencia-en-el-territorio-de-chia-y-personerias-juridicas/

REQUEST HEADERS

Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: none
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 05:04:12 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Link: <https://chia-cundinamarca.gov.co/web/wp-json/>; rel="https://api.w.org/", <https://chia-cundinamarca.gov.co/web/wp-json/wp/v2/posts/7526>; rel="alternate"; title="JSON"; type="application/json", <https://chia-cundinamarca.gov.co/web/?p=7526>; rel=shortlink
X-TEC-API-VERSION: v1
X-TEC-API-ROOT: https://chia-cundinamarca.gov.co/web/wp-json/tribe/events/v1/
X-TEC-API-ORIGIN: https://chia-cundinamarca.gov.co/web
Content-Encoding: gzip

INSTANCE

<https://chia-cundinamarca.gov.co/web/2023/12/29/control-interno-disciplinario/>

Identification

OUTPUT

https://chia-cundinamarca.gov.co/web/2023/12/29/control-interno-disciplinario/ has no Cache Control header defined.

HTTP Info

REQUEST MADE

GET https://chia-cundinamarca.gov.co/web/2023/12/29/control-interno-disciplinario/

REQUEST HEADERS

Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: none
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 05:37:32 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Link: <https://chia-cundinamarca.gov.co/web/wp-json/>; rel="https://api.w.org/", <https://chia-cundinamarca.gov.co/web/wp-json/wp/v2/posts/616>; rel="alternate"; title="JSON"; type="application/json", <https://chia-cundinamarca.gov.co/web/?p=616>; rel=shortlink
X-TEC-API-VERSION: v1
X-TEC-API-ROOT: https://chia-cundinamarca.gov.co/web/wp-json/tribe/events/v1/
X-TEC-API-ORIGIN: https://chia-cundinamarca.gov.co/web
Content-Encoding: gzip

INSTANCE

<https://chia-cundinamarca.gov.co/web/2024/09/16/conozca-los-canales-de-atencion-de-las-empresas-prestadoras-de-servicios-publicos/>

Identification

OUTPUT

https://chia-cundinamarca.gov.co/web/2024/09/16/conozca-los-canales-de-atencion-de-las-empresas-prestadoras-de-servicios-publicos/ has no Cache Control header defined.

HTTP Info

REQUEST MADE

GET https://chia-cundinamarca.gov.co/web/2024/09/16/conozca-los-canales-de-atencion-de-las-empresas-prestadoras-de-servicios-publicos/

REQUEST HEADERS

Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: none
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 05:51:53 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Link: <https://chia-cundinamarca.gov.co/web/wp-json/>; rel="https://api.w.org/", <https://chia-cundinamarca.gov.co/web/wp-json/wp/v2/posts/19440>; rel="alternate"; title="JSON"; type="application/json", <https://chia-cundinamarca.gov.co/web/?p=19440>; rel=shortlink
X-TEC-API-VERSION: v1
X-TEC-API-ROOT: https://chia-cundinamarca.gov.co/web/wp-json/tribe/events/v1/
X-TEC-API-ORIGIN: https://chia-cundinamarca.gov.co/web
Content-Encoding: gzip

INSTANCE

<https://chia-cundinamarca.gov.co/web/2024/08/24/paso-a-paso-para-acceder-a-su-estado-de-cuenta-liquidacion-y-factura-de-los-impuestos-predial-e-ica/>

Identification

OUTPUT

https://chia-cundinamarca.gov.co/web/2024/08/24/paso-a-paso-para-acceder-a-su-estado-de-cuenta-liquidacion-y-factura-de-los-impuestos-predial-e-ica/ has no Cache Control header defined.

HTTP Info

REQUEST MADE

GET https://chia-cundinamarca.gov.co/web/2024/08/24/paso-a-paso-para-acceder-a-su-estado-de-cuenta-liquidacion-y-factura-de-los-impuestos-predial-e-ica/

REQUEST HEADERS

Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: none
Sec-Fetch-User: ?l
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 06:04:16 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Link: <https://chia-cundinamarca.gov.co/web/wp-json/>; rel="https://api.w.org/", <https://chia-cundinamarca.gov.co/web/wp-json/wp/v2/posts/18365>; rel="alternate"; title="JSON"; type="application/json", <https://chia-cundinamarca.gov.co/web/?p=18365>; rel=shortlink
X-TEC-API-VERSION: v1
X-TEC-API-ROOT: https://chia-cundinamarca.gov.co/web/wp-json/tribe/events/v1/
X-TEC-API-ORIGIN: https://chia-cundinamarca.gov.co/web
Content-Encoding: gzip

INSTANCE

<https://chia-cundinamarca.gov.co/web/2024/10/24/comienza-el-censo-a-bares-y-establecimientos-nocturnos/>

Identification

OUTPUT

https://chia-cundinamarca.gov.co/web/2024/10/24/comienza-el-censo-a-bares-y-establecimientos-nocturnos/ has no Cache Control header defined.

HTTP Info

REQUEST MADE

GET https://chia-cundinamarca.gov.co/web/2024/10/24/comienza-el-censo-a-bares-y-establecimientos-nocturnos/

REQUEST HEADERS

Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate

Sec-Fetch-Site: none
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 06:43:09 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Link: <https://chia-cundinamarca.gov.co/web/wp-json/>; rel="https://api.w.org/", <https://chia-cundinamarca.gov.co/web/wp-json/wp/v2/posts/20823>; rel="alternate"; title="JSON"; type="application/json", <https://chia-cundinamarca.gov.co/web/?p=20823>; rel=shortlink
X-TEC-API-VERSION: v1
X-TEC-API-ROOT: https://chia-cundinamarca.gov.co/web/wp-json/tribe/events/v1/
X-TEC-API-ORIGIN: https://chia-cundinamarca.gov.co/web
Content-Encoding: gzip

INSTANCE

<https://chia-cundinamarca.gov.co/web/2024/12/18/chia-se-destaca-en-gestion-social-gracias-a-blanca-donos/>

Identification

OUTPUT

https://chia-cundinamarca.gov.co/web/2024/12/18/chia-se-destaca-en-gestion-social-gracias-a-blanca-donos/ has no Cache Control header defined.

HTTP Info

REQUEST MADE

GET https://chia-cundinamarca.gov.co/web/2024/12/18/chia-se-destaca-en-gestion-social-gracias-a-blanca-donos/

REQUEST HEADERS

Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: none
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 07:08:06 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Link: <https://chia-cundinamarca.gov.co/web/wp-json/>; rel="https://api.w.org/", <https://chia-cundinamarca.gov.co/web/wp-json/wp/v2/posts/22424>; rel="alternate"; title="JSON"; type="application/json", <https://chia-cundinamarca.gov.co/web/?p=22424>; rel=shortlink

X-TEC-API-VERSION: v1
X-TEC-API-ROOT: https://chia-cundinamarca.gov.co/web/wp-json/tribe/events/v1/
X-TEC-API-ORIGIN: https://chia-cundinamarca.gov.co/web
Content-Encoding: gzip

INSTANCE

<https://chia-cundinamarca.gov.co/web/alcaldia/>

Identification

OUTPUT

https://chia-cundinamarca.gov.co/web/alcaldia/ has no Cache Control header defined.

HTTP Info

REQUEST MADE

GET https://chia-cundinamarca.gov.co/web/alcaldia/

REQUEST HEADERS

Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: none
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 02:45:09 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Link: <https://chia-cundinamarca.gov.co/web/wp-json/>; rel="https://api.w.org/", <https://chia-cundinamarca.gov.co/web/wp-json/wp/v2/pages/49>; rel="alternate"; title="JSON"; type="application/json", <https://chia-cundinamarca.gov.co/web/?p=49>; rel=shortlink
X-TEC-API-VERSION: v1
X-TEC-API-ROOT: https://chia-cundinamarca.gov.co/web/wp-json/tribe/events/v1/
X-TEC-API-ORIGIN: https://chia-cundinamarca.gov.co/web
Content-Encoding: gzip

INSTANCE

<https://chia-cundinamarca.gov.co/web/2023/12/30/7-1-4-programa-de-gestion-documental/>

Identification

OUTPUT

https://chia-cundinamarca.gov.co/web/2023/12/30/7-1-4-programa-de-gestion-documental/ has no Cache Control header defined.

HTTP Info

REQUEST MADE

GET https://chia-cundinamarca.gov.co/web/2023/12/30/7-1-4-programa-de-gestion-documental/

REQUEST HEADERS

Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: none
Sec-Fetch-User: ?l
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 05:16:57 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Link: <https://chia-cundinamarca.gov.co/web/wp-json/>; rel="https://api.w.org/", <https://chia-cundinamarca.gov.co/web/wp-json/wp/v2/posts/805>; rel="alternate"; title="JSON"; type="application/json", <https://chia-cundinamarca.gov.co/web/?p=805>; rel=shortlink
X-TEC-API-VERSION: v1
X-TEC-API-ROOT: https://chia-cundinamarca.gov.co/web/wp-json/tribe/events/v1/
X-TEC-API-ORIGIN: https://chia-cundinamarca.gov.co/web
Content-Encoding: gzip

INSTANCE

<https://chia-cundinamarca.gov.co/controlpanel/>

Identification

OUTPUT

https://chia-cundinamarca.gov.co/controlpanel/ has no Cache Control header defined.

HTTP Info

REQUEST MADE

GET /controlpanel/ HTTP/1.1

REQUEST HEADERS

Host: chia-cundinamarca.gov.co
Accept-Encoding: gzip, deflate, br
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Accept: */*
Accept-Language: en-US,en;q=0.5
Cookie: googtrans=/es/it; cpsession=%3aHqQL26kRGUsy2BtJ%2c4b043945560fda9514b19964b4b5be42

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 01:57:07 GMT
Content-Type: text/html
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Content-Encoding: gzip

INSTANCE

<https://chia-cundinamarca.gov.co/web/2023/12/29/alcalde/>

Identification

OUTPUT

https://chia-cundinamarca.gov.co/web/2023/12/29/alcalde/ has no Cache Control header defined.

HTTP Info

REQUEST MADE

GET https://chia-cundinamarca.gov.co/web/2023/12/29/alcalde/

REQUEST HEADERS

Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: none
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 02:58:37 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Link: <https://chia-cundinamarca.gov.co/web/wp-json/>; rel="https://api.w.org/", <https://chia-cundinamarca.gov.co/web/wp-json/wp/v2/posts/623>; rel="alternate"; title="JSON"; type="application/json", <https://chia-cundinamarca.gov.co/web/?p=623>; rel=shortlink
X-TEC-API-VERSION: v1
X-TEC-API-ROOT: https://chia-cundinamarca.gov.co/web/wp-json/tribe/events/v1/
X-TEC-API-ORIGIN: https://chia-cundinamarca.gov.co/web
Content-Encoding: gzip

INSTANCE

<https://chia-cundinamarca.gov.co/web/2023/12/28/datos-abiertos/>

Identification

OUTPUT

https://chia-cundinamarca.gov.co/web/2023/12/28/datos-abiertos/ has no Cache Control header defined.

HTTP Info

REQUEST MADE

GET https://chia-cundinamarca.gov.co/web/2023/12/28/datos-abiertos/

REQUEST HEADERS

Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: none
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1

User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 04:52:23 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Link: <https://chia-cundinamarca.gov.co/web/wp-json/>; rel="https://api.w.org/", <https://chia-cundinamarca.gov.co/web/wp-json/wp/v2/posts/585>; rel="alternate"; title="JSON"; type="application/json", <https://chia-cundinamarca.gov.co/web/?p=585>; rel=shortlink
X-TEC-API-VERSION: v1
X-TEC-API-ROOT: https://chia-cundinamarca.gov.co/web/wp-json/tribe/events/v1/
X-TEC-API-ORIGIN: https://chia-cundinamarca.gov.co/web
Content-Encoding: gzip

INSTANCE

<https://chia-cundinamarca.gov.co/images/>

Identification

OUTPUT

https://chia-cundinamarca.gov.co/images/ has no Cache Control header defined.

HTTP Info

REQUEST MADE

GET https://chia-cundinamarca.gov.co/images/

REQUEST HEADERS

Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: none
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 01:41:55 GMT
Content-Type: text/html
Content-Length: 31
Connection: keep-alive
Last-Modified: Sun, 11 Dec 2016 21:51:10 GMT
Accept-Ranges: bytes

INSTANCE

<https://chia-cundinamarca.gov.co/web/tramites-y-servicios/>

Identification

OUTPUT

https://chia-cundinamarca.gov.co/web/tramites-y-servicios/ has no Cache Control header defined.

HTTP Info

REQUEST MADE

GET https://chia-cundinamarca.gov.co/web/tramites-y-servicios/

REQUEST HEADERS

Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: none
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 03:50:28 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Link: <https://chia-cundinamarca.gov.co/web/wp-json/>; rel="https://api.w.org/", <https://chia-cundinamarca.gov.co/web/wp-json/wp/v2/pages/63>; rel="alternate"; title="JSON"; type="application/json", <https://chia-cundinamarca.gov.co/web/?p=63>; rel=shortlink
X-TEC-API-VERSION: v1
X-TEC-API-ROOT: https://chia-cundinamarca.gov.co/web/wp-json/tribe/events/v1/
X-TEC-API-ORIGIN: https://chia-cundinamarca.gov.co/web
Content-Encoding: gzip

INSTANCE

<https://chia-cundinamarca.gov.co/web/2024/12/18/los-adultos-mayores-de-chia-se-goza-ron-boyaca/>

Identification

OUTPUT

https://chia-cundinamarca.gov.co/web/2024/12/18/los-adultos-mayores-de-chia-se-goza-ron-boyaca/ has no Cache Control header defined.

HTTP Info

REQUEST MADE

GET https://chia-cundinamarca.gov.co/web/2024/12/18/los-adultos-mayores-de-chia-se-goza-ron-boyaca/

REQUEST HEADERS

Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: none
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0

Sec-Ch-Ua-Platform: "Linux"
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 07:21:39 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Link: <https://chia-cundinamarca.gov.co/web/wp-json/>; rel="https://api.w.org/", <https://chia-cundinamarca.gov.co/web/wp-json/wp/v2/posts/22400>; rel="alternate"; title="JSON"; type="application/json", <https://chia-cundinamarca.gov.co/web/?p=22400>; rel=shortlink
X-TEC-API-VERSION: v1
X-TEC-API-ROOT: https://chia-cundinamarca.gov.co/web/wp-json/tribe/events/v1/
X-TEC-API-ORIGIN: https://chia-cundinamarca.gov.co/web
Content-Encoding: gzip

INSTANCE

<https://chia-cundinamarca.gov.co/web/2024/12/17/los-salones-de-artes-plasticas-abren-sus-puertas-para-el-arte-y-cultura-en-chia/>

Identification

OUTPUT

https://chia-cundinamarca.gov.co/web/2024/12/17/los-salones-de-artes-plasticas-abren-sus-puertas-para-el-arte-y-cultura-en-chia/ has no Cache Control header defined.

HTTP Info

REQUEST MADE

GET https://chia-cundinamarca.gov.co/web/2024/12/17/los-salones-de-artes-plasticas-abren-sus-puertas-para-el-arte-y-cultura-en-chia/

REQUEST HEADERS

Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: none
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 07:35:13 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Link: <https://chia-cundinamarca.gov.co/web/wp-json/>; rel="https://api.w.org/", <https://chia-cundinamarca.gov.co/web/wp-json/wp/v2/posts/22370>; rel="alternate"; title="JSON"; type="application/json", <https://chia-cundinamarca.gov.co/web/?p=22370>; rel=shortlink
X-TEC-API-VERSION: v1
X-TEC-API-ROOT: https://chia-cundinamarca.gov.co/web/wp-json/tribe/events/v1/
X-TEC-API-ORIGIN: https://chia-cundinamarca.gov.co/web

Content-Encoding: gzip

INSTANCE

<https://chia-cundinamarca.gov.co/web/>

Identification

OUTPUT

https://chia-cundinamarca.gov.co/web/ has no Cache Control header defined.

HTTP Info

REQUEST MADE

GET https://chia-cundinamarca.gov.co/web/

REQUEST HEADERS

Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: none
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 00:15:28 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Link: <https://chia-cundinamarca.gov.co/web/wp-json/>; rel="https://api.w.org/", <https://chia-cundinamarca.gov.co/web/wp-json/wp/v2/pages/1107>; rel="alternate"; title="JSON"; type="application/json", <https://chia-cundinamarca.gov.co/web/>; rel=shortlink
X-TEC-API-VERSION: v1
X-TEC-API-ROOT: https://chia-cundinamarca.gov.co/web/wp-json/tribe/events/v1/
X-TEC-API-ORIGIN: https://chia-cundinamarca.gov.co/web
Content-Encoding: gzip

INSTANCE

<https://chia-cundinamarca.gov.co/index.php/tramites-y-servicios/sisben>

Identification

OUTPUT

https://chia-cundinamarca.gov.co/index.php/tramites-y-servicios/sisben has invalid directive found :
- post-check=0
https://chia-cundinamarca.gov.co/index.php/tramites-y-servicios/sisben has invalid directive found :
- pre-check=0

HTTP Info

REQUEST MADE

GET /index.php/tramites-y-servicios/sisben HTTP/1.1

REQUEST HEADERS

Host: chia-cundinamarca.gov.co
Accept-Encoding: gzip, deflate, br
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Accept: */*
Accept-Language: en-US,en;q=0.5
Cookie: googtrans=/es/it; cpsession=%3aHqQ126kRGUsy2BtJ%2c4b043945560fda9514b19964b4b5be42; timezone=Etc/UTC

RESPONSE HEADERS

HTTP/1.1 503 Service Temporarily Unavailable
Server: nginx
Date: Thu, 19 Dec 2024 04:01:41 GMT
Content-Type: text/html; charset=utf-8
Transfer-Encoding: chunked
Connection: keep-alive
X-Logged-In: False
X-Content-Powered-By: K2 v2.8.0 (by JoomlaWorks)
P3P: CP="NOI ADM DEV PSAi COM NAV OUR OTRo STP IND DEM"
Expires: Wed, 17 Aug 2005 00:00:00 GMT
Cache-Control: no-store, no-cache, must-revalidate, post-check=0, pre-check=0
Pragma: no-cache
Set-Cookie: 8b58dc30ff9e4328565181726d3386f8=a5b853b5f45bde4860b15e2765387503; path=/; HttpOnly
Last-Modified: Thu, 19 Dec 2024 04:01:41 GMT

INSTANCE

<https://chia-cundinamarca.gov.co/web/transparencia-y-acceso-a-la-informacion-publica/>

Identification

OUTPUT

https://chia-cundinamarca.gov.co/web/transparencia-y-acceso-a-la-informacion-publica/ has no Cache Control header defined.

HTTP Info

REQUEST MADE

GET https://chia-cundinamarca.gov.co/web/transparencia-y-acceso-a-la-informacion-publica/

REQUEST HEADERS

Referer: https://chia-cundinamarca.gov.co/web/
Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: same-origin
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 00:38:08 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Link: <https://chia-cundinamarca.gov.co/web/wp-json/>; rel="https://api.w.org/", <https://chia-cundinamarca.gov.co/web/wp-json/wp/v2/pages/21>; rel="alternate"; title="JSON"; type="application/json", <https://chia-cundinamarca.gov.co/web/?p=21>; rel="shortlink"
X-TEC-API-VERSION: v1

X-TEC-API-ROOT: https://chia-cundinamarca.gov.co/web/wp-json/tribe/events/v1/
X-TEC-API-ORIGIN: https://chia-cundinamarca.gov.co/web
Content-Encoding: gzip

INSTANCE

<https://chia-cundinamarca.gov.co/web/2024/02/26/impuesto-predial-unificado/>

Identification

OUTPUT

https://chia-cundinamarca.gov.co/web/2024/02/26/impuesto-predial-unificado/ has no Cache Control header defined.

HTTP Info

REQUEST MADE

GET https://chia-cundinamarca.gov.co/web/2024/02/26/impuesto-predial-unificado/

REQUEST HEADERS

Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: none
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 06:17:33 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Link: <https://chia-cundinamarca.gov.co/web/wp-json/>; rel="https://api.w.org/", <https://chia-cundinamarca.gov.co/web/wp-json/wp/v2/posts/4113>; rel="alternate"; title="JSON"; type="application/json", <https://chia-cundinamarca.gov.co/web/?p=4113>; rel=shortlink
X-TEC-API-VERSION: v1
X-TEC-API-ROOT: https://chia-cundinamarca.gov.co/web/wp-json/tribe/events/v1/
X-TEC-API-ORIGIN: https://chia-cundinamarca.gov.co/web
Content-Encoding: gzip

INSTANCE

<https://chia-cundinamarca.gov.co/test.php>

Identification

OUTPUT

https://chia-cundinamarca.gov.co/test.php has no Cache Control header defined.

HTTP Info

REQUEST MADE

GET https://chia-cundinamarca.gov.co/test.php

REQUEST HEADERS

Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: none
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 02:22:54 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Content-Encoding: gzip

INSTANCE

<https://chia-cundinamarca.gov.co/cache/>

Identification

OUTPUT

https://chia-cundinamarca.gov.co/cache/ has no Cache Control header defined.

HTTP Info

REQUEST MADE

GET https://chia-cundinamarca.gov.co/cache/

REQUEST HEADERS

Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: none
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 02:08:25 GMT
Content-Type: text/html
Content-Length: 31
Connection: keep-alive
Last-Modified: Sun, 11 Dec 2016 21:51:10 GMT
Accept-Ranges: bytes

Login Form Cross-Site Request Forgery

VULNERABILITY **LOW** PLUGIN ID 113332

Description

Cross Site Request Forgery (CSRF) occurs when an user is tricked into clicking on a link which would automatically submit a request without the user's consent.

This can be made possible when the request does not include an anti-CSRF token, generated each time the request is visited and passed when the request is submitted, and which can be used by the web application backend to verify that the request originates from a legitimate user.

Exploiting requests vulnerable to Cross-Site Request Forgery requires different factors:

- The request must perform a sensitive action.
- The attacker must make the victim click on a link to send the request without their consent.

The exploitation of this vulnerability will in most cases have a very limited impact. However, it is possible to create complex scenarios in case the application is also vulnerable to Cross-Site Scripting.

Solution

Update the application by adding support of anti-CSRF tokens on this login form. Most web frameworks provide either built-in solutions or have plugins that can be used to easily add these tokens to any form. Check the references for possible solutions provided for the most known frameworks.

See Also

https://codex.wordpress.org/WordPress_Nonces

https://www.nccgroup.trust/globalassets/our-research/us/whitepapers/csrf_paper.pdf

<https://www.drupal.org/docs/7/security/writing-secure-code/create-forms-in-a-safe-way-to-avoid-cross-site-request-forgeries>

https://symfony.com/doc/current/form/csrf_protection.html

http://en.wikipedia.org/wiki/Cross-site_request_forgery

<https://docs.djangoproject.com/en/1.11/ref/csrf/>

<http://www.cgisecurity.com/csrf-faq.html>

[https://www.owasp.org/index.php/Testing_for_CSRF_\(OTG-SESS-005\)](https://www.owasp.org/index.php/Testing_for_CSRF_(OTG-SESS-005))

https://docs.joomla.org/How_to_add_CSRF_anti-spoofing_to_forms

[https://www.owasp.org/index.php/Cross-Site_Request_Forgery_\(CSRF\)](https://www.owasp.org/index.php/Cross-Site_Request_Forgery_(CSRF))

Plugin Details

| | |
|-------------------|----------------------------|
| PUBLICATION DATE | 2022-08-08T00:00:00+00:00 |
| MODIFICATION DATE | 2023-01-17T00:00:00+00:00 |
| FAMILY | Cross Site Request Forgery |
| SEVERITY | Low |
| PLUGIN ID | 113332 |

Risk Information

| | |
|-------------------|---|
| CVSSV4 BASE SCORE | 2.1 |
| CVSSV4 VECTOR | CVSS:4.0/AV:N/AC:H/AT:N/PR:N/UI:A/VC:N/VI:L/VA:N/SC:N/SI:N/SA:N |
| CVSSV3 BASE SCORE | 3.1 |
| CVSSV3 VECTOR | CVSS:3.0/AV:N/AC:H/PR:N/UI:R/S:U/C:N/I:L/A:N |
| CVSS BASE SCORE | 2.6 |
| CVSS VECTOR | CVSS2#AV:N/AC:H/Au:N/C:N/I:P/A:N |

Reference Information

| | |
|-------|---|
| CWE | 352 |
| WASC | Cross-Site Request Forgery |
| OWASP | 2013-A8, 2010-A5, 2021-A1, 2023-API8, 2019-API7 |
| CVE | - |
| BID | - |

Login Form Cross-Site Request Forgery Instances (1)

VULNERABILITY **LOW** PLUGIN ID 113332

INSTANCE

<https://chia-cundinamarca.gov.co/index.php/tramites-y-servicios/sisben>

Identification

PROOF

```
<form action="/index.php/tramites-y-servicios/sisben" method="post" id="form-login">
<input name="username" id="username" type="text" class="inputbox" alt="Usuario" autocomplete="off" autocapitalize="none"
>
</input>
<input type="password" name="password" class="inputbox" alt="Contrase\u00Fla" id="passwd">
</input>
<input type="submit" name="Submit" class="button login" value="Identificarse">
</input>
<input type="hidden" name="option" value="com_users">
</input>
<input type="hidden" name="task" value="user.login">
</input>
<input type="hidden" name="return" value="aHR0cHM6Ly9jaGhhLWN1bmrpbmFtYXJjYS5nb3YuY28v">
</input>
<input type="hidden" name="00edee66cd5367945f8382fa07e3c676" value="1">
</input>
</form>
```

OUTPUT

No anti-CSRF token could have been found in the login form with ID form-login.

By requesting it several times, the scanner could not find any dynamic input field that would generate a token used by the application to confirm the user intention to submit this form.

HTTP Info

REQUEST MADE

GET /index.php/tramites-y-servicios/sisben HTTP/1.1

REQUEST HEADERS

```
Host: chia-cundinamarca.gov.co
Accept-Encoding: gzip, deflate, br
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Accept: */*
Accept-Language: en-US,en;q=0.5
Cookie: googtrans=/es/it; cpsession=%3aHqQl26kRGUsy2BtJ%2c4b043945560fda9514b19964b4b5be42; timezone=Etc/UTC
```

RESPONSE HEADERS

```
HTTP/1.1 503 Service Temporarily Unavailable
Server: nginx
Date: Thu, 19 Dec 2024 04:01:41 GMT
Content-Type: text/html; charset=utf-8
Transfer-Encoding: chunked
Connection: keep-alive
X-Logged-In: False
X-Content-Powered-By: K2 v2.8.0 (by JoomlaWorks)
P3P: CP="NOI ADM DEV PSAi COM NAV OUR OTRo STP IND DEM"
Expires: Wed, 17 Aug 2005 00:00:00 GMT
Cache-Control: no-store, no-cache, must-revalidate, post-check=0, pre-check=0
Pragma: no-cache
Set-Cookie: 8b58dc30ff9e4328565181726d3386f8=a5b853b5f45bde4860b15e2765387503; path=/; HttpOnly
Last-Modified: Thu, 19 Dec 2024 04:01:41 GMT
```

Cookie Without SameSite Flag Detected

VULNERABILITY **LOW** PLUGIN ID 115540

Description

SameSite is an attribute which can be set on a cookie to instruct the web browser if this cookie can be sent along with cross-site requests to help prevent Cross-Site Request Forgery (CSRF) attacks.

The attribute has three possible values :

- Strict : the cookie will only be sent in a first-party context, thus preventing cross-site requests initiated from third-party websites to include it.
- Lax : the cookie is allowed to be sent in GET cross-site requests initiated by the top-level navigation from third-party websites. For example, following an hypertext link from the external website will make the request include the cookie.
- None : the cookie is explicitly set to be sent by the browser in any context.

The scanner identified the lack of SameSite attribute on cookies set by the application or a misconfiguration.

Solution

Web browsers default behavior may differ when processing cookies in a cross-site context, making the final decision to send the cookie in this context unpredictable. The SameSite attribute should be set in every cookie to enforce the expected result by developers. When using the 'None' attribute value, ensure that the cookie is also set with the 'Secure' flag.

See Also

<https://blog.chromium.org/2019/10/developers-get-ready-for-new.html>

https://cheatsheetseries.owasp.org/cheatsheets/Cross-Site_Request_Forgery_Prevention_Cheat_Sheet.html#samesite-cookie-attribute

<https://developer.mozilla.org/en-US/docs/Web/HTTP/Headers/Set-Cookie/SameSite>

<https://web.dev/samesite-cookies-explained>

Plugin Details

| | |
|-------------------|---------------------------|
| PUBLICATION DATE | 2018-12-14T00:00:00+00:00 |
| MODIFICATION DATE | 2023-12-11T00:00:00+00:00 |
| FAMILY | HTTP Security Header |
| SEVERITY | Low |
| PLUGIN ID | 115540 |

Risk Information

| | |
|-------------------|---|
| CVSSV4 BASE SCORE | 2.1 |
| CVSSV4 VECTOR | CVSS:4.0/AV:N/AC:H/AT:N/PR:N/UI:A/VC:L/VI:N/VA:N/SC:N/SI:N/SA:N |
| CVSSV3 BASE SCORE | 3.1 |
| CVSSV3 VECTOR | CVSS:3.0/AV:N/AC:H/PR:N/UI:R/S:U/C:L/I:N/A:N |
| CVSS BASE SCORE | 2.6 |

CVSS VECTOR

CVSS2#AV:N/AC:H/Au:N/C:P/I:N/A:N

Reference Information

| | |
|-------|---|
| CWE | 352 |
| WASC | Cross-Site Request Forgery |
| OWASP | 2013-A8, 2010-A5, 2021-A1, 2023-API8, 2019-API7 |
| CVE | - |
| BID | - |

Cookie Without SameSite Flag Detected Instances (4)

VULNERABILITY LOW PLUGIN ID 115540

INSTANCE

<https://chia-cundinamarca.gov.co/>

| | |
|------------|----------------------------------|
| INPUT TYPE | cookie |
| INPUT NAME | 8b58dc30ff9e4328565181726d3386f8 |

Identification

PROOF

```
Set-Cookie : 8b58dc30ff9e4328565181726d3386f8=a5b853b5f45bde4860b15e2765387503; Path=/; HttpOnly
```

OUTPUT

The scanner detected a cookie named '8b58dc30ff9e4328565181726d3386f8' set through a 'Set-Cookie' header which does not have the 'SameSite' attribute set.

INSTANCE

<https://chia-cundinamarca.gov.co/>

| | |
|------------|-----------|
| INPUT TYPE | cookie |
| INPUT NAME | googtrans |

Identification

PROOF

```
googtrans=/es/fr; Path=/
```

OUTPUT

The scanner detected a cookie named 'googtrans' set with JavaScript which does not have the 'SameSite' attribute set.

INSTANCE

<https://chia-cundinamarca.gov.co/>

| | |
|------------|-----------|
| INPUT TYPE | cookie |
| INPUT NAME | cpsession |

Identification

PROOF

```
Set-Cookie : cpsession=%3aHqQl26kRGU5y2BtJ%2c4b043945560fda9514b19964b4b5be42; Path=/; Secure; HttpOnly
```

OUTPUT

The scanner detected a cookie named 'cpsession' set through a 'Set-Cookie' header which does not have the 'SameSite' attribute set.

INSTANCE

<https://chia-cundinamarca.gov.co/>

| | |
|------------|--------|
| INPUT TYPE | cookie |
|------------|--------|

INPUT NAME

timezone

Identification

PROOF

timezone=Etc/UTC; Path=/

OUTPUT

The scanner detected a cookie named 'timezone' set with JavaScript which does not have the 'SameSite' attribute set.

Scan Information

VULNERABILITY **INFO** PLUGIN ID 98000

Description

Provides scan information and statistics of plugins run.

Solution

-

See Also

Plugin Details

| | |
|-------------------|---------------------------|
| PUBLICATION DATE | 2017-03-31T00:00:00+00:00 |
| MODIFICATION DATE | 2023-11-17T00:00:00+00:00 |
| FAMILY | General |
| SEVERITY | Info |
| PLUGIN ID | 98000 |

Risk Information

| | |
|-------------------|---|
| CVSSV4 BASE SCORE | - |
| CVSSV4 VECTOR | - |
| CVSSV3 BASE SCORE | - |
| CVSSV3 VECTOR | - |
| CVSS BASE SCORE | - |
| CVSS VECTOR | - |

Reference Information

| | |
|-------|---|
| CWE | - |
| WASC | - |
| OWASP | - |
| CVE | - |
| BID | - |

Scan Information Instances (1)

VULNERABILITY **INFO** PLUGIN ID 98000

INSTANCE

<https://chia-cundinamarca.gov.co/>

Identification

OUTPUT

Engine Version 2.28.3-1632
Plugins Version 202412100732
Scan ID 23b333cd-31f8-4dad-aa97-ec3a358b7646

Start Time 2024-12-19 00:02:25 +0000
Duration 08:00:22

Requests 183722
Crawler Requests 69
Requests/s 9.003
Mean Response Time 0.3238s

Bandwidth Usage
- Data to Target 88.8 MB
- Data from Target 15.7 GB

Timeouts Encountered
Network Timeouts 0
Browser Timeouts 0

Browser Respawns 0

HTTP Protocols Detected
- HTTPS

Authentication Identified
- None

Plugins
- 739 have been included per scan policy
- 1749 have been started based on target information collected

List of plugins is available in 'plugins.csv' attachment.

Settings used to conduct this scan are available in 'configuration.csv' attachment.

Web Application Sitemap

VULNERABILITY

INFO

PLUGIN ID 98009

Description

Publishes the sitemap of the web application as seen by the scan.

The list of all URLs that have been detected during the scan are available as an attachment. For each URL in the sitemap, the following information is provided:

- The first time the URL is detected
- The logic used to detect the URL. This information may be found by: crawling rendering the page by a specific plugin
- The parent URL requested to detect the URL
- If the URL has been requested at least once, information about the response
- Whether or not the URL has been queued for audit
- If the URL has not been queued for audit, the reason why the URL does not need an audit
- Whether or not the URL has been effectively audited
- If the URL has not been effectively audited, the reason that the scanner was unable to audit the URL

Reasons for not adding a URL to the audit queue are as follows:

- not_in_domain: The domain of the URL does not match main target URL
- scope_configuration: The URL does not match scope include list scan settings
- directory_depth: The number of directories in the URL path exceeds the scan configuration setting
- exclude_file_extension: The URL file extension matched one entry of the file extension blacklist setting
- exclude_path_patterns: The URL matched one entry of the URL exclusion blacklist setting
- redundant_path: The number of URLs to be audited with the same path and query string parameters has been reached
- request_redirect_limit: The number of HTTP redirects allowed per scan configuration setting has been reached
- queue_full: The number of URLs to audit has been reached

If a scan fails to audit a URL that has been queued for audit, reasons for the failure are as follows:

- timeout: The request timed out when trying to retrieve URL contents
- filesize_exceeded: URL response exceeded file size limit defined in the scan configuration
- scan_timelimit_reached: The URL couldn't be audited before the scan time limit
- user_abort: The user stopped the scan before the URL could be audited

Solution

-

See Also

Plugin Details

| | |
|-------------------|---------------------------|
| PUBLICATION DATE | 2017-03-31T00:00:00+00:00 |
| MODIFICATION DATE | 2023-11-17T00:00:00+00:00 |
| FAMILY | General |
| SEVERITY | Info |
| PLUGIN ID | 98009 |

Risk Information

| | |
|-------------------|---|
| CVSSV4 BASE SCORE | - |
| CVSSV4 VECTOR | - |
| CVSSV3 BASE SCORE | - |
| CVSSV3 VECTOR | - |
| CVSS BASE SCORE | - |
| CVSS VECTOR | - |

Reference Information

| | |
|-------|---|
| CWE | - |
| WASC | - |
| OWASP | - |
| CVE | - |
| BID | - |

Web Application Sitemap Instances (1)

VULNERABILITY **INFO** PLUGIN ID 98009

INSTANCE

<https://chia-cundinamarca.gov.co/>

Identification

OUTPUT

The scan has discovered 967 distinct URLs.

The following is a breakdown of which URLs were audited:

- 29 effectively audited
- 157 not audited due to the scan time limit being reached
- 436 not queued due to file extension exclusions
- 298 not queued due to the URL not being in the target domain
- 22 not queued due to the URL containing a fragment which is a feature of browsers and not included in HTTP requests. The page being referred to by the fragment shall still be audited by the scanner.
- 19 not queued due to the URL being considered redundant with other processed URLs
- 6 not queued due to an unknown reason (please contact support)

For URLs we received responses for, here is a distribution of the content type headers:

- 31 application/javascript
- 1 application/pdf
- 62 image/jpeg
- 19 image/png
- 6 image/svg+xml
- 74 text/css
- 5 text/css; charset=utf-8
- 5 text/html
- 1 text/html; charset="utf-8"
- 3 text/html; charset=iso-8859-1
- 70 text/html; charset=utf-8
- 2 text/javascript; charset=utf-8
- 1 text/xml; charset=utf-8

Response times ranged between 0.109796s and 6.593147s.

You can access the complete list of URLs with the information collected by the scan as an attachment to this plugin.

Login Form Detected

VULNERABILITY **INFO** PLUGIN ID 98033

Description

This is an informational notice that the scanner identified a potential login form that could be used by the scanner to authenticate and have access to additional pages for extending its coverage.

Solution

Edit scan policy and add login form authentication credentials to allow scanner to authenticate to the web application.

See Also

Plugin Details

| | |
|-------------------|---------------------------|
| PUBLICATION DATE | 2018-02-08T00:00:00+00:00 |
| MODIFICATION DATE | 2018-02-08T00:00:00+00:00 |
| FAMILY | Authentication & Session |
| SEVERITY | Info |
| PLUGIN ID | 98033 |

Risk Information

| | |
|-------------------|---|
| CVSSV4 BASE SCORE | - |
| CVSSV4 VECTOR | - |
| CVSSV3 BASE SCORE | - |
| CVSSV3 VECTOR | - |
| CVSS BASE SCORE | - |
| CVSS VECTOR | - |

Reference Information

| | |
|-------|---|
| CWE | - |
| WASC | - |
| OWASP | - |
| CVE | - |
| BID | - |

Login Form Detected Instances (1)

VULNERABILITY **INFO** PLUGIN ID 98033

INSTANCE

<https://chia-cundinamarca.gov.co/index.php/tramites-y-servicios/sisben>

| | |
|------------|---------------|
| INPUT TYPE | form |
| INPUT NAME | id:form-login |

Identification

OUTPUT

Potential login form has been identified in URL 'https://chia-cundinamarca.gov.co/index.php/tramites-y-servicios/sisben' with following fields:

- username (TEXT)
- password (PASSWORD)
- Submit (SUBMIT)
- option (HIDDEN)
- task (HIDDEN)
- return (HIDDEN)
- 00edee66cd5367945f8382fa07e3c676 (HIDDEN)

To perform authenticated scan, configure your scan and add 'Login Form' authentication, with the URL associated to this plugin and as login parameters values for the above non-hidden fields.

HTTP Info

REQUEST MADE

GET /index.php/tramites-y-servicios/sisben HTTP/1.1

REQUEST HEADERS

Host: chia-cundinamarca.gov.co
Accept-Encoding: gzip, deflate, br
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Accept: */*
Accept-Language: en-US,en;q=0.5
Cookie: googtrans=/es/it; cpsession=%3aHqQl26kRGUusy2BtJ%2c4b043945560fda9514b19964b4b5be42; timezone=Etc/UTC

RESPONSE HEADERS

HTTP/1.1 503 Service Temporarily Unavailable
Server: nginx
Date: Thu, 19 Dec 2024 04:01:41 GMT
Content-Type: text/html; charset=utf-8
Transfer-Encoding: chunked
Connection: keep-alive
X-Logged-In: False
X-Content-Powered-By: K2 v2.8.0 (by JoomlaWorks)
P3P: CP="NOI ADM DEV PSAi COM NAV OUR OTRo STP IND DEM"
Expires: Wed, 17 Aug 2005 00:00:00 GMT
Cache-Control: no-store, no-cache, must-revalidate, post-check=0, pre-check=0
Pragma: no-cache
Set-Cookie: 8b58dc30ff9e4328565181726d3386f8=a5b853b5f45bde4860b15e2765387503; path=/; HttpOnly
Last-Modified: Thu, 19 Dec 2024 04:01:41 GMT

Allowed HTTP Methods

VULNERABILITY **INFO** PLUGIN ID 98047

Description

There are a number of HTTP methods that can be used on a webserver ('OPTIONS', 'HEAD', 'GET', 'POST', 'PUT', 'DELETE' etc.). Each of these methods perform a different function and each have an associated level of risk when their use is permitted on the webserver.

By sending an HTTP OPTIONS request and a direct HTTP request for each method, the scanner discovered the methods that are allowed by the server.

Solution

It is recommended that a whitelisting approach be taken to explicitly permit only the HTTP methods required by the application and block all others.

See Also

<http://httpd.apache.org/docs/2.2/mod/core.html#limitexcept>

Plugin Details

| | |
|-------------------|---------------------------|
| PUBLICATION DATE | 2017-03-31T00:00:00+00:00 |
| MODIFICATION DATE | 2024-02-27T00:00:00+00:00 |
| FAMILY | Web Applications |
| SEVERITY | Info |
| PLUGIN ID | 98047 |

Risk Information

| | |
|-------------------|---|
| CVSSV4 BASE SCORE | - |
| CVSSV4 VECTOR | - |
| CVSSV3 BASE SCORE | - |
| CVSSV3 VECTOR | - |
| CVSS BASE SCORE | - |
| CVSS VECTOR | - |

Reference Information

| | |
|-------|---|
| CWE | - |
| WASC | - |
| OWASP | - |
| CVE | - |
| BID | - |

Allowed HTTP Methods Instances (1)

VULNERABILITY **INFO** PLUGIN ID 98047

INSTANCE

<https://chia-cundinamarca.gov.co/>

Identification

OUTPUT

The scanner was able to identify several HTTP methods that can be used for one or several URLs. The results are available as attachments.

Interesting Response

VULNERABILITY **INFO** PLUGIN ID 98050

Description

The scanner identified some responses with a status code other than the usual 200 (OK), 301 (Moved Permanently), 302 (Found) and 404 (Not Found) codes. These codes can provide useful insights into the behavior of the web application and identify any unexpected responses to be addressed.

Solution

-

See Also

<http://www.w3.org/Protocols/rfc2616/rfc2616-sec10.html>

https://en.wikipedia.org/wiki/List_of_HTTP_status_codes

Plugin Details

| | |
|-------------------|---------------------------|
| PUBLICATION DATE | 2017-03-31T00:00:00+00:00 |
| MODIFICATION DATE | 2021-06-14T00:00:00+00:00 |
| FAMILY | Web Applications |
| SEVERITY | Info |
| PLUGIN ID | 98050 |

Risk Information

| | |
|-------------------|---|
| CVSSV4 BASE SCORE | - |
| CVSSV4 VECTOR | - |
| CVSSV3 BASE SCORE | - |
| CVSSV3 VECTOR | - |
| CVSS BASE SCORE | - |
| CVSS VECTOR | - |

Reference Information

| | |
|-------|---|
| CWE | - |
| WASC | - |
| OWASP | - |
| CVE | - |
| BID | - |

Interesting Response Instances (25)

VULNERABILITY **INFO** PLUGIN ID 98050

INSTANCE

<https://chia-cundinamarca.gov.co/index.php/tramites-y-servicios/sisben>

Identification

PROOF

HTTP/1.1 503 Service Temporarily Unavailable

OUTPUT

A response has been received with a response code '503' which may require further investigation to verify if this response is due to an abnormal behavior of the target.

The response has been triggered by an HTTP OPTIONS request made on the URL 'https://chia-cundinamarca.gov.co/index.php/tramites-y-servicios/sisben'.

HTTP Info

REQUEST MADE

OPTIONS /index.php/tramites-y-servicios/sisben HTTP/1.1

REQUEST HEADERS

Host: chia-cundinamarca.gov.co
Accept-Encoding: gzip, deflate, br
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 503 Service Temporarily Unavailable
Server: nginx
Date: Thu, 19 Dec 2024 00:16:46 GMT
Content-Type: text/html; charset=utf-8
Transfer-Encoding: chunked
Connection: keep-alive
X-Logged-In: False
X-Content-Powered-By: K2 v2.8.0 (by JoomlaWorks)
P3P: CP="NOI ADM DEV PSAi COM NAV OUR OTRo STP IND DEM"
Expires: Wed, 17 Aug 2005 00:00:00 GMT
Cache-Control: no-store, no-cache, must-revalidate, post-check=0, pre-check=0
Pragma: no-cache
Set-Cookie: 8b58dc30ff9e4328565181726d3386f8=724c8fc7ddb087d38059eef05f8a327c; path=/; HttpOnly
Last-Modified: Thu, 19 Dec 2024 00:16:46 GMT

INSTANCE

<https://chia-cundinamarca.gov.co/4795>

Identification

PROOF

HTTP/1.1 503 Service Temporarily Unavailable

OUTPUT

A response has been received with a response code '503' which may require further investigation to verify if this response is due to an abnormal behavior of the target.

The response has been triggered by an HTTP OPTIONS request made on the URL 'https://chia-cundinamarca.gov.co/4795'.

HTTP Info

REQUEST MADE

OPTIONS /4795 HTTP/1.1

REQUEST HEADERS

Host: chia-cundinamarca.gov.co
Accept-Encoding: gzip, deflate, br
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 503 Service Temporarily Unavailable
Server: nginx
Date: Thu, 19 Dec 2024 00:16:49 GMT
Content-Type: text/html; charset=utf-8
Transfer-Encoding: chunked
Connection: keep-alive
X-Logged-In: False
X-Content-Powered-By: K2 v2.8.0 (by JoomlaWorks)
P3P: CP="NOI ADM DEV PSAi COM NAV OUR OTRo STP IND DEM"
Expires: Wed, 17 Aug 2005 00:00:00 GMT
Cache-Control: no-store, no-cache, must-revalidate, post-check=0, pre-check=0
Pragma: no-cache
Set-Cookie: 8b58dc30ff9e4328565181726d3386f8=da79bcd6a97df65ae4c31886d480f3a1; path=/; HttpOnly
Last-Modified: Thu, 19 Dec 2024 00:16:49 GMT

INSTANCE

<https://chia-cundinamarca.gov.co/web/xmlrpc.php>

Identification

PROOF

HTTP/1.1 405 Method Not Allowed

OUTPUT

A response has been received with a response code '405' which may require further investigation to verify if this response is due to an abnormal behavior of the target.

The response has been triggered by an HTTP OPTIONS request made on the URL 'https://chia-cundinamarca.gov.co/web/xmlrpc.php'.

HTTP Info

REQUEST MADE

OPTIONS /web/xmlrpc.php HTTP/1.1

REQUEST HEADERS

Host: chia-cundinamarca.gov.co
Accept-Encoding: gzip, deflate, br
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 405 Method Not Allowed
Server: nginx
Date: Thu, 19 Dec 2024 00:16:51 GMT

Content-Type: text/plain;charset=UTF-8
Transfer-Encoding: chunked
Connection: keep-alive
Allow: POST

INSTANCE

<https://chia-cundinamarca.gov.co/index.php/11-atencion-y-servicios-a-la-ciudadania/preguntas-y-respuestas-frecuentes>

Identification

PROOF

HTTP/1.1 503 Service Temporarily Unavailable

OUTPUT

A response has been received with a response code '503' which may require further investigation to verify if this response is due to an abnormal behavior of the target.

The response has been triggered by an HTTP OPTIONS request made on the URL 'https://chia-cundinamarca.gov.co/index.php/11-atencion-y-servicios-a-la-ciudadania/preguntas-y-respuestas-frecuentes'.

HTTP Info

REQUEST MADE

OPTIONS /index.php/11-atencion-y-servicios-a-la-ciudadania/preguntas-y-respuestas-frecuentes HTTP/1.1

REQUEST HEADERS

Host: chia-cundinamarca.gov.co
Accept-Encoding: gzip, deflate, br
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Accept: */*
Accept-Language: en-US,en;q=0.5
Cookie: googtrans=/es/it

RESPONSE HEADERS

HTTP/1.1 503 Service Temporarily Unavailable
Server: nginx
Date: Thu, 19 Dec 2024 01:12:06 GMT
Content-Type: text/html; charset=utf-8
Transfer-Encoding: chunked
Connection: keep-alive
X-Logged-In: False
X-Content-Powered-By: K2 v2.8.0 (by JoomlaWorks)
P3P: CP="NOI ADM DEV PSAi COM NAV OUR OTRo STP IND DEM"
Expires: Wed, 17 Aug 2005 00:00:00 GMT
Cache-Control: no-store, no-cache, must-revalidate, post-check=0, pre-check=0
Pragma: no-cache
Set-Cookie: 8b58dc30ff9e4328565181726d3386f8=17cab760dd8aa262fed5101577275909; path=/; HttpOnly
Last-Modified: Thu, 19 Dec 2024 01:12:06 GMT

INSTANCE

<https%3A%2F%2Fchia-cundinamarca.gov.co%2Fsetup%2Fsetup-s%2F%25u002e%25u002e%2F%25u002e%25u002e%2Flog.jsp>

Identification

PROOF

HTTP/1.1 400 Bad Request

OUTPUT

A response has been received with a response code '400' which may require further investigation to verify if this response is due to an abnormal behavior of the target.

The response has been triggered by an HTTP GET request made on the URL 'https://chia-cundinamarca.gov.co/setup/setup-s/%u002e%u002e/%u002e%u002e/log.jsp'.

HTTP Info

REQUEST MADE

GET /setup/setup-s/%u002e%u002e/%u002e%u002e/log.jsp HTTP/1.1

REQUEST HEADERS

Host: chia-cundinamarca.gov.co
Accept-Encoding: gzip, deflate, br
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 400 Bad Request
Server: nginx
Date: Thu, 19 Dec 2024 00:08:50 GMT
Content-Type: text/html
Content-Length: 150
Connection: close

INSTANCE

<https://chia-cundinamarca.gov.co/controlpanel/2020.sql>

Identification

PROOF

HTTP/1.1 503 Service Temporarily Unavailable

OUTPUT

A response has been received with a response code '503' which may require further investigation to verify if this response is due to an abnormal behavior of the target.

The response has been triggered by an HTTP GET request made on the URL 'https://chia-cundinamarca.gov.co/controlpanel/2020.sql'.

HTTP Info

REQUEST MADE

GET /controlpanel/2020.sql HTTP/1.1

REQUEST HEADERS

Host: chia-cundinamarca.gov.co
Accept-Encoding: gzip, deflate, br
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Accept: */*
Accept-Language: en-US,en;q=0.5
Cookie: googtrans=/es/it; cpsession=%3aHqQl26kRGUusy2BtJ%2c4b043945560fda9514b19964b4b5be42

RESPONSE HEADERS

HTTP/1.1 503 Service Temporarily Unavailable
Server: nginx
Date: Thu, 19 Dec 2024 02:03:21 GMT
Content-Type: text/html; charset=utf-8
Transfer-Encoding: chunked
Connection: keep-alive
X-Logged-In: False

X-Content-Powered-By: K2 v2.8.0 (by JoomlaWorks)
P3P: CP="NOI ADM DEV PSAi COM NAV OUR OTRo STP IND DEM"
Expires: Wed, 17 Aug 2005 00:00:00 GMT
Cache-Control: no-store, no-cache, must-revalidate, post-check=0, pre-check=0
Pragma: no-cache
Set-Cookie: 8b58dc30ff9e4328565181726d3386f8=5610c565175056cbe5880e9e7ccbbcff; path=/; HttpOnly
Last-Modified: Thu, 19 Dec 2024 02:03:21 GMT

INSTANCE

<https://chia-cundinamarca.gov.co/index.php/11-atencion-y-servicios-a-la-ciudadania/glosario-web>

Identification

PROOF

HTTP/1.1 503 Service Temporarily Unavailable

OUTPUT

A response has been received with a response code '503' which may require further investigation to verify if this response is due to an abnormal behavior of the target.

The response has been triggered by an HTTP OPTIONS request made on the URL 'https://chia-cundinamarca.gov.co/index.php/11-atencion-y-servicios-a-la-ciudadania/glosario-web'.

HTTP Info

REQUEST MADE

OPTIONS /index.php/11-atencion-y-servicios-a-la-ciudadania/glosario-web HTTP/1.1

REQUEST HEADERS

Host: chia-cundinamarca.gov.co
Accept-Encoding: gzip, deflate, br
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Accept: */*
Accept-Language: en-US,en;q=0.5
Cookie: googtrans=/es/it

RESPONSE HEADERS

HTTP/1.1 503 Service Temporarily Unavailable
Server: nginx
Date: Thu, 19 Dec 2024 01:12:06 GMT
Content-Type: text/html; charset=utf-8
Transfer-Encoding: chunked
Connection: keep-alive
X-Logged-In: False
X-Content-Powered-By: K2 v2.8.0 (by JoomlaWorks)
P3P: CP="NOI ADM DEV PSAi COM NAV OUR OTRo STP IND DEM"
Expires: Wed, 17 Aug 2005 00:00:00 GMT
Cache-Control: no-store, no-cache, must-revalidate, post-check=0, pre-check=0
Pragma: no-cache
Set-Cookie: 8b58dc30ff9e4328565181726d3386f8=1f446f147b249d88d76dd8c1eelf70af; path=/; HttpOnly
Last-Modified: Thu, 19 Dec 2024 01:12:06 GMT

INSTANCE

<https://chia-cundinamarca.gov.co/index.php/10-informacion-tributaria-en-entidades-territoriales-locales/10-5-pague-alumbrado-publico>

Identification

PROOF

HTTP/1.1 503 Service Temporarily Unavailable

OUTPUT

A response has been received with a response code '503' which may require further investigation to verify if this response is due to an abnormal behavior of the target.

The response has been triggered by an HTTP OPTIONS request made on the URL 'https://chia-cundinamarca.gov.co/index.php/10-informacion-tributaria-en-entidades-territoriales-locales/10-5-pague-alumbrado-publico'.

HTTP Info

REQUEST MADE

OPTIONS /index.php/10-informacion-tributaria-en-entidades-territoriales-locales/10-5-pague-alumbrado-publico HTTP/1.1

REQUEST HEADERS

Host: chia-cundinamarca.gov.co
Accept-Encoding: gzip, deflate, br
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Accept: */*
Accept-Language: en-US,en;q=0.5
Cookie: googtrans=/es/it

RESPONSE HEADERS

HTTP/1.1 503 Service Temporarily Unavailable
Server: nginx
Date: Thu, 19 Dec 2024 01:12:05 GMT
Content-Type: text/html; charset=utf-8
Transfer-Encoding: chunked
Connection: keep-alive
X-Logged-In: False
X-Content-Powered-By: K2 v2.8.0 (by JoomlaWorks)
P3P: CP="NOI ADM DEV PSAi COM NAV OUR OTRo STP IND DEM"
Expires: Wed, 17 Aug 2005 00:00:00 GMT
Cache-Control: no-store, no-cache, must-revalidate, post-check=0, pre-check=0
Pragma: no-cache
Set-Cookie: 8b58dc30ff9e4328565181726d3386f8=16ccfd28552120eaa7f7726162c590fc; path=/; HttpOnly
Last-Modified: Thu, 19 Dec 2024 01:12:05 GMT

INSTANCE

<https://chia-cundinamarca.gov.co/2020.sql>

Identification

PROOF

HTTP/1.1 503 Service Temporarily Unavailable

OUTPUT

A response has been received with a response code '503' which may require further investigation to verify if this response is due to an abnormal behavior of the target.

The response has been triggered by an HTTP GET request made on the URL 'https://chia-cundinamarca.gov.co/2020.sql'.

HTTP Info

REQUEST MADE

GET /2020.sql HTTP/1.1

REQUEST HEADERS

Host: chia-cundinamarca.gov.co
Accept-Encoding: gzip, deflate, br
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 503 Service Temporarily Unavailable
Server: nginx
Date: Thu, 19 Dec 2024 00:11:48 GMT
Content-Type: text/html; charset=utf-8
Transfer-Encoding: chunked
Connection: keep-alive
X-Logged-In: False
X-Content-Powered-By: K2 v2.8.0 (by JoomlaWorks)
P3P: CP="NOI ADM DEV PSAi COM NAV OUR OTRo STP IND DEM"
Expires: Wed, 17 Aug 2005 00:00:00 GMT
Cache-Control: no-store, no-cache, must-revalidate, post-check=0, pre-check=0
Pragma: no-cache
Set-Cookie: 8b58dc30ff9e4328565181726d3386f8=d3fbb8fccd91166569edd4b5ecb327bc; path=/; HttpOnly
Last-Modified: Thu, 19 Dec 2024 00:11:48 GMT

INSTANCE

<https://chia-cundinamarca.gov.co/2019.sql>

Identification

PROOF

HTTP/1.1 503 Service Temporarily Unavailable

OUTPUT

A response has been received with a response code '503' which may require further investigation to verify if this response is due to an abnormal behavior of the target.

The response has been triggered by an HTTP GET request made on the URL 'https://chia-cundinamarca.gov.co/2019.sql'.

HTTP Info

REQUEST MADE

GET /2019.sql HTTP/1.1

REQUEST HEADERS

Host: chia-cundinamarca.gov.co
Accept-Encoding: gzip, deflate, br
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 503 Service Temporarily Unavailable
Server: nginx
Date: Thu, 19 Dec 2024 00:11:47 GMT
Content-Type: text/html; charset=utf-8
Transfer-Encoding: chunked
Connection: keep-alive
X-Logged-In: False
X-Content-Powered-By: K2 v2.8.0 (by JoomlaWorks)
P3P: CP="NOI ADM DEV PSAi COM NAV OUR OTRo STP IND DEM"
Expires: Wed, 17 Aug 2005 00:00:00 GMT
Cache-Control: no-store, no-cache, must-revalidate, post-check=0, pre-check=0
Pragma: no-cache
Set-Cookie: 8b58dc30ff9e4328565181726d3386f8=dcf34992a13994fd43ad944e6e62927c; path=/; HttpOnly
Last-Modified: Thu, 19 Dec 2024 00:11:47 GMT

INSTANCE

[https://chia-cundinamarca.gov.co/cpanelwebcall/%3Cimg%20src=x%20onerror=%22console.log\(1\)%22%3E](https://chia-cundinamarca.gov.co/cpanelwebcall/%3Cimg%20src=x%20onerror=%22console.log(1)%22%3E)

RESPONSE HEADERS

HTTP/1.1 400 Bad Request
Server: nginx
Date: Thu, 19 Dec 2024 00:08:14 GMT
Content-Type: text/html
Content-Length: 226
Connection: close

INSTANCE

<https://chia-cundinamarca.gov.co/cache/2019.sql>

Identification

PROOF

HTTP/1.1 503 Service Temporarily Unavailable

OUTPUT

A response has been received with a response code '503' which may require further investigation to verify if this response is due to an abnormal behavior of the target.

The response has been triggered by an HTTP GET request made on the URL 'https://chia-cundinamarca.gov.co/cache/2019.sql'.

HTTP Info

REQUEST MADE

GET /cache/2019.sql HTTP/1.1

REQUEST HEADERS

Host: chia-cundinamarca.gov.co
Accept-Encoding: gzip, deflate, br
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Accept: */*
Accept-Language: en-US,en;q=0.5
Cookie: googtrans=/es/it; cpsession=%3aHqQl26kRGUsy2BtJ%2c4b043945560fda9514b19964b4b5be42; timezone=Etc/UTC

RESPONSE HEADERS

HTTP/1.1 503 Service Temporarily Unavailable
Server: nginx
Date: Thu, 19 Dec 2024 02:17:11 GMT
Content-Type: text/html; charset=utf-8
Transfer-Encoding: chunked
Connection: keep-alive
X-Logged-In: False
X-Content-Powered-By: K2 v2.8.0 (by JoomlaWorks)
P3P: CP="NOI ADM DEV PSAi COM NAV OUR OTRo STP IND DEM"
Expires: Wed, 17 Aug 2005 00:00:00 GMT
Cache-Control: no-store, no-cache, must-revalidate, post-check=0, pre-check=0
Pragma: no-cache
Set-Cookie: 8b58dc30ff9e4328565181726d3386f8=04ae483e2f3b53e490b12lee489cae8c; path=/; HttpOnly
Last-Modified: Thu, 19 Dec 2024 02:17:11 GMT

INSTANCE

<https://chia-cundinamarca.gov.co/images/2021.sql>

Identification

PROOF

HTTP/1.1 503 Service Temporarily Unavailable

OUTPUT

A response has been received with a response code '503' which may require further investigation to verify if this response is due to an abnormal behavior of the target.

The response has been triggered by an HTTP GET request made on the URL 'https://chia-cundinamarca.gov.co/images/2021.sql'.

HTTP Info

REQUEST MADE

GET /images/2021.sql HTTP/1.1

REQUEST HEADERS

Host: chia-cundinamarca.gov.co
Accept-Encoding: gzip, deflate, br
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Accept: */*
Accept-Language: en-US,en;q=0.5
Cookie: googtrans=/es/it

RESPONSE HEADERS

HTTP/1.1 503 Service Temporarily Unavailable
Server: nginx
Date: Thu, 19 Dec 2024 01:50:55 GMT
Content-Type: text/html; charset=utf-8
Transfer-Encoding: chunked
Connection: keep-alive
X-Logged-In: False
X-Content-Powered-By: K2 v2.8.0 (by JoomlaWorks)
P3P: CP="NOI ADM DEV PSAi COM NAV OUR OTRo STP IND DEM"
Expires: Wed, 17 Aug 2005 00:00:00 GMT
Cache-Control: no-store, no-cache, must-revalidate, post-check=0, pre-check=0
Pragma: no-cache
Set-Cookie: 8b58dc30ff9e4328565181726d3386f8=0b87ad4c302d2307eba5ed0a080e3ff2; path=/; HttpOnly
Last-Modified: Thu, 19 Dec 2024 01:50:55 GMT

INSTANCE

<https://chia-cundinamarca.gov.co/images/2020.sql>

Identification

PROOF

HTTP/1.1 503 Service Temporarily Unavailable

OUTPUT

A response has been received with a response code '503' which may require further investigation to verify if this response is due to an abnormal behavior of the target.

The response has been triggered by an HTTP GET request made on the URL 'https://chia-cundinamarca.gov.co/images/2020.sql'.

HTTP Info

REQUEST MADE

GET /images/2020.sql HTTP/1.1

REQUEST HEADERS

Host: chia-cundinamarca.gov.co
Accept-Encoding: gzip, deflate, br
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Accept: */*

Accept-Language: en-US,en;q=0.5
Cookie: googtrans=/es/it

RESPONSE HEADERS

HTTP/1.1 503 Service Temporarily Unavailable
Server: nginx
Date: Thu, 19 Dec 2024 01:50:55 GMT
Content-Type: text/html; charset=utf-8
Transfer-Encoding: chunked
Connection: keep-alive
X-Logged-In: False
X-Content-Powered-By: K2 v2.8.0 (by JoomlaWorks)
P3P: CP="NOI ADM DEV PSAi COM NAV OUR OTRo STP IND DEM"
Expires: Wed, 17 Aug 2005 00:00:00 GMT
Cache-Control: no-store, no-cache, must-revalidate, post-check=0, pre-check=0
Pragma: no-cache
Set-Cookie: 8b58dc30ff9e4328565181726d3386f8=560a8773d4a51cb4bc6773589e2b09ee; path=/; HttpOnly
Last-Modified: Thu, 19 Dec 2024 01:50:55 GMT

INSTANCE

<https://chia-cundinamarca.gov.co/images/2019.sql>

Identification

PROOF

HTTP/1.1 503 Service Temporarily Unavailable

OUTPUT

A response has been received with a response code '503' which may require further investigation to verify if this response is due to an abnormal behavior of the target.

The response has been triggered by an HTTP GET request made on the URL 'https://chia-cundinamarca.gov.co/images/2019.sql'.

HTTP Info

REQUEST MADE

GET /images/2019.sql HTTP/1.1

REQUEST HEADERS

Host: chia-cundinamarca.gov.co
Accept-Encoding: gzip, deflate, br
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Accept: /*/*
Accept-Language: en-US,en;q=0.5
Cookie: googtrans=/es/it

RESPONSE HEADERS

HTTP/1.1 503 Service Temporarily Unavailable
Server: nginx
Date: Thu, 19 Dec 2024 01:50:55 GMT
Content-Type: text/html; charset=utf-8
Transfer-Encoding: chunked
Connection: keep-alive
X-Logged-In: False
X-Content-Powered-By: K2 v2.8.0 (by JoomlaWorks)
P3P: CP="NOI ADM DEV PSAi COM NAV OUR OTRo STP IND DEM"
Expires: Wed, 17 Aug 2005 00:00:00 GMT
Cache-Control: no-store, no-cache, must-revalidate, post-check=0, pre-check=0
Pragma: no-cache
Set-Cookie: 8b58dc30ff9e4328565181726d3386f8=111900fe0137cla86c8430cd6d5f46fd; path=/; HttpOnly
Last-Modified: Thu, 19 Dec 2024 01:50:55 GMT

INSTANCE

<https://chia-cundinamarca.gov.co/>

Identification

PROOF

HTTP/1.1 400 Bad Request

OUTPUT

A response has been received with a response code '400' which may require further investigation to verify if this response is due to an abnormal behavior of the target.

The response has been triggered by an HTTP GET request made on the URL 'https://chia-cundinamarca.gov.co/'.

HTTP Info

REQUEST MADE

GET / HTTP/1.1

REQUEST HEADERS

Host: chia-cundinamarca.gov.co
Accept-Encoding: gzip, deflate, br
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Accept: */*
Accept-Language: en-US,en;q=0.5
Content-Length: x

RESPONSE HEADERS

HTTP/1.1 400 Bad Request
Server: nginx
Date: Thu, 19 Dec 2024 00:08:13 GMT
Content-Type: text/html
Content-Length: 552
Connection: close

INSTANCE

https://chia-cundinamarca.gov.co/web/?cb=was_868_cvac

Identification

PROOF

HTTP/1.1 400 Bad Request

OUTPUT

A response has been received with a response code '400' which may require further investigation to verify if this response is due to an abnormal behavior of the target.

The response has been triggered by an HTTP GET request made on the URL 'https://chia-cundinamarca.gov.co/web/'.

HTTP Info

REQUEST MADE

GET /web/?cb=was_868_cvac HTTP/1.1

REQUEST HEADERS

Host: chia-cundinamarca.gov.co
Accept-Encoding: gzip, deflate, br
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Accept: */*
Accept-Language: en-US,en;q=0.5

A response has been received with a response code '503' which may require further investigation to verify if this response is due to an abnormal behavior of the target.

The response has been triggered by an HTTP GET request made on the URL 'https://chia-cundinamarca.gov.co/controlpanel/2021.sql'.

HTTP Info

REQUEST MADE

GET /controlpanel/2021.sql HTTP/1.1

REQUEST HEADERS

Host: chia-cundinamarca.gov.co
Accept-Encoding: gzip, deflate, br
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Accept: */*
Accept-Language: en-US,en;q=0.5
Cookie: googtrans=/es/it; cpsession=%3aHqQl26kRGUusy2BtJ%2c4b043945560fda9514b19964b4b5be42

RESPONSE HEADERS

HTTP/1.1 503 Service Temporarily Unavailable
Server: nginx
Date: Thu, 19 Dec 2024 02:03:21 GMT
Content-Type: text/html; charset=utf-8
Transfer-Encoding: chunked
Connection: keep-alive
X-Logged-In: False
X-Content-Powered-By: K2 v2.8.0 (by JoomlaWorks)
P3P: CP="NOI ADM DEV PSAi COM NAV OUR OTRo STP IND DEM"
Expires: Wed, 17 Aug 2005 00:00:00 GMT
Cache-Control: no-store, no-cache, must-revalidate, post-check=0, pre-check=0
Pragma: no-cache
Set-Cookie: 8b58dc30ff9e4328565181726d3386f8=1b07f1b629258907f01a6c4a2e4d5eb7; path=/; HttpOnly
Last-Modified: Thu, 19 Dec 2024 02:03:21 GMT

INSTANCE

<https://chia-cundinamarca.gov.co/index.php>

Identification

PROOF

HTTP/1.1 503 Service Temporarily Unavailable

OUTPUT

A response has been received with a response code '503' which may require further investigation to verify if this response is due to an abnormal behavior of the target.

The response has been triggered by an HTTP GET request made on the URL 'https://chia-cundinamarca.gov.co/index.php'.

HTTP Info

REQUEST MADE

GET /index.php HTTP/1.1

REQUEST HEADERS

Host: chia-cundinamarca.gov.co
Accept-Encoding: gzip, deflate, br
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Cookie: 8b58dc30ff9e4328565181726d3386f8=af48acd0337c32781e836e2adf15b0a0

RESPONSE HEADERS

HTTP/1.1 503 Service Temporarily Unavailable
Server: nginx
Date: Thu, 19 Dec 2024 00:08:16 GMT
Content-Type: text/html; charset=utf-8
Transfer-Encoding: chunked
Connection: keep-alive
X-Logged-In: False
X-Content-Powered-By: K2 v2.8.0 (by JoomlaWorks)
P3P: CP="NOI ADM DEV PSAi COM NAV OUR OTRo STP IND DEM"
Expires: Wed, 17 Aug 2005 00:00:00 GMT
Cache-Control: no-store, no-cache, must-revalidate, post-check=0, pre-check=0
Pragma: no-cache
Last-Modified: Thu, 19 Dec 2024 00:08:16 GMT

INSTANCE

<https://chia-cundinamarca.gov.co/web/wp-mail.php>

Identification

PROOF

HTTP/1.1 403 Forbidden

OUTPUT

A response has been received with a response code '403' which may require further investigation to verify if this response is due to an abnormal behavior of the target.

The response has been triggered by an HTTP GET request made on the URL 'https://chia-cundinamarca.gov.co/web/wp-mail.php'.

HTTP Info

REQUEST MADE

GET /web/wp-mail.php HTTP/1.1

REQUEST HEADERS

Host: chia-cundinamarca.gov.co
Accept-Encoding: gzip, deflate, br
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Accept: */*
Accept-Language: en-US,en;q=0.5
Cookie: googtrans=/es/fr

RESPONSE HEADERS

HTTP/1.1 403 Forbidden
Server: nginx
Date: Thu, 19 Dec 2024 00:37:51 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Expires: Wed, 11 Jan 1984 05:00:00 GMT
Cache-Control: no-cache, must-revalidate, max-age=0
Content-Encoding: gzip

INSTANCE

<https://chia-cundinamarca.gov.co/.htaccess>

Identification

PROOF

HTTP/1.1 403 Forbidden

OUTPUT

A response has been received with a response code '403' which may require further investigation to verify if this response is due to an abnormal behavior of the target.

The response has been triggered by an HTTP GET request made on the URL 'https://chia-cundinamarca.gov.co/.htaccess'.

HTTP Info

REQUEST MADE

GET /.htaccess HTTP/1.1

REQUEST HEADERS

Host: chia-cundinamarca.gov.co
Accept-Encoding: gzip, deflate, br
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 403 Forbidden
Server: nginx
Date: Thu, 19 Dec 2024 00:14:12 GMT
Content-Type: text/html
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Content-Encoding: gzip

INSTANCE

<https://chia-cundinamarca.gov.co/controlpanel/2019.sql>

Identification

PROOF

HTTP/1.1 503 Service Temporarily Unavailable

OUTPUT

A response has been received with a response code '503' which may require further investigation to verify if this response is due to an abnormal behavior of the target.

The response has been triggered by an HTTP GET request made on the URL 'https://chia-cundinamarca.gov.co/controlpanel/2019.sql'.

HTTP Info

REQUEST MADE

GET /controlpanel/2019.sql HTTP/1.1

REQUEST HEADERS

Host: chia-cundinamarca.gov.co
Accept-Encoding: gzip, deflate, br
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Accept: */*
Accept-Language: en-US,en;q=0.5
Cookie: googtrans=/es/it; cpsession=%3aHqQl26kRGUsy2BtJ%2c4b043945560fda9514b19964b4b5be42

RESPONSE HEADERS

HTTP/1.1 503 Service Temporarily Unavailable
Server: nginx

Date: Thu, 19 Dec 2024 02:03:20 GMT
Content-Type: text/html; charset=utf-8
Transfer-Encoding: chunked
Connection: keep-alive
X-Logged-In: False
X-Content-Powered-By: K2 v2.8.0 (by JoomlaWorks)
P3P: CP="NOI ADM DEV PSAi COM NAV OUR OTRo STP IND DEM"
Expires: Wed, 17 Aug 2005 00:00:00 GMT
Cache-Control: no-store, no-cache, must-revalidate, post-check=0, pre-check=0
Pragma: no-cache
Set-Cookie: 8b58dc30ff9e4328565181726d3386f8=f89dfale8f3c3c38491166d247e3fdcf; path=/; HttpOnly
Last-Modified: Thu, 19 Dec 2024 02:03:20 GMT

INSTANCE

<https://chia-cundinamarca.gov.co/2021.sql>

Identification

PROOF

HTTP/1.1 503 Service Temporarily Unavailable

OUTPUT

A response has been received with a response code '503' which may require further investigation to verify if this response is due to an abnormal behavior of the target.

The response has been triggered by an HTTP GET request made on the URL 'https://chia-cundinamarca.gov.co/2021.sql'.

HTTP Info

REQUEST MADE

GET /2021.sql HTTP/1.1

REQUEST HEADERS

Host: chia-cundinamarca.gov.co
Accept-Encoding: gzip, deflate, br
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 503 Service Temporarily Unavailable
Server: nginx
Date: Thu, 19 Dec 2024 00:11:48 GMT
Content-Type: text/html; charset=utf-8
Transfer-Encoding: chunked
Connection: keep-alive
X-Logged-In: False
X-Content-Powered-By: K2 v2.8.0 (by JoomlaWorks)
P3P: CP="NOI ADM DEV PSAi COM NAV OUR OTRo STP IND DEM"
Expires: Wed, 17 Aug 2005 00:00:00 GMT
Cache-Control: no-store, no-cache, must-revalidate, post-check=0, pre-check=0
Pragma: no-cache
Set-Cookie: 8b58dc30ff9e4328565181726d3386f8=9f70c2c3ca96b342116d65ecc086cb7d; path=/; HttpOnly
Last-Modified: Thu, 19 Dec 2024 00:11:48 GMT

Technologies Detected

VULNERABILITY **INFO** PLUGIN ID 98059

Description

This is an informational plugin to inform the user what technologies the framework has detected on the target application, which can then be examined and checked for known vulnerable software versions

Solution

Only use components that do not have known vulnerabilities, only use components that when combined to not introduce a security vulnerability, and ensure that a misconfiguration does not cause any vulnerabilities

See Also

Plugin Details

| | |
|-------------------|---------------------------|
| PUBLICATION DATE | 2017-12-06T00:00:00+00:00 |
| MODIFICATION DATE | 2023-11-17T00:00:00+00:00 |
| FAMILY | Web Applications |
| SEVERITY | Info |
| PLUGIN ID | 98059 |

Risk Information

| | |
|-------------------|---|
| CVSSV4 BASE SCORE | - |
| CVSSV4 VECTOR | - |
| CVSSV3 BASE SCORE | - |
| CVSSV3 VECTOR | - |
| CVSS BASE SCORE | - |
| CVSS VECTOR | - |

Reference Information

| | |
|-------|---|
| CWE | - |
| WASC | - |
| OWASP | - |
| CVE | - |
| BID | - |

Technologies Detected Instances (1)

VULNERABILITY **INFO** PLUGIN ID 98059

INSTANCE

<https://chia-cundinamarca.gov.co/>

Identification

OUTPUT

The framework has detected the following technologies in the target application:

- jQuery UI (v1.13.3)
- jQuery (v3.7.1)
- WordPress (v6.6.2)
- PHP (v7.4.33)
- Joomla! (version unknown)
- Bootstrap (version unknown)
- jQuery (v1.12.4)
- MediaElement.js (v2.17.0)

Cookies Collected

VULNERABILITY **INFO** PLUGIN ID 98061

Description

The scanner collected the cookies returned by the application during the scan. The list includes the following information for each cookie:

- Name: name of the cookie
- Value: value of the cookie
- Domain: hosts to which the cookie will be sent
- Path: URL path which must exist in the requested resource before sending the cookie
- Expires: maximum lifetime of the cookie as an HTTP-date timestamp
- Max-Age: number of seconds until the cookie expires
- HttpOnly: cookie is set to be not accessible via JavaScript, XMLHttpRequest and Request APIs
- Secure: cookie will be sent to the server only when a request is made using HTTPS
- SameSite: cookie will be sent along with cross-site request according the defined policy
- URL: first URL discovered which set the cookie in its response
- Set-Method: method used by the application to set the cookie (Set-Cookie or JavaScript)
- Audited: cookie will be audited by plugins during the scan
- Reason Not Audited: reason given for the cookie not being audited during the scan

Solution

-

See Also

<https://developer.mozilla.org/en-US/docs/Web/HTTP/Cookies>

https://en.wikipedia.org/wiki/HTTP_cookie

<https://tools.ietf.org/html/rfc6265>

Plugin Details

| | |
|-------------------|---------------------------|
| PUBLICATION DATE | 2020-09-01T00:00:00+00:00 |
| MODIFICATION DATE | 2023-11-17T00:00:00+00:00 |
| FAMILY | Web Applications |
| SEVERITY | Info |
| PLUGIN ID | 98061 |

Risk Information

| | |
|-------------------|---|
| CVSSV4 BASE SCORE | - |
| CVSSV4 VECTOR | - |
| CVSSV3 BASE SCORE | - |
| CVSSV3 VECTOR | - |
| CVSS BASE SCORE | - |
| CVSS VECTOR | - |

Reference Information

| | |
|-------|---|
| CWE | - |
| WASC | - |
| OWASP | - |
| CVE | - |
| BID | - |

Cookies Collected Instances (1)

VULNERABILITY **INFO** PLUGIN ID 98061

INSTANCE

<https://chia-cundinamarca.gov.co/>

Identification

OUTPUT

The following cookies have been collected during the scan of the target:

- 8 cookie(s) specified via Set-Cookie
- 8 cookie(s) set via JavaScript code

The complete list of the cookies is available in attachment.

Common Directories Detection

VULNERABILITY **INFO** PLUGIN ID 98072

Description

Scanner has detected a common directory on the remote web server.

Web applications are often made up of multiple files and directories. It is possible that over time some directories may become unreferenced (unused) by the web application and forgotten about by the administrator or developer. Because web applications are built using common frameworks, they contain common directories that can be discovered (independent of server).

During the initial reconnaissance stages of an attack, cyber-criminals will attempt to locate unreferenced directories in the hope that the directory will assist in further compromise of the web application. To achieve this, they will make thousands of requests using word lists containing common names. The response headers from the server will then indicate if the directory exists.

Solution

If directories are unreferenced, then they should be removed from the web root and/or the application directory. Preventing access without authentication may also be an option and can stop a client from being able to view the contents of a file; however, it is still likely that the directory structure will be able to be discovered. Using obscure directory names is implementing 'security through obscurity' and is not a recommended option.

See Also

http://httpd.apache.org/docs/2.0/mod/mod_access.html

<http://projects.webappsec.org/w/page/13246953/Predictable%20Resource%20Location>

<https://www.nginx.com/resources/admin-guide/restricting-access-auth-basic/>

https://www.owasp.org/index.php/Forced_browsing

Plugin Details

| | |
|-------------------|---------------------------|
| PUBLICATION DATE | 2017-03-31T00:00:00+00:00 |
| MODIFICATION DATE | 2024-01-03T00:00:00+00:00 |
| FAMILY | Web Servers |
| SEVERITY | Info |
| PLUGIN ID | 98072 |

Risk Information

| | |
|-------------------|---|
| CVSSV4 BASE SCORE | - |
| CVSSV4 VECTOR | - |
| CVSSV3 BASE SCORE | - |
| CVSSV3 VECTOR | - |
| CVSS BASE SCORE | - |
| CVSS VECTOR | - |

Reference Information

| | |
|-------|---|
| CWE | - |
| WASC | - |
| OWASP | - |
| CVE | - |
| BID | - |

Common Directories Detection Instances (3)

VULNERABILITY **INFO** PLUGIN ID 98072

INSTANCE

<https://chia-cundinamarca.gov.co/controlpanel/>

Identification

OUTPUT

The common directory 'controlpanel' was identified by the scanner.

HTTP Info

REQUEST MADE

GET /controlpanel/ HTTP/1.1

REQUEST HEADERS

Host: chia-cundinamarca.gov.co
Accept-Encoding: gzip, deflate, br
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 00:10:37 GMT
Content-Type: text/html
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Content-Encoding: gzip

INSTANCE

<https://chia-cundinamarca.gov.co/images/>

Identification

OUTPUT

The common directory 'images' was identified by the scanner.

HTTP Info

REQUEST MADE

GET /images/ HTTP/1.1

REQUEST HEADERS

Host: chia-cundinamarca.gov.co
Accept-Encoding: gzip, deflate, br
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx

Date: Thu, 19 Dec 2024 00:09:26 GMT
Content-Type: text/html
Content-Length: 31
Connection: keep-alive
Last-Modified: Sun, 11 Dec 2016 21:51:10 GMT
Accept-Ranges: bytes

INSTANCE

<https://chia-cundinamarca.gov.co/cache/>

Identification

OUTPUT

The common directory 'cache' was identified by the scanner.

HTTP Info

REQUEST MADE

GET /cache/ HTTP/1.1

REQUEST HEADERS

Host: chia-cundinamarca.gov.co
Accept-Encoding: gzip, deflate, br
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 00:10:38 GMT
Content-Type: text/html
Content-Length: 31
Connection: keep-alive
Last-Modified: Sun, 11 Dec 2016 21:51:10 GMT
Accept-Ranges: bytes

Private IP Address Disclosure

VULNERABILITY **INFO** PLUGIN ID 98077

Description

Private, or non-routable, IP addresses are generally used within a home or company network and are typically unknown to anyone outside of that network.

Cyber-criminals will attempt to identify the private IP address range being used by their victim, to aid in collecting further information that could then lead to a possible compromise.

Scanner discovered that the affected page returned a RFC 1918 compliant private IP address and therefore could be revealing sensitive information.

This finding typically requires manual verification to ensure the context is correct, as any private IP address within the HTML body will trigger it.

Solution

Identifying the context in which the affected page displays a Private IP address is necessary. If the page is publicly accessible and displays the Private IP of the affected server (or supporting infrastructure), then measures should be put in place to ensure that the IP address is removed from any response.

See Also

<http://projects.webappsec.org/w/page/13246936/Information%20Leakage>

Plugin Details

| | |
|-------------------|---------------------------|
| PUBLICATION DATE | 2017-03-31T00:00:00+00:00 |
| MODIFICATION DATE | 2024-12-03T00:00:00+00:00 |
| FAMILY | Data Exposure |
| SEVERITY | Info |
| PLUGIN ID | 98077 |

Risk Information

| | |
|-------------------|---|
| CVSSV4 BASE SCORE | - |
| CVSSV4 VECTOR | - |
| CVSSV3 BASE SCORE | - |
| CVSSV3 VECTOR | - |
| CVSS BASE SCORE | - |
| CVSS VECTOR | - |

Reference Information

| | |
|------|---|
| CWE | - |
| WASC | - |

| | |
|-------|---|
| OWASP | - |
| CVE | - |
| BID | - |

Private IP Address Disclosure Instances (1)

VULNERABILITY

INFO

PLUGIN ID 98077

INSTANCE

<https://chia-cundinamarca.gov.co/>

Identification

OUTPUT

Number of Private IP Addresses Collected: 7

Listed below are each private ip address:

10.10.16.11 found on 1 URL
10.10.18.17 found on 1 URL
10.10.16.12 found on 1 URL
10.10.16.4 found on 1 URL
10.10.18.16 found on 1 URL
169.254.169.254 found on 1 URL
127.0.0.1 found on 1 URL

E-mail Address Disclosure

VULNERABILITY **INFO** PLUGIN ID 98078

Description

Email addresses are typically found on "Contact us" pages, however, they can also be found within scripts or code comments of the application. They are used to provide a legitimate means of contacting an organisation.

As one of the initial steps in information gathering, cyber-criminals will spider a website and using automated methods collect as many email addresses as possible, that they may then use in a social engineering attack.

Using the same automated methods, scanner was able to detect one or more email addresses that were stored within the affected page.

Solution

E-mail addresses should be presented in such a way that it is hard to process them automatically.

See Also

Plugin Details

| | |
|-------------------|---------------------------|
| PUBLICATION DATE | 2017-03-31T00:00:00+00:00 |
| MODIFICATION DATE | 2023-11-17T00:00:00+00:00 |
| FAMILY | Data Exposure |
| SEVERITY | Info |
| PLUGIN ID | 98078 |

Risk Information

| | |
|-------------------|---|
| CVSSV4 BASE SCORE | - |
| CVSSV4 VECTOR | - |
| CVSSV3 BASE SCORE | - |
| CVSSV3 VECTOR | - |
| CVSS BASE SCORE | - |
| CVSS VECTOR | - |

Reference Information

| | |
|-------|---|
| CWE | - |
| WASC | - |
| OWASP | - |
| CVE | - |
| BID | - |

E-mail Address Disclosure Instances (1)

VULNERABILITY **INFO** PLUGIN ID 98078

INSTANCE

<https://chia-cundinamarca.gov.co/>

Identification

OUTPUT

Number of Email Addresses Collected: 15

Listed below are each email address and the number of URLs where the email address has been found:

atencinPsicosocial@chia.gov.co found on 1 URL
ontactenos@chia.gov.co found on 21 URLs
contactenos@chia.gov.co found on 21 URLs
notificacionesjudiciales@chia.gov.co found on 21 URLs
notificationsjudiciales@chia.gov.co found on 15 URLs
esjudiciales@chia.gov.co found on 7 URLs
webmaster@chia-cundinamarca.gov.co found on 1 URL
license@php.net found on 1 URL
denuncias@enel.com found on 1 URL
clientescolombia@enel.com found on 1 URL
clienticolombia@enel.com found on 1 URL
correspondencia@emserchia.gov.co found on 1 URL
corrispondenza@emserchia.gov.co found on 1 URL
acliente@emserchia.gov.co found on 1 URL
servizioclienti@grupovanti.com found on 1 URL

Target Information

VULNERABILITY **INFO** PLUGIN ID 98136

Description

Publishes the target information of the starting url as evaluated by the scan.

Solution

-

See Also

Plugin Details

| | |
|-------------------|---------------------------|
| PUBLICATION DATE | 2017-07-27T00:00:00+00:00 |
| MODIFICATION DATE | 2024-04-26T00:00:00+00:00 |
| FAMILY | General |
| SEVERITY | Info |
| PLUGIN ID | 98136 |

Risk Information

| | |
|-------------------|---|
| CVSSV4 BASE SCORE | - |
| CVSSV4 VECTOR | - |
| CVSSV3 BASE SCORE | - |
| CVSSV3 VECTOR | - |
| CVSS BASE SCORE | - |
| CVSS VECTOR | - |

Reference Information

| | |
|-------|---|
| CWE | - |
| WASC | - |
| OWASP | - |
| CVE | - |
| BID | - |

Target Information Instances (1)

VULNERABILITY **INFO** PLUGIN ID 98136

INSTANCE

<https://chia-cundinamarca.gov.co/>

Identification

OUTPUT

Access to URL 'https://chia-cundinamarca.gov.co/' has been confirmed.

Target Information

Domain Name : chia-cundinamarca.gov.co
IP Address : 5.189.172.225

Response Information

Status Code : 302
Return Code : ok
Return Message: No error
Response Time : 0.45191s
Response Size : 434 bytes
Content-Type : text/html; charset=iso-8859-1

HTTP Info

REQUEST MADE

GET / HTTP/1.1

REQUEST HEADERS

Host: chia-cundinamarca.gov.co
Accept-Encoding: gzip, deflate, br
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 302 Found
Server: nginx
Date: Thu, 19 Dec 2024 00:02:28 GMT
Content-Type: text/html; charset=iso-8859-1
Content-Length: 221
Connection: keep-alive
Location: https://chia-cundinamarca.gov.co/web/

Screenshot

VULNERABILITY **INFO** PLUGIN ID 98138

Description

Screenshot of the target web page, see attached image. This screenshot should show you the target page we are launching the scan against. If the image is not of the intended target page, please check the provided url in the scan configuration.

Solution

-

See Also

Plugin Details

| | |
|-------------------|---------------------------|
| PUBLICATION DATE | 2018-01-23T00:00:00+00:00 |
| MODIFICATION DATE | 2018-02-14T00:00:00+00:00 |
| FAMILY | General |
| SEVERITY | Info |
| PLUGIN ID | 98138 |

Risk Information

| | |
|-------------------|---|
| CVSSV4 BASE SCORE | - |
| CVSSV4 VECTOR | - |
| CVSSV3 BASE SCORE | - |
| CVSSV3 VECTOR | - |
| CVSS BASE SCORE | - |
| CVSS VECTOR | - |

Reference Information

| | |
|-------|---|
| CWE | - |
| WASC | - |
| OWASP | - |
| CVE | - |
| BID | - |

Screenshot Instances (1)

VULNERABILITY **INFO** PLUGIN ID 98138

INSTANCE

<https://chia-cundinamarca.gov.co/>

Identification

OUTPUT

WAS Scanner has taken a screenshot of the page at url 'https://chia-cundinamarca.gov.co/' with dimensions 1585x1200.

Please see the attachment for the screenshot image.

Form Detected

VULNERABILITY **INFO** PLUGIN ID 98148

Description

The scanner has detected the presence of a form during the crawling of the target web application. Details about the form are provided in the plugin output.

Solution

-

See Also

Plugin Details

| | |
|-------------------|---------------------------|
| PUBLICATION DATE | 2021-10-21T00:00:00+00:00 |
| MODIFICATION DATE | 2021-10-21T00:00:00+00:00 |
| FAMILY | Web Applications |
| SEVERITY | Info |
| PLUGIN ID | 98148 |

Risk Information

| | |
|-------------------|---|
| CVSSV4 BASE SCORE | - |
| CVSSV4 VECTOR | - |
| CVSSV3 BASE SCORE | - |
| CVSSV3 VECTOR | - |
| CVSS BASE SCORE | - |
| CVSS VECTOR | - |

Reference Information

| | |
|-------|---|
| CWE | - |
| WASC | - |
| OWASP | - |
| CVE | - |
| BID | - |

Form Detected Instances (2)

VULNERABILITY **INFO** PLUGIN ID 98148

INSTANCE

<https://chia-cundinamarca.gov.co/web/>

| | |
|------------|---|
| INPUT TYPE | form |
| INPUT NAME | combined:get::https://chia-cundinamarca.gov.co/web/ |

Identification

OUTPUT

A form with no identifier has been detected on the following URL <https://chia-cundinamarca.gov.co/web/> with input fields :

- s (search)
- clear-with-button (reset)

This form is submitted by using the following action : <https://chia-cundinamarca.gov.co/web/>

HTTP Info

REQUEST MADE

GET <https://chia-cundinamarca.gov.co/web/>

REQUEST HEADERS

Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: none
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 00:15:28 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Link: <<https://chia-cundinamarca.gov.co/web/wp-json/>>; rel="https://api.w.org/", <<https://chia-cundinamarca.gov.co/web/wp-json/wp/v2/pages/1107>>; rel="alternate"; title="JSON"; type="application/json", <<https://chia-cundinamarca.gov.co/web/>>; rel=shortlink
X-TEC-API-VERSION: v1
X-TEC-API-ROOT: <https://chia-cundinamarca.gov.co/web/wp-json/tribe/events/v1/>
X-TEC-API-ORIGIN: <https://chia-cundinamarca.gov.co/web/>
Content-Encoding: gzip

INSTANCE

<https://chia-cundinamarca.gov.co/index.php/tramites-y-servicios/sisben>

| | |
|------------|------|
| INPUT TYPE | form |
|------------|------|

INPUT NAME

id:form-login

Identification

OUTPUT

A form with identifier id `form-login` has been detected on the following URL <https://chia-cundinamarca.gov.co/index.php/tramites-y-servicios/sisben> with input fields :

- username (text)
- password (password)
- Submit (submit)
- option (hidden)
- task (hidden)
- return (hidden)
- 00edee66cd5367945f8382fa07e3c676 (hidden)

This form is submitted by using the following action : <https://chia-cundinamarca.gov.co/index.php/tramites-y-servicios/sisben>

HTTP Info

REQUEST MADE

GET /index.php/tramites-y-servicios/sisben HTTP/1.1

REQUEST HEADERS

Host: chia-cundinamarca.gov.co
Accept-Encoding: gzip, deflate, br
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Accept: */*
Accept-Language: en-US,en;q=0.5
Cookie: googtrans=/es/it; cpsession=%3aHqQl26kRGUy2BtJ%2c4b043945560fda9514b19964b4b5be42; timezone=Etc/UTC

RESPONSE HEADERS

HTTP/1.1 503 Service Temporarily Unavailable
Server: nginx
Date: Thu, 19 Dec 2024 04:01:41 GMT
Content-Type: text/html; charset=utf-8
Transfer-Encoding: chunked
Connection: keep-alive
X-Logged-In: False
X-Content-Powered-By: K2 v2.8.0 (by JoomlaWorks)
P3P: CP="NOI ADM DEV PSAi COM NAV OUR OTRo STP IND DEM"
Expires: Wed, 17 Aug 2005 00:00:00 GMT
Cache-Control: no-store, no-cache, must-revalidate, post-check=0, pre-check=0
Pragma: no-cache
Set-Cookie: 8b58dc30ff9e4328565181726d3386f8=a5b853b5f45bde4860b15e2765387503; path=/; HttpOnly
Last-Modified: Thu, 19 Dec 2024 04:01:41 GMT

External URLs

VULNERABILITY **INFO** PLUGIN ID 98154

Description

An external URL is an URL for which the Fully Qualified Domain Name (FQDN) is not the same as the web target URL one. The scanner detected the presence of external URLs on the target web application and have listed them based on two types : URLs with a domain name in common with the web target URL and all the other external URLs.

Solution

-

See Also

Plugin Details

| | |
|-------------------|---------------------------|
| PUBLICATION DATE | 2022-11-30T00:00:00+00:00 |
| MODIFICATION DATE | 2022-12-12T00:00:00+00:00 |
| FAMILY | General |
| SEVERITY | Info |
| PLUGIN ID | 98154 |

Risk Information

| | |
|-------------------|---|
| CVSSV4 BASE SCORE | - |
| CVSSV4 VECTOR | - |
| CVSSV3 BASE SCORE | - |
| CVSSV3 VECTOR | - |
| CVSS BASE SCORE | - |
| CVSS VECTOR | - |

Reference Information

| | |
|-------|---|
| CWE | - |
| WASC | - |
| OWASP | - |
| CVE | - |
| BID | - |

External URLs Instances (1)

VULNERABILITY **INFO** PLUGIN ID 98154

INSTANCE

<https://chia-cundinamarca.gov.co/>

Identification

OUTPUT

The scanner detected the presence of 213 URLs on the target application:

- 138 URLs which use a hostname related to the target hostname
- 75 URLs which use a third party hostname

The list of the detected URLs is provided in attachment.

WordPress Media Attachment Enumeration

VULNERABILITY **INFO** PLUGIN ID 98224

Description

When a file is uploaded to WordPress Media Library it becomes an attachment. Then these files can be attached to a post or not. If files are confidential until they are published it will be easy to enumerate WordPress attachments and access these files.

Solution

Non published attachments must be reviewed and removed if confidential.

See Also

Plugin Details

| | |
|-------------------|---------------------------|
| PUBLICATION DATE | 2018-06-28T00:00:00+00:00 |
| MODIFICATION DATE | 2018-06-28T00:00:00+00:00 |
| FAMILY | Web Applications |
| SEVERITY | Info |
| PLUGIN ID | 98224 |

Risk Information

| | |
|-------------------|---|
| CVSSV4 BASE SCORE | - |
| CVSSV4 VECTOR | - |
| CVSSV3 BASE SCORE | - |
| CVSSV3 VECTOR | - |
| CVSS BASE SCORE | - |
| CVSS VECTOR | - |

Reference Information

| | |
|-------|---|
| CWE | - |
| WASC | - |
| OWASP | - |
| CVE | - |
| BID | - |

WordPress Media Attachment Enumeration Instances (1)

VULNERABILITY **INFO** PLUGIN ID 98224

INSTANCE

<https://chia-cundinamarca.gov.co/web/>

Identification

OUTPUT

Several media attachment files have been identified on the WordPress Installation. The scanner has only attempted to enumerate the first 40, reviewing all attachments is advised. Enumerated file details are provided in the attachment.

Missing Permissions Policy

VULNERABILITY **INFO** PLUGIN ID 98526

Description

Permissions Policy provides mechanisms to websites to restrict the use of browser features in its own frame and in iframes that it embeds.

Solution

Configure Permissions Policy on your website by adding 'Permissions-Policy' HTTP header.

See Also

<https://developer.mozilla.org/en-US/docs/Web/HTTP/Headers/Feature-Policy>

<https://scotthelme.co.uk/goodbye-feature-policy-and-hello-permissions-policy/>

Plugin Details

| | |
|-------------------|---------------------------|
| PUBLICATION DATE | 2019-03-27T00:00:00+00:00 |
| MODIFICATION DATE | 2024-03-25T00:00:00+00:00 |
| FAMILY | HTTP Security Header |
| SEVERITY | Info |
| PLUGIN ID | 98526 |

Risk Information

| | |
|-------------------|---|
| CVSSV4 BASE SCORE | - |
| CVSSV4 VECTOR | - |
| CVSSV3 BASE SCORE | - |
| CVSSV3 VECTOR | - |
| CVSS BASE SCORE | - |
| CVSS VECTOR | - |

Reference Information

| | |
|-------|---|
| CWE | - |
| WASC | - |
| OWASP | - |
| CVE | - |
| BID | - |

Missing Permissions Policy Instances (25)

VULNERABILITY **INFO** PLUGIN ID 98526

INSTANCE

<https://chia-cundinamarca.gov.co/web/2024/12/18/los-adultos-mayores-de-chia-se-gozaron-boyaca/>

Identification

OUTPUT

No Permissions-Policy headers were found on <https://chia-cundinamarca.gov.co/web/2024/12/18/los-adultos-mayores-de-chia-se-gozaron-boyaca/>

HTTP Info

REQUEST MADE

GET <https://chia-cundinamarca.gov.co/web/2024/12/18/los-adultos-mayores-de-chia-se-gozaron-boyaca/>

REQUEST HEADERS

Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: none
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 07:21:39 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Link: <<https://chia-cundinamarca.gov.co/web/wp-json/>>; rel="https://api.w.org/", <<https://chia-cundinamarca.gov.co/web/wp-json/wp/v2/posts/22400>>; rel="alternate"; title="JSON"; type="application/json", <<https://chia-cundinamarca.gov.co/web/?p=22400>>; rel=shortlink
X-TEC-API-VERSION: v1
X-TEC-API-ROOT: <https://chia-cundinamarca.gov.co/web/wp-json/tribe/events/v1/>
X-TEC-API-ORIGIN: <https://chia-cundinamarca.gov.co/web>
Content-Encoding: gzip

INSTANCE

<https://chia-cundinamarca.gov.co/images/>

Identification

OUTPUT

No Permissions-Policy headers were found on <https://chia-cundinamarca.gov.co/images/>

HTTP Info

REQUEST MADE

GET https://chia-cundinamarca.gov.co/images/

REQUEST HEADERS

Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: none
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 01:41:55 GMT
Content-Type: text/html
Content-Length: 31
Connection: keep-alive
Last-Modified: Sun, 11 Dec 2016 21:51:10 GMT
Accept-Ranges: bytes

INSTANCE

<https://chia-cundinamarca.gov.co/web/2023/12/29/secretarias/>

Identification

OUTPUT

No Permissions-Policy headers were found on <https://chia-cundinamarca.gov.co/web/2023/12/29/secretarias/>

HTTP Info

REQUEST MADE

GET https://chia-cundinamarca.gov.co/web/2023/12/29/secretarias/

REQUEST HEADERS

Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: none
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 03:25:45 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Link: <https://chia-cundinamarca.gov.co/web/wp-json/>; rel="https://api.w.org/", <https://chia-cundinamarca.gov.co/web/wp-json/wp/v2/posts/653>; rel="alternate"; title="JSON"; type="application/json", <https://chia-cundinamarca.gov.co/web/?p=653>; rel=shortlink
X-TEC-API-VERSION: v1
X-TEC-API-ROOT: https://chia-cundinamarca.gov.co/web/wp-json/tribe/events/v1/

X-TEC-API-ORIGIN: https://chia-cundinamarca.gov.co/web
Content-Encoding: gzip

INSTANCE

<https://chia-cundinamarca.gov.co/controlpanel/>

Identification

OUTPUT

No Permissions-Policy headers were found on https://chia-cundinamarca.gov.co/controlpanel/

HTTP Info

REQUEST MADE

GET /controlpanel/ HTTP/1.1

REQUEST HEADERS

Host: chia-cundinamarca.gov.co
Accept-Encoding: gzip, deflate, br
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Accept: */*
Accept-Language: en-US,en;q=0.5
Cookie: googtrans=/es/it; cpsession=%3aHqQ126kRGUusy2BtJ%2c4b043945560fda9514b19964b4b5be42

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 01:57:07 GMT
Content-Type: text/html
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Content-Encoding: gzip

INSTANCE

<https://chia-cundinamarca.gov.co/web/alcaldia/>

Identification

OUTPUT

No Permissions-Policy headers were found on https://chia-cundinamarca.gov.co/web/alcaldia/

HTTP Info

REQUEST MADE

GET https://chia-cundinamarca.gov.co/web/alcaldia/

REQUEST HEADERS

Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: none
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"

Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 02:45:09 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Link: <https://chia-cundinamarca.gov.co/web/wp-json/>; rel="https://api.w.org/", <https://chia-cundinamarca.gov.co/web/wp-json/wp/v2/pages/49>; rel="alternate"; title="JSON"; type="application/json", <https://chia-cundinamarca.gov.co/web/?p=49>; rel=shortlink
X-TEC-API-VERSION: v1
X-TEC-API-ROOT: https://chia-cundinamarca.gov.co/web/wp-json/tribe/events/v1/
X-TEC-API-ORIGIN: https://chia-cundinamarca.gov.co/web
Content-Encoding: gzip

INSTANCE

<https://chia-cundinamarca.gov.co/web/2023/12/29/alcalde/>

Identification

OUTPUT

No Permissions-Policy headers were found on https://chia-cundinamarca.gov.co/web/2023/12/29/alcalde/

HTTP Info

REQUEST MADE

GET https://chia-cundinamarca.gov.co/web/2023/12/29/alcalde/

REQUEST HEADERS

Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: none
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 02:58:37 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Link: <https://chia-cundinamarca.gov.co/web/wp-json/>; rel="https://api.w.org/", <https://chia-cundinamarca.gov.co/web/wp-json/wp/v2/posts/623>; rel="alternate"; title="JSON"; type="application/json", <https://chia-cundinamarca.gov.co/web/?p=623>; rel=shortlink
X-TEC-API-VERSION: v1
X-TEC-API-ROOT: https://chia-cundinamarca.gov.co/web/wp-json/tribe/events/v1/
X-TEC-API-ORIGIN: https://chia-cundinamarca.gov.co/web
Content-Encoding: gzip

INSTANCE

<https://chia-cundinamarca.gov.co/web/2024/10/24/comienza-el-censo-a-bares-y-establecimientos-nocturnos/>

Identification

OUTPUT

No Permissions-Policy headers were found on <https://chia-cundinamarca.gov.co/web/2024/10/24/comienza-el-censo-a-bares-y-establecimientos-nocturnos/>

HTTP Info

REQUEST MADE

GET <https://chia-cundinamarca.gov.co/web/2024/10/24/comienza-el-censo-a-bares-y-establecimientos-nocturnos/>

REQUEST HEADERS

Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: none
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 06:43:09 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Link: <<https://chia-cundinamarca.gov.co/web/wp-json/>>; rel="https://api.w.org/", <<https://chia-cundinamarca.gov.co/web/wp-json/wp/v2/posts/20823>>; rel="alternate"; title="JSON"; type="application/json", <<https://chia-cundinamarca.gov.co/web/?p=20823>>; rel=shortlink
X-TEC-API-VERSION: v1
X-TEC-API-ROOT: <https://chia-cundinamarca.gov.co/web/wp-json/tribe/events/v1/>
X-TEC-API-ORIGIN: <https://chia-cundinamarca.gov.co/web>
Content-Encoding: gzip

INSTANCE

<https://chia-cundinamarca.gov.co/web/directorio/>

Identification

OUTPUT

No Permissions-Policy headers were found on <https://chia-cundinamarca.gov.co/web/directorio/>

HTTP Info

REQUEST MADE

GET <https://chia-cundinamarca.gov.co/web/directorio/>

REQUEST HEADERS

Referer: <https://chia-cundinamarca.gov.co/web/>
Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: same-origin
Sec-Fetch-User: ?1

Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 00:46:26 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Link: <https://chia-cundinamarca.gov.co/web/wp-json/>; rel="https://api.w.org/", <https://chia-cundinamarca.gov.co/web/wp-json/wp/v2/pages/566>; rel="alternate"; title="JSON"; type="application/json", <https://chia-cundinamarca.gov.co/web/?p=566>; rel=shortlink
X-TEC-API-VERSION: v1
X-TEC-API-ROOT: https://chia-cundinamarca.gov.co/web/wp-json/tribe/events/v1/
X-TEC-API-ORIGIN: https://chia-cundinamarca.gov.co/web
Content-Encoding: gzip

INSTANCE

<https://chia-cundinamarca.gov.co/web/2023/12/29/control-interno-disciplinario/>

Identification

OUTPUT

No Permissions-Policy headers were found on https://chia-cundinamarca.gov.co/web/2023/12/29/control-interno-disciplinario/

HTTP Info

REQUEST MADE

GET https://chia-cundinamarca.gov.co/web/2023/12/29/control-interno-disciplinario/

REQUEST HEADERS

Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: none
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 05:37:32 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Link: <https://chia-cundinamarca.gov.co/web/wp-json/>; rel="https://api.w.org/", <https://chia-cundinamarca.gov.co/web/wp-json/wp/v2/posts/616>; rel="alternate"; title="JSON"; type="application/json", <https://chia-cundinamarca.gov.co/web/?p=616>; rel=shortlink
X-TEC-API-VERSION: v1
X-TEC-API-ROOT: https://chia-cundinamarca.gov.co/web/wp-json/tribe/events/v1/

X-TEC-API-ORIGIN: https://chia-cundinamarca.gov.co/web
Content-Encoding: gzip

INSTANCE

<https://chia-cundinamarca.gov.co/web/2024/12/18/chia-se-destaca-en-gestion-social-gracias-a-blanca-donoso/>

Identification

OUTPUT

No Permissions-Policy headers were found on https://chia-cundinamarca.gov.co/web/2024/12/18/chia-se-destaca-en-gestion-social-gracias-a-blanca-donoso/

HTTP Info

REQUEST MADE

GET https://chia-cundinamarca.gov.co/web/2024/12/18/chia-se-destaca-en-gestion-social-gracias-a-blanca-donoso/

REQUEST HEADERS

Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: none
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 07:08:06 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Link: <https://chia-cundinamarca.gov.co/web/wp-json/>; rel="https://api.w.org/", <https://chia-cundinamarca.gov.co/web/wp-json/wp/v2/posts/22424>; rel="alternate"; title="JSON"; type="application/json", <https://chia-cundinamarca.gov.co/web/?p=22424>; rel=shortlink
X-TEC-API-VERSION: v1
X-TEC-API-ROOT: https://chia-cundinamarca.gov.co/web/wp-json/tribe/events/v1/
X-TEC-API-ORIGIN: https://chia-cundinamarca.gov.co/web
Content-Encoding: gzip

INSTANCE

<https://chia-cundinamarca.gov.co/web/participa/>

Identification

OUTPUT

No Permissions-Policy headers were found on https://chia-cundinamarca.gov.co/web/participa/

HTTP Info

REQUEST MADE

GET https://chia-cundinamarca.gov.co/web/participa/

REQUEST HEADERS

Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: none
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 03:39:13 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Link: <https://chia-cundinamarca.gov.co/web/wp-json/>; rel="https://api.w.org/", <https://chia-cundinamarca.gov.co/web/wp-json/wp/v2/pages/21196>; rel="alternate"; title="JSON"; type="application/json", <https://chia-cundinamarca.gov.co/web/?p=21196>; rel=shortlink
X-TEC-API-VERSION: v1
X-TEC-API-ROOT: https://chia-cundinamarca.gov.co/web/wp-json/tribe/events/v1/
X-TEC-API-ORIGIN: https://chia-cundinamarca.gov.co/web
Content-Encoding: gzip

INSTANCE

<https://chia-cundinamarca.gov.co/web/2024/05/10/tramite-para-solicitar-certificados-de-residencia-en-el-territorio-de-chia-y-personerias-juridicas/>

Identification

OUTPUT

No Permissions-Policy headers were found on https://chia-cundinamarca.gov.co/web/2024/05/10/tramite-para-solicitar-certificados-de-residencia-en-el-territorio-de-chia-y-personerias-juridicas/

HTTP Info

REQUEST MADE

GET https://chia-cundinamarca.gov.co/web/2024/05/10/tramite-para-solicitar-certificados-de-residencia-en-el-territorio-de-chia-y-personerias-juridicas/

REQUEST HEADERS

Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: none
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 05:04:12 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked

Connection: keep-alive
Vary: Accept-Encoding
Link: <https://chia-cundinamarca.gov.co/web/wp-json/>; rel="https://api.w.org/", <https://chia-cundinamarca.gov.co/web/wp-json/wp/v2/posts/7526>; rel="alternate"; title="JSON"; type="application/json", <https://chia-cundinamarca.gov.co/web/?p=7526>; rel=shortlink
X-TEC-API-VERSION: v1
X-TEC-API-ROOT: https://chia-cundinamarca.gov.co/web/wp-json/tribe/events/v1/
X-TEC-API-ORIGIN: https://chia-cundinamarca.gov.co/web
Content-Encoding: gzip

INSTANCE

<https://chia-cundinamarca.gov.co/web/2024/08/24/paso-a-paso-para-acceder-a-su-estado-de-cuenta-liquidacion-y-factura-de-los-impuestos-predial-e-ica/>

Identification

OUTPUT

No Permissions-Policy headers were found on https://chia-cundinamarca.gov.co/web/2024/08/24/paso-a-paso-para-acceder-a-su-estado-de-cuenta-liquidacion-y-factura-de-los-impuestos-predial-e-ica/

HTTP Info

REQUEST MADE

GET https://chia-cundinamarca.gov.co/web/2024/08/24/paso-a-paso-para-acceder-a-su-estado-de-cuenta-liquidacion-y-factura-de-los-impuestos-predial-e-ica/

REQUEST HEADERS

Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: none
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 06:04:16 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Link: <https://chia-cundinamarca.gov.co/web/wp-json/>; rel="https://api.w.org/", <https://chia-cundinamarca.gov.co/web/wp-json/wp/v2/posts/18365>; rel="alternate"; title="JSON"; type="application/json", <https://chia-cundinamarca.gov.co/web/?p=18365>; rel=shortlink
X-TEC-API-VERSION: v1
X-TEC-API-ROOT: https://chia-cundinamarca.gov.co/web/wp-json/tribe/events/v1/
X-TEC-API-ORIGIN: https://chia-cundinamarca.gov.co/web
Content-Encoding: gzip

INSTANCE

<https://chia-cundinamarca.gov.co/web/2024/09/16/conozca-los-canales-de-atencion-de-las-empresas-prestadoras-de-servicios-publicos/>

Identification

OUTPUT

No Permissions-Policy headers were found on <https://chia-cundinamarca.gov.co/web/2024/09/16/conozca-los-canales-de-atencion-de-las-empresas-prestadoras-de-servicios-publicos/>

HTTP Info

REQUEST MADE

GET <https://chia-cundinamarca.gov.co/web/2024/09/16/conozca-los-canales-de-atencion-de-las-empresas-prestadoras-de-servicios-publicos/>

REQUEST HEADERS

Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: none
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 05:51:53 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Link: <<https://chia-cundinamarca.gov.co/web/wp-json/>>; rel="https://api.w.org/", <<https://chia-cundinamarca.gov.co/web/wp-json/wp/v2/posts/19440>>; rel="alternate"; title="JSON"; type="application/json", <<https://chia-cundinamarca.gov.co/web/?p=19440>>; rel=shortlink
X-TEC-API-VERSION: v1
X-TEC-API-ROOT: <https://chia-cundinamarca.gov.co/web/wp-json/tribe/events/v1/>
X-TEC-API-ORIGIN: <https://chia-cundinamarca.gov.co/web>
Content-Encoding: gzip

INSTANCE

<https://chia-cundinamarca.gov.co/web/transparencia-y-acceso-a-la-informacion-publica/>

Identification

OUTPUT

No Permissions-Policy headers were found on <https://chia-cundinamarca.gov.co/web/transparencia-y-acceso-a-la-informacion-publica/>

HTTP Info

REQUEST MADE

GET <https://chia-cundinamarca.gov.co/web/transparencia-y-acceso-a-la-informacion-publica/>

REQUEST HEADERS

Referer: <https://chia-cundinamarca.gov.co/web/>
Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: same-origin
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1

User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 00:38:08 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Link: <https://chia-cundinamarca.gov.co/web/wp-json/>; rel="https://api.w.org/", <https://chia-cundinamarca.gov.co/web/wp-json/wp/v2/pages/21>; rel="alternate"; title="JSON"; type="application/json", <https://chia-cundinamarca.gov.co/web/?p=21>; rel=shortlink
X-TEC-API-VERSION: v1
X-TEC-API-ROOT: https://chia-cundinamarca.gov.co/web/wp-json/tribe/events/v1/
X-TEC-API-ORIGIN: https://chia-cundinamarca.gov.co/web
Content-Encoding: gzip

INSTANCE

<https://chia-cundinamarca.gov.co/web/2023/12/30/7-1-4-programa-de-gestion-documental/>

Identification

OUTPUT

No Permissions-Policy headers were found on <https://chia-cundinamarca.gov.co/web/2023/12/30/7-1-4-programa-de-gestion-documental/>

HTTP Info

REQUEST MADE

GET <https://chia-cundinamarca.gov.co/web/2023/12/30/7-1-4-programa-de-gestion-documental/>

REQUEST HEADERS

Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: none
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 05:16:57 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Link: <https://chia-cundinamarca.gov.co/web/wp-json/>; rel="https://api.w.org/", <https://chia-cundinamarca.gov.co/web/wp-json/wp/v2/posts/805>; rel="alternate"; title="JSON"; type="application/json", <https://chia-cundinamarca.gov.co/web/?p=805>; rel=shortlink
X-TEC-API-VERSION: v1
X-TEC-API-ROOT: https://chia-cundinamarca.gov.co/web/wp-json/tribe/events/v1/
X-TEC-API-ORIGIN: https://chia-cundinamarca.gov.co/web

Content-Encoding: gzip

INSTANCE

<https://chia-cundinamarca.gov.co/web/2023/12/28/datos-abiertos/>

Identification

OUTPUT

No Permissions-Policy headers were found on <https://chia-cundinamarca.gov.co/web/2023/12/28/datos-abiertos/>

HTTP Info

REQUEST MADE

GET <https://chia-cundinamarca.gov.co/web/2023/12/28/datos-abiertos/>

REQUEST HEADERS

Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: none
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 04:52:23 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Link: <<https://chia-cundinamarca.gov.co/web/wp-json/>>; rel="https://api.w.org/", <<https://chia-cundinamarca.gov.co/web/wp-json/wp/v2/posts/585>>; rel="alternate"; title="JSON"; type="application/json", <<https://chia-cundinamarca.gov.co/web/?p=585>>; rel=shortlink
X-TEC-API-VERSION: v1
X-TEC-API-ROOT: <https://chia-cundinamarca.gov.co/web/wp-json/tribe/events/v1/>
X-TEC-API-ORIGIN: <https://chia-cundinamarca.gov.co/web>
Content-Encoding: gzip

INSTANCE

<https://chia-cundinamarca.gov.co/test.php>

Identification

OUTPUT

No Permissions-Policy headers were found on <https://chia-cundinamarca.gov.co/test.php>

HTTP Info

REQUEST MADE

GET <https://chia-cundinamarca.gov.co/test.php>

REQUEST HEADERS

Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: none
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 02:22:54 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Content-Encoding: gzip

INSTANCE

<https://chia-cundinamarca.gov.co/web/2023/12/29/informacion-de-la-entidad/>

Identification

OUTPUT

No Permissions-Policy headers were found on <https://chia-cundinamarca.gov.co/web/2023/12/29/informacion-de-la-entidad/>

HTTP Info

REQUEST MADE

GET <https://chia-cundinamarca.gov.co/web/2023/12/29/informacion-de-la-entidad/>

REQUEST HEADERS

Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: none
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 03:11:24 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Link: <<https://chia-cundinamarca.gov.co/web/wp-json/>>; rel="https://api.w.org/", <<https://chia-cundinamarca.gov.co/web/wp-json/wp/v2/posts/632>>; rel="alternate"; title="JSON"; type="application/json", <<https://chia-cundinamarca.gov.co/web/?p=632>>; rel=shortlink
X-TEC-API-VERSION: v1
X-TEC-API-ROOT: <https://chia-cundinamarca.gov.co/web/wp-json/tribe/events/v1/>
X-TEC-API-ORIGIN: <https://chia-cundinamarca.gov.co/web>
Content-Encoding: gzip

INSTANCE

<https://chia-cundinamarca.gov.co/index.php/tramites-y-servicios/sisben>

Identification

OUTPUT

No Permissions-Policy headers were found on <https://chia-cundinamarca.gov.co/index.php/tramites-y-servicios/sisben>

HTTP Info

REQUEST MADE

GET /index.php/tramites-y-servicios/sisben HTTP/1.1

REQUEST HEADERS

Host: chia-cundinamarca.gov.co
Accept-Encoding: gzip, deflate, br
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Accept: */*
Accept-Language: en-US,en;q=0.5
Cookie: googtrans=/es/it; cpsession=%3aHqQl26kRGUsy2BtJ%2c4b043945560fda9514b19964b4b5be42; timezone=Etc/UTC

RESPONSE HEADERS

HTTP/1.1 503 Service Temporarily Unavailable
Server: nginx
Date: Thu, 19 Dec 2024 04:01:41 GMT
Content-Type: text/html; charset=utf-8
Transfer-Encoding: chunked
Connection: keep-alive
X-Logged-In: False
X-Content-Powered-By: K2 v2.8.0 (by JoomlaWorks)
P3P: CP="NOI ADM DEV PSAi COM NAV OUR OTRo STP IND DEM"
Expires: Wed, 17 Aug 2005 00:00:00 GMT
Cache-Control: no-store, no-cache, must-revalidate, post-check=0, pre-check=0
Pragma: no-cache
Set-Cookie: 8b58dc30ff9e4328565181726d3386f8=a5b853b5f45bde4860b15e2765387503; path=/; HttpOnly
Last-Modified: Thu, 19 Dec 2024 04:01:41 GMT

INSTANCE

<https://chia-cundinamarca.gov.co/cache/>

Identification

OUTPUT

No Permissions-Policy headers were found on <https://chia-cundinamarca.gov.co/cache/>

HTTP Info

REQUEST MADE

GET <https://chia-cundinamarca.gov.co/cache/>

REQUEST HEADERS

Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: none
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"

Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 02:08:25 GMT
Content-Type: text/html
Content-Length: 31
Connection: keep-alive
Last-Modified: Sun, 11 Dec 2016 21:51:10 GMT
Accept-Ranges: bytes

INSTANCE

<https://chia-cundinamarca.gov.co/web/2024/12/17/los-salones-de-artes-plasticas-abren-sus-puertas-para-el-arte-y-cultura-en-chia/>

Identification

OUTPUT

No Permissions-Policy headers were found on <https://chia-cundinamarca.gov.co/web/2024/12/17/los-salones-de-artes-plasticas-abren-sus-puertas-para-el-arte-y-cultura-en-chia/>

HTTP Info

REQUEST MADE

GET <https://chia-cundinamarca.gov.co/web/2024/12/17/los-salones-de-artes-plasticas-abren-sus-puertas-para-el-arte-y-cultura-en-chia/>

REQUEST HEADERS

Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: none
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 07:35:13 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Link: <<https://chia-cundinamarca.gov.co/web/wp-json/>>; rel="https://api.w.org/", <<https://chia-cundinamarca.gov.co/web/wp-json/wp/v2/posts/22370>>; rel="alternate"; title="JSON"; type="application/json", <<https://chia-cundinamarca.gov.co/web/?p=22370>>; rel=shortlink
X-TEC-API-VERSION: v1
X-TEC-API-ROOT: <https://chia-cundinamarca.gov.co/web/wp-json/tribe/events/v1/>
X-TEC-API-ORIGIN: <https://chia-cundinamarca.gov.co/web>
Content-Encoding: gzip

INSTANCE

<https://chia-cundinamarca.gov.co/web/2024/02/26/impuesto-predial-unificado/>

Identification

OUTPUT

No Permissions-Policy headers were found on <https://chia-cundinamarca.gov.co/web/2024/02/26/impuesto-predial-unificado/>

HTTP Info

REQUEST MADE

GET <https://chia-cundinamarca.gov.co/web/2024/02/26/impuesto-predial-unificado/>

REQUEST HEADERS

Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: none
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 06:17:33 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Link: <<https://chia-cundinamarca.gov.co/web/wp-json/>>; rel="https://api.w.org/", <<https://chia-cundinamarca.gov.co/web/wp-json/wp/v2/posts/4113>>; rel="alternate"; title="JSON"; type="application/json", <<https://chia-cundinamarca.gov.co/web/?p=4113>>; rel=shortlink
X-TEC-API-VERSION: v1
X-TEC-API-ROOT: <https://chia-cundinamarca.gov.co/web/wp-json/tribe/events/v1/>
X-TEC-API-ORIGIN: <https://chia-cundinamarca.gov.co/web>
Content-Encoding: gzip

INSTANCE

<https://chia-cundinamarca.gov.co/web/tramites-y-servicios/>

Identification

OUTPUT

No Permissions-Policy headers were found on <https://chia-cundinamarca.gov.co/web/tramites-y-servicios/>

HTTP Info

REQUEST MADE

GET <https://chia-cundinamarca.gov.co/web/tramites-y-servicios/>

REQUEST HEADERS

Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: none
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"

Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 03:50:28 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Link: <https://chia-cundinamarca.gov.co/web/wp-json/>; rel="https://api.w.org/", <https://chia-cundinamarca.gov.co/web/wp-json/wp/v2/pages/63>; rel="alternate"; title="JSON"; type="application/json", <https://chia-cundinamarca.gov.co/web/?p=63>; rel=shortlink
X-TEC-API-VERSION: v1
X-TEC-API-ROOT: https://chia-cundinamarca.gov.co/web/wp-json/tribe/events/v1/
X-TEC-API-ORIGIN: https://chia-cundinamarca.gov.co/web
Content-Encoding: gzip

INSTANCE

<https://chia-cundinamarca.gov.co/web/>

Identification

OUTPUT

No Permissions-Policy headers were found on https://chia-cundinamarca.gov.co/web/

HTTP Info

REQUEST MADE

GET https://chia-cundinamarca.gov.co/web/

REQUEST HEADERS

Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: none
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 00:15:28 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Link: <https://chia-cundinamarca.gov.co/web/wp-json/>; rel="https://api.w.org/", <https://chia-cundinamarca.gov.co/web/wp-json/wp/v2/pages/1107>; rel="alternate"; title="JSON"; type="application/json", <https://chia-cundinamarca.gov.co/web/>; rel=shortlink
X-TEC-API-VERSION: v1
X-TEC-API-ROOT: https://chia-cundinamarca.gov.co/web/wp-json/tribe/events/v1/
X-TEC-API-ORIGIN: https://chia-cundinamarca.gov.co/web
Content-Encoding: gzip

Missing Referrer Policy

VULNERABILITY **INFO** PLUGIN ID 98527

Description

Referrer Policy provides mechanisms to websites to restrict referrer information (sent in the referer header) that browsers will be allowed to add.

No Referrer Policy header or metatag configuration has been detected.

Solution

Configure Referrer Policy on your website by adding 'Referrer-Policy' HTTP header or meta tag referrer in HTML.

See Also

<https://developer.mozilla.org/en-US/docs/Web/HTTP/Headers/Referrer-Policy>

Plugin Details

| | |
|-------------------|---------------------------|
| PUBLICATION DATE | 2019-04-02T00:00:00+00:00 |
| MODIFICATION DATE | 2024-03-25T00:00:00+00:00 |
| FAMILY | HTTP Security Header |
| SEVERITY | Info |
| PLUGIN ID | 98527 |

Risk Information

| | |
|-------------------|---|
| CVSSV4 BASE SCORE | - |
| CVSSV4 VECTOR | - |
| CVSSV3 BASE SCORE | - |
| CVSSV3 VECTOR | - |
| CVSS BASE SCORE | - |
| CVSS VECTOR | - |

Reference Information

| | |
|-------|---|
| CWE | - |
| WASC | - |
| OWASP | - |
| CVE | - |
| BID | - |

Missing Referrer Policy Instances (25)

VULNERABILITY **INFO** PLUGIN ID 98527

INSTANCE

<https://chia-cundinamarca.gov.co/web/2024/05/10/tramite-para-solicitar-certificados-de-residencia-en-el-territorio-de-chia-y-personerias-juridicas/>

Identification

OUTPUT

No Referrer-Policy headers or body meta tags were found on <https://chia-cundinamarca.gov.co/web/2024/05/10/tramite-para-solicitar-certificados-de-residencia-en-el-territorio-de-chia-y-personerias-juridicas/>

HTTP Info

REQUEST MADE

GET <https://chia-cundinamarca.gov.co/web/2024/05/10/tramite-para-solicitar-certificados-de-residencia-en-el-territorio-de-chia-y-personerias-juridicas/>

REQUEST HEADERS

Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: none
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 05:04:12 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Link: <<https://chia-cundinamarca.gov.co/web/wp-json/>>; rel="https://api.w.org/", <<https://chia-cundinamarca.gov.co/web/wp-json/wp/v2/posts/7526>>; rel="alternate"; title="JSON"; type="application/json", <<https://chia-cundinamarca.gov.co/web/?p=7526>>; rel=shortlink
X-TEC-API-VERSION: v1
X-TEC-API-ROOT: <https://chia-cundinamarca.gov.co/web/wp-json/tribe/events/v1/>
X-TEC-API-ORIGIN: <https://chia-cundinamarca.gov.co/web>
Content-Encoding: gzip

INSTANCE

<https://chia-cundinamarca.gov.co/web/>

Identification

OUTPUT

No Referrer-Policy headers or body meta tags were found on <https://chia-cundinamarca.gov.co/web/>

HTTP Info

REQUEST MADE

GET https://chia-cundinamarca.gov.co/web/

REQUEST HEADERS

Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: none
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 00:15:28 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Link: <https://chia-cundinamarca.gov.co/web/wp-json/>; rel="https://api.w.org/", <https://chia-cundinamarca.gov.co/web/wp-json/wp/v2/pages/1107>; rel="alternate"; title="JSON"; type="application/json", <https://chia-cundinamarca.gov.co/web/>; rel=shortlink
X-TEC-API-VERSION: v1
X-TEC-API-ROOT: https://chia-cundinamarca.gov.co/web/wp-json/tribe/events/v1/
X-TEC-API-ORIGIN: https://chia-cundinamarca.gov.co/web
Content-Encoding: gzip

INSTANCE

<https://chia-cundinamarca.gov.co/web/directorio/>

Identification

OUTPUT

No Referrer-Policy headers or body meta tags were found on https://chia-cundinamarca.gov.co/web/directorio/

HTTP Info

REQUEST MADE

GET https://chia-cundinamarca.gov.co/web/directorio/

REQUEST HEADERS

Referer: https://chia-cundinamarca.gov.co/web/
Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: same-origin
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 00:46:26 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Link: <https://chia-cundinamarca.gov.co/web/wp-json/>; rel="https://api.w.org/", <https://chia-cundinamarca.gov.co/web/wp-json/wp/v2/pages/566>; rel="alternate"; title="JSON"; type="application/json", <https://chia-cundinamarca.gov.co/web/?p=566>; rel=shortlink
X-TEC-API-VERSION: v1
X-TEC-API-ROOT: https://chia-cundinamarca.gov.co/web/wp-json/tribe/events/v1/
X-TEC-API-ORIGIN: https://chia-cundinamarca.gov.co/web
Content-Encoding: gzip

INSTANCE

<https://chia-cundinamarca.gov.co/images/>

Identification

OUTPUT

No Referrer-Policy headers or body meta tags were found on https://chia-cundinamarca.gov.co/images/

HTTP Info

REQUEST MADE

GET https://chia-cundinamarca.gov.co/images/

REQUEST HEADERS

Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: none
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 01:41:55 GMT
Content-Type: text/html
Content-Length: 31
Connection: keep-alive
Last-Modified: Sun, 11 Dec 2016 21:51:10 GMT
Accept-Ranges: bytes

INSTANCE

<https://chia-cundinamarca.gov.co/controlpanel/>

Identification

OUTPUT

No Referrer-Policy headers or body meta tags were found on https://chia-cundinamarca.gov.co/controlpanel/

HTTP Info

REQUEST MADE

GET /controlpanel/ HTTP/1.1

REQUEST HEADERS

Host: chia-cundinamarca.gov.co
Accept-Encoding: gzip, deflate, br
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Accept: */*
Accept-Language: en-US,en;q=0.5
Cookie: googtrans=/es/it; cpsession=%3aHqQl26kRGUusy2BtJ%2c4b043945560fda9514b19964b4b5be42

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 01:57:07 GMT
Content-Type: text/html
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Content-Encoding: gzip

INSTANCE

<https://chia-cundinamarca.gov.co/web/alcaldia/>

Identification

OUTPUT

No Referrer-Policy headers or body meta tags were found on <https://chia-cundinamarca.gov.co/web/alcaldia/>

HTTP Info

REQUEST MADE

GET <https://chia-cundinamarca.gov.co/web/alcaldia/>

REQUEST HEADERS

Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: none
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 02:45:09 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Link: <<https://chia-cundinamarca.gov.co/web/wp-json/>>; rel="https://api.w.org/", <<https://chia-cundinamarca.gov.co/web/wp-json/wp/v2/pages/49>>; rel="alternate"; title="JSON"; type="application/json", <<https://chia-cundinamarca.gov.co/web/?p=49>>; rel=shortlink
X-TEC-API-VERSION: v1
X-TEC-API-ROOT: <https://chia-cundinamarca.gov.co/web/wp-json/tribe/events/v1/>
X-TEC-API-ORIGIN: <https://chia-cundinamarca.gov.co/web>

Content-Encoding: gzip

INSTANCE

<https://chia-cundinamarca.gov.co/web/2023/12/29/alcalde/>

Identification

OUTPUT

No Referrer-Policy headers or body meta tags were found on <https://chia-cundinamarca.gov.co/web/2023/12/29/alcalde/>

HTTP Info

REQUEST MADE

GET <https://chia-cundinamarca.gov.co/web/2023/12/29/alcalde/>

REQUEST HEADERS

Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: none
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 02:58:37 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Link: <<https://chia-cundinamarca.gov.co/web/wp-json/>>; rel="https://api.w.org/", <<https://chia-cundinamarca.gov.co/web/wp-json/wp/v2/posts/623>>; rel="alternate"; title="JSON"; type="application/json", <<https://chia-cundinamarca.gov.co/web/?p=623>>; rel=shortlink
X-TEC-API-VERSION: v1
X-TEC-API-ROOT: <https://chia-cundinamarca.gov.co/web/wp-json/tribe/events/v1/>
X-TEC-API-ORIGIN: <https://chia-cundinamarca.gov.co/web>
Content-Encoding: gzip

INSTANCE

<https://chia-cundinamarca.gov.co/web/participa/>

Identification

OUTPUT

No Referrer-Policy headers or body meta tags were found on <https://chia-cundinamarca.gov.co/web/participa/>

HTTP Info

REQUEST MADE

GET <https://chia-cundinamarca.gov.co/web/participa/>

REQUEST HEADERS

Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: none
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 03:39:13 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Link: <https://chia-cundinamarca.gov.co/web/wp-json/>; rel="https://api.w.org/", <https://chia-cundinamarca.gov.co/web/wp-json/wp/v2/pages/21196>; rel="alternate"; title="JSON"; type="application/json", <https://chia-cundinamarca.gov.co/web/?p=21196>; rel=shortlink
X-TEC-API-VERSION: v1
X-TEC-API-ROOT: https://chia-cundinamarca.gov.co/web/wp-json/tribe/events/v1/
X-TEC-API-ORIGIN: https://chia-cundinamarca.gov.co/web
Content-Encoding: gzip

INSTANCE

<https://chia-cundinamarca.gov.co/web/2023/12/28/datos-abiertos/>

Identification

OUTPUT

No Referrer-Policy headers or body meta tags were found on https://chia-cundinamarca.gov.co/web/2023/12/28/datos-abiertos/

HTTP Info

REQUEST MADE

GET https://chia-cundinamarca.gov.co/web/2023/12/28/datos-abiertos/

REQUEST HEADERS

Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: none
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 04:52:23 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Link: <https://chia-cundinamarca.gov.co/web/wp-json/>; rel="https://api.w.org/", <https://chia-cundinamarca.gov.co/web/wp-json/wp/v2/posts/585>; rel="alternate"; title="JSON"; type="application/json", <https://chia-cundinamarca.gov.co

/web/?p=585>; rel=shortlink
X-TEC-API-VERSION: v1
X-TEC-API-ROOT: https://chia-cundinamarca.gov.co/web/wp-json/tribe/events/v1/
X-TEC-API-ORIGIN: https://chia-cundinamarca.gov.co/web
Content-Encoding: gzip

INSTANCE

<https://chia-cundinamarca.gov.co/web/2023/12/29/control-interno-disciplinario/>

Identification

OUTPUT

No Referrer-Policy headers or body meta tags were found on https://chia-cundinamarca.gov.co/web/2023/12/29/control-interno-disciplinario/

HTTP Info

REQUEST MADE

GET https://chia-cundinamarca.gov.co/web/2023/12/29/control-interno-disciplinario/

REQUEST HEADERS

Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: none
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 05:37:32 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Link: <https://chia-cundinamarca.gov.co/web/wp-json/>; rel="https://api.w.org/", <https://chia-cundinamarca.gov.co/web/wp-json/wp/v2/posts/616>; rel="alternate"; title="JSON"; type="application/json", <https://chia-cundinamarca.gov.co/web/?p=616>; rel=shortlink
X-TEC-API-VERSION: v1
X-TEC-API-ROOT: https://chia-cundinamarca.gov.co/web/wp-json/tribe/events/v1/
X-TEC-API-ORIGIN: https://chia-cundinamarca.gov.co/web
Content-Encoding: gzip

INSTANCE

<https://chia-cundinamarca.gov.co/web/2024/08/24/paso-a-paso-para-acceder-a-su-estado-de-cuenta-liquidacion-y-factura-de-los-impuestos-predial-e-ica/>

Identification

OUTPUT

No Referrer-Policy headers or body meta tags were found on https://chia-cundinamarca.gov.co/web/2024/08/24/paso-a-paso-para-acceder-a-su-estado-de-cuenta-liquidacion-y-factura-de-los-impuestos-predial-e-ica/

HTTP Info

REQUEST MADE

GET https://chia-cundinamarca.gov.co/web/2024/08/24/paso-a-paso-para-acceder-a-su-estado-de-cuenta-liquidacion-y-factura-de-los-impuestos-predial-e-ica/

REQUEST HEADERS

Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: none
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 06:04:16 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Link: <https://chia-cundinamarca.gov.co/web/wp-json/>; rel="https://api.w.org/", <https://chia-cundinamarca.gov.co/web/wp-json/wp/v2/posts/18365>; rel="alternate"; title="JSON"; type="application/json", <https://chia-cundinamarca.gov.co/web/?p=18365>; rel=shortlink
X-TEC-API-VERSION: v1
X-TEC-API-ROOT: https://chia-cundinamarca.gov.co/web/wp-json/tribe/events/v1/
X-TEC-API-ORIGIN: https://chia-cundinamarca.gov.co/web
Content-Encoding: gzip

INSTANCE

<https://chia-cundinamarca.gov.co/web/2024/02/26/impuesto-predial-unificado/>

Identification

OUTPUT

No Referrer-Policy headers or body meta tags were found on https://chia-cundinamarca.gov.co/web/2024/02/26/impuesto-predial-unificado/

HTTP Info

REQUEST MADE

GET https://chia-cundinamarca.gov.co/web/2024/02/26/impuesto-predial-unificado/

REQUEST HEADERS

Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: none
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 06:17:33 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Link: <https://chia-cundinamarca.gov.co/web/wp-json/>; rel="https://api.w.org/", <https://chia-cundinamarca.gov.co/web/wp-json/wp/v2/posts/4113>; rel="alternate"; title="JSON"; type="application/json", <https://chia-cundinamarca.gov.co/web/?p=4113>; rel=shortlink
X-TEC-API-VERSION: v1
X-TEC-API-ROOT: https://chia-cundinamarca.gov.co/web/wp-json/tribe/events/v1/
X-TEC-API-ORIGIN: https://chia-cundinamarca.gov.co/web
Content-Encoding: gzip

INSTANCE

<https://chia-cundinamarca.gov.co/web/2024/12/18/chia-se-destaca-en-gestion-social-gracias-a-blanca-donoso/>

Identification

OUTPUT

No Referrer-Policy headers or body meta tags were found on https://chia-cundinamarca.gov.co/web/2024/12/18/chia-se-destaca-en-gestion-social-gracias-a-blanca-donoso/

HTTP Info

REQUEST MADE

GET https://chia-cundinamarca.gov.co/web/2024/12/18/chia-se-destaca-en-gestion-social-gracias-a-blanca-donoso/

REQUEST HEADERS

Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: none
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 07:08:06 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Link: <https://chia-cundinamarca.gov.co/web/wp-json/>; rel="https://api.w.org/", <https://chia-cundinamarca.gov.co/web/wp-json/wp/v2/posts/22424>; rel="alternate"; title="JSON"; type="application/json", <https://chia-cundinamarca.gov.co/web/?p=22424>; rel=shortlink
X-TEC-API-VERSION: v1
X-TEC-API-ROOT: https://chia-cundinamarca.gov.co/web/wp-json/tribe/events/v1/
X-TEC-API-ORIGIN: https://chia-cundinamarca.gov.co/web
Content-Encoding: gzip

INSTANCE

<https://chia-cundinamarca.gov.co/web/2024/12/18/los-adultos-mayores-de-chia-se-gozaron-boyaca/>

Identification

OUTPUT

No Referrer-Policy headers or body meta tags were found on <https://chia-cundinamarca.gov.co/web/2024/12/18/los-adultos-mayores-de-chia-se-gozaron-boyaca/>

HTTP Info

REQUEST MADE

GET <https://chia-cundinamarca.gov.co/web/2024/12/18/los-adultos-mayores-de-chia-se-gozaron-boyaca/>

REQUEST HEADERS

Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: none
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 07:21:39 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Link: <<https://chia-cundinamarca.gov.co/web/wp-json/>>; rel="https://api.w.org/", <<https://chia-cundinamarca.gov.co/web/wp-json/wp/v2/posts/22400>>; rel="alternate"; title="JSON"; type="application/json", <<https://chia-cundinamarca.gov.co/web/?p=22400>>; rel=shortlink
X-TEC-API-VERSION: v1
X-TEC-API-ROOT: <https://chia-cundinamarca.gov.co/web/wp-json/tribe/events/v1/>
X-TEC-API-ORIGIN: <https://chia-cundinamarca.gov.co/web>
Content-Encoding: gzip

INSTANCE

<https://chia-cundinamarca.gov.co/web/2023/12/29/secretarias/>

Identification

OUTPUT

No Referrer-Policy headers or body meta tags were found on <https://chia-cundinamarca.gov.co/web/2023/12/29/secretarias/>

HTTP Info

REQUEST MADE

GET <https://chia-cundinamarca.gov.co/web/2023/12/29/secretarias/>

REQUEST HEADERS

Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: none
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0

Sec-Ch-Ua-Platform: "Linux"
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 03:25:45 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Link: <https://chia-cundinamarca.gov.co/web/wp-json/>; rel="https://api.w.org/", <https://chia-cundinamarca.gov.co/web/wp-json/wp/v2/posts/653>; rel="alternate"; title="JSON"; type="application/json", <https://chia-cundinamarca.gov.co/web/?p=653>; rel=shortlink
X-TEC-API-VERSION: v1
X-TEC-API-ROOT: https://chia-cundinamarca.gov.co/web/wp-json/tribe/events/v1/
X-TEC-API-ORIGIN: https://chia-cundinamarca.gov.co/web
Content-Encoding: gzip

INSTANCE

<https://chia-cundinamarca.gov.co/web/transparencia-y-acceso-a-la-informacion-publica/>

Identification

OUTPUT

No Referrer-Policy headers or body meta tags were found on https://chia-cundinamarca.gov.co/web/transparencia-y-acceso-a-la-informacion-publica/

HTTP Info

REQUEST MADE

GET https://chia-cundinamarca.gov.co/web/transparencia-y-acceso-a-la-informacion-publica/

REQUEST HEADERS

Referer: https://chia-cundinamarca.gov.co/web/
Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: same-origin
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 00:38:08 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Link: <https://chia-cundinamarca.gov.co/web/wp-json/>; rel="https://api.w.org/", <https://chia-cundinamarca.gov.co/web/wp-json/wp/v2/pages/21>; rel="alternate"; title="JSON"; type="application/json", <https://chia-cundinamarca.gov.co/web/?p=21>; rel=shortlink
X-TEC-API-VERSION: v1
X-TEC-API-ROOT: https://chia-cundinamarca.gov.co/web/wp-json/tribe/events/v1/
X-TEC-API-ORIGIN: https://chia-cundinamarca.gov.co/web
Content-Encoding: gzip

INSTANCE

<https://chia-cundinamarca.gov.co/web/2023/12/30/7-1-4-programa-de-gestion-documental/>

Identification

OUTPUT

No Referrer-Policy headers or body meta tags were found on <https://chia-cundinamarca.gov.co/web/2023/12/30/7-1-4-programa-de-gestion-documental/>

HTTP Info

REQUEST MADE

GET <https://chia-cundinamarca.gov.co/web/2023/12/30/7-1-4-programa-de-gestion-documental/>

REQUEST HEADERS

Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: none
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 05:16:57 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Link: <<https://chia-cundinamarca.gov.co/web/wp-json/>>; rel="https://api.w.org/", <<https://chia-cundinamarca.gov.co/web/wp-json/wp/v2/posts/805>>; rel="alternate"; title="JSON"; type="application/json", <<https://chia-cundinamarca.gov.co/web/?p=805>>; rel=shortlink
X-TEC-API-VERSION: v1
X-TEC-API-ROOT: <https://chia-cundinamarca.gov.co/web/wp-json/tribe/events/v1/>
X-TEC-API-ORIGIN: <https://chia-cundinamarca.gov.co/web>
Content-Encoding: gzip

INSTANCE

<https://chia-cundinamarca.gov.co/web/tramites-y-servicios/>

Identification

OUTPUT

No Referrer-Policy headers or body meta tags were found on <https://chia-cundinamarca.gov.co/web/tramites-y-servicios/>

HTTP Info

REQUEST MADE

GET <https://chia-cundinamarca.gov.co/web/tramites-y-servicios/>

REQUEST HEADERS

Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: none
Sec-Fetch-User: ?1

Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 03:50:28 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Link: <https://chia-cundinamarca.gov.co/web/wp-json/>; rel="https://api.w.org/", <https://chia-cundinamarca.gov.co/web/wp-json/wp/v2/pages/63>; rel="alternate"; title="JSON"; type="application/json", <https://chia-cundinamarca.gov.co/web/?p=63>; rel=shortlink
X-TEC-API-VERSION: v1
X-TEC-API-ROOT: https://chia-cundinamarca.gov.co/web/wp-json/tribe/events/v1/
X-TEC-API-ORIGIN: https://chia-cundinamarca.gov.co/web
Content-Encoding: gzip

INSTANCE

<https://chia-cundinamarca.gov.co/web/2024/10/24/comienza-el-censo-a-bares-y-establecimientos-nocturnos/>

Identification

OUTPUT

No Referrer-Policy headers or body meta tags were found on <https://chia-cundinamarca.gov.co/web/2024/10/24/comienza-el-censo-a-bares-y-establecimientos-nocturnos/>

HTTP Info

REQUEST MADE

GET <https://chia-cundinamarca.gov.co/web/2024/10/24/comienza-el-censo-a-bares-y-establecimientos-nocturnos/>

REQUEST HEADERS

Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: none
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 06:43:09 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Link: <https://chia-cundinamarca.gov.co/web/wp-json/>; rel="https://api.w.org/", <https://chia-cundinamarca.gov.co/web/wp-json/wp/v2/posts/20823>; rel="alternate"; title="JSON"; type="application/json", <https://chia-cundinamarca.gov.co/web/?p=20823>; rel=shortlink
X-TEC-API-VERSION: v1
X-TEC-API-ROOT: https://chia-cundinamarca.gov.co/web/wp-json/tribe/events/v1/

X-TEC-API-ORIGIN: https://chia-cundinamarca.gov.co/web
Content-Encoding: gzip

INSTANCE

<https://chia-cundinamarca.gov.co/index.php/tramites-y-servicios/sisben>

Identification

OUTPUT

No Referrer-Policy headers or body meta tags were found on https://chia-cundinamarca.gov.co/index.php/tramites-y-servicios/sisben

HTTP Info

REQUEST MADE

GET /index.php/tramites-y-servicios/sisben HTTP/1.1

REQUEST HEADERS

Host: chia-cundinamarca.gov.co
Accept-Encoding: gzip, deflate, br
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Accept: */*
Accept-Language: en-US,en;q=0.5
Cookie: googtrans=/es/it; cpsession=%3aHqQl26kRGUsy2BtJ%2c4b043945560fda9514b19964b4b5be42; timezone=Etc/UTC

RESPONSE HEADERS

HTTP/1.1 503 Service Temporarily Unavailable
Server: nginx
Date: Thu, 19 Dec 2024 04:01:41 GMT
Content-Type: text/html; charset=utf-8
Transfer-Encoding: chunked
Connection: keep-alive
X-Logged-In: False
X-Content-Powered-By: K2 v2.8.0 (by JoomlaWorks)
P3P: CP="NOI ADM DEV PSAi COM NAV OUR OTRo STP IND DEM"
Expires: Wed, 17 Aug 2005 00:00:00 GMT
Cache-Control: no-store, no-cache, must-revalidate, post-check=0, pre-check=0
Pragma: no-cache
Set-Cookie: 8b58dc30ff9e4328565181726d3386f8=a5b853b5f45bde4860b15e2765387503; path=/; HttpOnly
Last-Modified: Thu, 19 Dec 2024 04:01:41 GMT

INSTANCE

<https://chia-cundinamarca.gov.co/web/2024/09/16/conozca-los-canales-de-atencion-de-las-empresas-prestadoras-de-servicios-publicos/>

Identification

OUTPUT

No Referrer-Policy headers or body meta tags were found on https://chia-cundinamarca.gov.co/web/2024/09/16/conozca-los-canales-de-atencion-de-las-empresas-prestadoras-de-servicios-publicos/

HTTP Info

REQUEST MADE

GET https://chia-cundinamarca.gov.co/web/2024/09/16/conozca-los-canales-de-atencion-de-las-empresas-prestadoras-de-servicios-publicos/

REQUEST HEADERS

Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: none
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 05:51:53 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Link: <https://chia-cundinamarca.gov.co/web/wp-json/>; rel="https://api.w.org/", <https://chia-cundinamarca.gov.co/web/wp-json/wp/v2/posts/19440>; rel="alternate"; title="JSON"; type="application/json", <https://chia-cundinamarca.gov.co/web/?p=19440>; rel=shortlink
X-TEC-API-VERSION: v1
X-TEC-API-ROOT: https://chia-cundinamarca.gov.co/web/wp-json/tribe/events/v1/
X-TEC-API-ORIGIN: https://chia-cundinamarca.gov.co/web
Content-Encoding: gzip

INSTANCE

<https://chia-cundinamarca.gov.co/web/2023/12/29/informacion-de-la-entidad/>

Identification

OUTPUT

No Referrer-Policy headers or body meta tags were found on https://chia-cundinamarca.gov.co/web/2023/12/29/informacion-de-la-entidad/

HTTP Info

REQUEST MADE

GET https://chia-cundinamarca.gov.co/web/2023/12/29/informacion-de-la-entidad/

REQUEST HEADERS

Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: none
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 03:11:24 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Link: <https://chia-cundinamarca.gov.co/web/wp-json/>; rel="https://api.w.org/", <https://chia-cundinamarca.gov.co/web/wp-json/wp/v2/posts/632>; rel="alternate"; title="JSON"; type="application/json", <https://chia-cundinamarca.gov.co

/web/?p=632>; rel=shortlink
X-TEC-API-VERSION: v1
X-TEC-API-ROOT: https://chia-cundinamarca.gov.co/web/wp-json/tribe/events/v1/
X-TEC-API-ORIGIN: https://chia-cundinamarca.gov.co/web
Content-Encoding: gzip

INSTANCE

<https://chia-cundinamarca.gov.co/test.php>

Identification

OUTPUT

No Referrer-Policy headers or body meta tags were found on https://chia-cundinamarca.gov.co/test.php

HTTP Info

REQUEST MADE

GET https://chia-cundinamarca.gov.co/test.php

REQUEST HEADERS

Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: none
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 02:22:54 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Content-Encoding: gzip

INSTANCE

<https://chia-cundinamarca.gov.co/web/2024/12/17/los-salones-de-artes-plasticas-abren-sus-puertas-para-el-arte-y-cultura-en-chia/>

Identification

OUTPUT

No Referrer-Policy headers or body meta tags were found on https://chia-cundinamarca.gov.co/web/2024/12/17/los-salones-de-artes-plasticas-abren-sus-puertas-para-el-arte-y-cultura-en-chia/

HTTP Info

REQUEST MADE

GET https://chia-cundinamarca.gov.co/web/2024/12/17/los-salones-de-artes-plasticas-abren-sus-puertas-para-el-arte-y-cultura-en-chia/

REQUEST HEADERS

Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: none
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 07:35:13 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Link: <https://chia-cundinamarca.gov.co/web/wp-json/>; rel="https://api.w.org/", <https://chia-cundinamarca.gov.co/web/wp-json/wp/v2/posts/22370>; rel="alternate"; title="JSON"; type="application/json", <https://chia-cundinamarca.gov.co/web/?p=22370>; rel=shortlink
X-TEC-API-VERSION: v1
X-TEC-API-ROOT: https://chia-cundinamarca.gov.co/web/wp-json/tribe/events/v1/
X-TEC-API-ORIGIN: https://chia-cundinamarca.gov.co/web
Content-Encoding: gzip

INSTANCE

<https://chia-cundinamarca.gov.co/cache/>

Identification

OUTPUT

No Referrer-Policy headers or body meta tags were found on <https://chia-cundinamarca.gov.co/cache/>

HTTP Info

REQUEST MADE

GET <https://chia-cundinamarca.gov.co/cache/>

REQUEST HEADERS

Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: none
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 02:08:25 GMT
Content-Type: text/html
Content-Length: 31
Connection: keep-alive
Last-Modified: Sun, 11 Dec 2016 21:51:10 GMT

Accept-Ranges: bytes

Missing Subresource Integrity

VULNERABILITY **INFO** PLUGIN ID 98647

Description

Subresource Integrity (SRI) is a web security standard that enables browsers to verify that resources hosted by third parties (CDN for example) are delivered without unexpected manipulation.

SRI works by comparing a cryptographic hash declared in the integrity attribute of the resource tag (like script or link) used to fetch the resource and the calculated hash value of this resource.

No SRI have been detected for one or more resources.

Solution

Add a integrity attribute to the resource tag with prefixed and base64 encoded hash of the resource.

See Also

https://developer.mozilla.org/en-US/docs/Web/Security/Subresource_Integrity

https://www.owasp.org/index.php/3rd_Party_Javascript_Management_Cheat_Sheet#Subresource_Integrity

Plugin Details

| | |
|-------------------|---------------------------|
| PUBLICATION DATE | 2019-08-01T00:00:00+00:00 |
| MODIFICATION DATE | 2023-01-17T00:00:00+00:00 |
| FAMILY | Web Applications |
| SEVERITY | Info |
| PLUGIN ID | 98647 |

Risk Information

| | |
|-------------------|---|
| CVSSV4 BASE SCORE | - |
| CVSSV4 VECTOR | - |
| CVSSV3 BASE SCORE | - |
| CVSSV3 VECTOR | - |
| CVSS BASE SCORE | - |
| CVSS VECTOR | - |

Reference Information

| | |
|-------|---|
| CWE | - |
| WASC | - |
| OWASP | - |
| CVE | - |
| BID | - |

Missing Subresource Integrity Instances (1)

VULNERABILITY **INFO** PLUGIN ID 98647

INSTANCE

<https://chia-cundinamarca.gov.co/>

Identification

OUTPUT

The scanner detected 44 resources without subresource integrity defined :

- 21 URLs related to 'script' resources
- 23 URLs related to 'link' resources

The list of all the detected resources is provided in attachment.

Sitemap.xml File Detected

VULNERABILITY **INFO** PLUGIN ID 98681

Description

The Sitemap Protocol allows you to inform search engines about URLs on a website that are available for crawling. In its simplest form, a Sitemap is an XML file that lists URLs for a site.

It has been discovered that many site owners are not building their Sitemaps through spidering, but by scripted runs on their web root directory structures. If this is the case, an attacker may be able to use sitemaps to enumerate all files and directories in the web server root.

Solution

Site owners should be wary of automatically generating sitemap.xml files, and admins should review the contents of there sitemap.xml file for sensitive material.

See Also

<https://www.sitemaps.org>

Plugin Details

| | |
|-------------------|---------------------------|
| PUBLICATION DATE | 2019-09-16T00:00:00+00:00 |
| MODIFICATION DATE | 2023-07-13T00:00:00+00:00 |
| FAMILY | Web Servers |
| SEVERITY | Info |
| PLUGIN ID | 98681 |

Risk Information

| | |
|-------------------|---|
| CVSSV4 BASE SCORE | - |
| CVSSV4 VECTOR | - |
| CVSSV3 BASE SCORE | - |
| CVSSV3 VECTOR | - |
| CVSS BASE SCORE | - |
| CVSS VECTOR | - |

Reference Information

| | |
|-------|---|
| CWE | - |
| WASC | - |
| OWASP | - |
| CVE | - |
| BID | - |

Sitemap.xml File Detected Instances (1)

VULNERABILITY **INFO** PLUGIN ID 98681

INSTANCE

<https://chia-cundinamarca.gov.co/web/wp-sitemap.xml>

Identification

OUTPUT

A sitemap xml file was detected at <https://chia-cundinamarca.gov.co/web/wp-sitemap.xml> with :

- 6 URLs identified as in scope of audit.
- 0 URLs identified as out of scope of audit.

Details of the URLs can be found in the attachment.Details of the URLs can be found in the attachment.

Robots.txt File Detected

VULNERABILITY **INFO** PLUGIN ID 98705

Description

The remote host contains a file named 'robots.txt' that is intended to prevent web 'robots' from visiting certain directories in a website for maintenance or indexing purposes. A malicious user may also be able to use the contents of this file to learn of sensitive documents or directories on the affected site and either retrieve them directly or target them for other attacks.

Solution

Review the contents of the site's robots.txt file, use Robots META tags instead of entries in the robots.txt file, and/or adjust the web server's access controls to limit access to sensitive material.

See Also

<https://www.robotstxt.org>

Plugin Details

| | |
|-------------------|---------------------------|
| PUBLICATION DATE | 2019-09-19T00:00:00+00:00 |
| MODIFICATION DATE | 2020-12-17T00:00:00+00:00 |
| FAMILY | Web Servers |
| SEVERITY | Info |
| PLUGIN ID | 98705 |

Risk Information

| | |
|-------------------|---|
| CVSSV4 BASE SCORE | - |
| CVSSV4 VECTOR | - |
| CVSSV3 BASE SCORE | - |
| CVSSV3 VECTOR | - |
| CVSS BASE SCORE | - |
| CVSS VECTOR | - |

Reference Information

| | |
|-------|---|
| CWE | - |
| WASC | - |
| OWASP | - |
| CVE | - |
| BID | - |

Robots.txt File Detected Instances (1)

VULNERABILITY **INFO** PLUGIN ID 98705

INSTANCE

<https://chia-cundinamarca.gov.co/robots.txt>

Identification

OUTPUT

A robots.txt file was detected at 'https://chia-cundinamarca.gov.co/robots.txt'.

HTTP Info

REQUEST MADE

GET /robots.txt HTTP/1.1

REQUEST HEADERS

Host: chia-cundinamarca.gov.co
Accept-Encoding: gzip, deflate, br
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 00:11:47 GMT
Content-Type: text/plain
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Last-Modified: Mon, 10 May 2021 02:42:10 GMT
Content-Encoding: gzip

Fetch/XHR Detected

VULNERABILITY **INFO** PLUGIN ID 98772

Description

The scan detected that the web application makes requests that appear to be using Fetch or XMLHttpRequests (XHRs) to communicate with a backend API server. Fetchs/XHRs allow retrieval of data from an API without triggering a page reload, making them especially useful for Single Page Applications.

Solution

-

See Also

<https://developer.mozilla.org/en-US/docs/Web/API/XMLHttpRequest>

Plugin Details

| | |
|-------------------|---------------------------|
| PUBLICATION DATE | 2019-11-14T00:00:00+00:00 |
| MODIFICATION DATE | 2023-11-17T00:00:00+00:00 |
| FAMILY | General |
| SEVERITY | Info |
| PLUGIN ID | 98772 |

Risk Information

| | |
|-------------------|---|
| CVSSV4 BASE SCORE | - |
| CVSSV4 VECTOR | - |
| CVSSV3 BASE SCORE | - |
| CVSSV3 VECTOR | - |
| CVSS BASE SCORE | - |
| CVSS VECTOR | - |

Reference Information

| | |
|-------|---|
| CWE | - |
| WASC | - |
| OWASP | - |
| CVE | - |
| BID | - |

Fetch/XHR Detected Instances (1)

VULNERABILITY **INFO** PLUGIN ID 98772

INSTANCE

<https://chia-cundinamarca.gov.co/>

Identification

OUTPUT

The scan detected 1297 unique XMLHttpRequests. Here is the distribution of MIME types used by the detected requests:

- 3 as "application/json+protobuf"
- 202 as "application/json"
- 1 as "text/plain"
- 3 as "application/javascript"
- 3 as "text/html"
- 3 as "application/x-mpegurl"
- 8 as "video/mp4"
- 98 as "image/webp"

- 976 with no specified or detected MIME type

The scan detected 38 unique Fetch Requests. Here is the distribution of MIME types used by the detected requests:

- 4 as "text/plain"
- 28 as "application/json"
- 1 as "image/gif"
- 5 with no specified or detected MIME type

SSL/TLS Certificate Information

VULNERABILITY **INFO** PLUGIN ID 112491

Description

This plugin displays information about the X.509 certificate extracted from the HTTPS connection.

Solution

-

See Also

Plugin Details

| | |
|-------------------|---------------------------|
| PUBLICATION DATE | 2018-10-03T00:00:00+00:00 |
| MODIFICATION DATE | 2023-05-05T00:00:00+00:00 |
| FAMILY | SSL/TLS |
| SEVERITY | Info |
| PLUGIN ID | 112491 |

Risk Information

| | |
|-------------------|---|
| CVSSV4 BASE SCORE | - |
| CVSSV4 VECTOR | - |
| CVSSV3 BASE SCORE | - |
| CVSSV3 VECTOR | - |
| CVSS BASE SCORE | - |
| CVSS VECTOR | - |

Reference Information

| | |
|-------|---|
| CWE | - |
| WASC | - |
| OWASP | - |
| CVE | - |
| BID | - |

SSL/TLS Certificate Information Instances (1)

VULNERABILITY **INFO** PLUGIN ID 112491

INSTANCE

<https://chia-cundinamarca.gov.co/>

Identification

OUTPUT

Certificate 1

```
-----  
Common Name: chia-cundinamarca.gov.co  
Alternative Names: chia-cundinamarca.gov.co cpanel.chia-cundinamarca.gov.co cpcalendars.chia-cundinamarca.gov.co  
cpcontacts.chia-cundinamarca.gov.co mail.chia-cundinamarca.gov.co webdisk.chia-cundinamarca.gov.co webmail.chia-  
cundinamarca.gov.co www.chia-cundinamarca.gov.co  
Issuer: cPanel  
Valid from: 2024-10-21 00:00:00 UTC  
Valid until: 2025-01-19 23:59:59 UTC (expires in 1 month, 1 day)  
Validity Period: 90 days  
Key: 2048-bit  
Signature: ecdsa-with-SHA256
```

Certificate 2

```
-----  
Common Name: cpanel ecc domain validation secure server ca  
Issuer: Sectigo Limited  
Valid from: 2024-01-31 00:00:00 UTC  
Valid until: 2034-01-30 23:59:59 UTC (expires in 9 years, 1 month, 1 week, 5 days)  
Validity Period: 3652 days  
Key: 256-bit  
Signature: ecdsa-with-SHA384
```

Certificate 3

```
-----  
Common Name: sectigo public server authentication root e  
Issuer: Comodo CA Limited  
Valid from: 2021-03-22 00:00:00 UTC  
Valid until: 2028-12-31 23:59:59 UTC (expires in 4 years, 1 week, 6 days)  
Validity Period: 2841 days  
Key: RSA 384-bit  
Signature: sha384WithRSAEncryption
```

Missing 'X-XSS-Protection' Header

VULNERABILITY

INFO

PLUGIN ID 112526

Description

The HTTP 'X-XSS-Protection' response header is a feature of old browsers that allows websites to control their XSS auditors. The server is not configured to return a 'X-XSS-Protection' header which means that any pages on this website could be at risk of a Cross-Site Scripting (XSS) attack. This URL is flagged as a specific example. However, this header is deprecated by modern browsers, if legacy browsers support is not needed, it is recommended to use Content-Security-Policy without allowing unsafe-inline scripts instead.

Solution

Configure your web server to include an 'X-XSS-Protection' header with a value of '1; mode=block' on all pages.

See Also

<https://developer.mozilla.org/en-US/docs/Web/HTTP/Headers/X-XSS-Protection>

https://www.owasp.org/index.php/OWASP_Secure-Headers_Project#xxxsp

Plugin Details

| | |
|-------------------|---------------------------|
| PUBLICATION DATE | 2018-11-27T00:00:00+00:00 |
| MODIFICATION DATE | 2024-03-25T00:00:00+00:00 |
| FAMILY | HTTP Security Header |
| SEVERITY | Info |
| PLUGIN ID | 112526 |

Risk Information

| | |
|-------------------|---|
| CVSSV4 BASE SCORE | - |
| CVSSV4 VECTOR | - |
| CVSSV3 BASE SCORE | - |
| CVSSV3 VECTOR | - |
| CVSS BASE SCORE | - |
| CVSS VECTOR | - |

Reference Information

| | |
|-------|---|
| CWE | - |
| WASC | - |
| OWASP | - |
| CVE | - |
| BID | - |

Missing 'X-XSS-Protection' Header Instances (25)

VULNERABILITY **INFO** PLUGIN ID 112526

INSTANCE

<https://chia-cundinamarca.gov.co/web/alcaldia/>

Identification

OUTPUT

The scanner detected the lack of X-XSS-Protection header in the target application response.

HTTP Info

REQUEST MADE

GET https://chia-cundinamarca.gov.co/web/alcaldia/

REQUEST HEADERS

```
Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: none
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"
Accept: */*
Accept-Language: en-US,en;q=0.5
```

RESPONSE HEADERS

```
HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 02:45:09 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Link: <https://chia-cundinamarca.gov.co/web/wp-json/>; rel="https://api.w.org/", <https://chia-cundinamarca.gov.co/web/wp-json/wp/v2/pages/49>; rel="alternate"; title="JSON"; type="application/json", <https://chia-cundinamarca.gov.co/web/?p=49>; rel=shortlink
X-TEC-API-VERSION: v1
X-TEC-API-ROOT: https://chia-cundinamarca.gov.co/web/wp-json/tribe/events/v1/
X-TEC-API-ORIGIN: https://chia-cundinamarca.gov.co/web
Content-Encoding: gzip
```

INSTANCE

<https://chia-cundinamarca.gov.co/web/2024/08/24/paso-a-paso-para-acceder-a-su-estado-de-cuenta-liquidacion-y-factura-de-los-impuestos-predial-e-ica/>

Identification

OUTPUT

The scanner detected the lack of X-XSS-Protection header in the target application response.

HTTP Info

REQUEST MADE

GET https://chia-cundinamarca.gov.co/web/2024/08/24/paso-a-paso-para-acceder-a-su-estado-de-cuenta-liquidacion-y-factura-de-los-impuestos-predial-e-ica/

REQUEST HEADERS

Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: none
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 06:04:16 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Link: <https://chia-cundinamarca.gov.co/web/wp-json/>; rel="https://api.w.org/", <https://chia-cundinamarca.gov.co/web/wp-json/wp/v2/posts/18365>; rel="alternate"; title="JSON"; type="application/json", <https://chia-cundinamarca.gov.co/web/?p=18365>; rel=shortlink
X-TEC-API-VERSION: v1
X-TEC-API-ROOT: https://chia-cundinamarca.gov.co/web/wp-json/tribe/events/v1/
X-TEC-API-ORIGIN: https://chia-cundinamarca.gov.co/web
Content-Encoding: gzip

INSTANCE

<https://chia-cundinamarca.gov.co/web/2023/12/29/alcalde/>

Identification

OUTPUT

The scanner detected the lack of X-XSS-Protection header in the target application response.

HTTP Info

REQUEST MADE

GET https://chia-cundinamarca.gov.co/web/2023/12/29/alcalde/

REQUEST HEADERS

Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: none
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 02:58:37 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Connection: keep-alive

Vary: Accept-Encoding
Link: <https://chia-cundinamarca.gov.co/web/wp-json/>; rel="https://api.w.org/", <https://chia-cundinamarca.gov.co/web/wp-json/wp/v2/posts/623>; rel="alternate"; title="JSON"; type="application/json", <https://chia-cundinamarca.gov.co/web/?p=623>; rel=shortlink
X-TEC-API-VERSION: v1
X-TEC-API-ROOT: https://chia-cundinamarca.gov.co/web/wp-json/tribe/events/v1/
X-TEC-API-ORIGIN: https://chia-cundinamarca.gov.co/web
Content-Encoding: gzip

INSTANCE

<https://chia-cundinamarca.gov.co/web/2024/02/26/impuesto-predial-unificado/>

Identification

OUTPUT

The scanner detected the lack of X-XSS-Protection header in the target application response.

HTTP Info

REQUEST MADE

GET https://chia-cundinamarca.gov.co/web/2024/02/26/impuesto-predial-unificado/

REQUEST HEADERS

Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: none
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 06:17:33 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Link: <https://chia-cundinamarca.gov.co/web/wp-json/>; rel="https://api.w.org/", <https://chia-cundinamarca.gov.co/web/wp-json/wp/v2/posts/4113>; rel="alternate"; title="JSON"; type="application/json", <https://chia-cundinamarca.gov.co/web/?p=4113>; rel=shortlink
X-TEC-API-VERSION: v1
X-TEC-API-ROOT: https://chia-cundinamarca.gov.co/web/wp-json/tribe/events/v1/
X-TEC-API-ORIGIN: https://chia-cundinamarca.gov.co/web
Content-Encoding: gzip

INSTANCE

<https://chia-cundinamarca.gov.co/web/>

Identification

OUTPUT

The scanner detected the lack of X-XSS-Protection header in the target application response.

HTTP Info

REQUEST MADE

GET https://chia-cundinamarca.gov.co/web/

REQUEST HEADERS

Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: none
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 00:15:28 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Link: <https://chia-cundinamarca.gov.co/web/wp-json/>; rel="https://api.w.org/", <https://chia-cundinamarca.gov.co/web/wp-json/wp/v2/pages/1107>; rel="alternate"; title="JSON"; type="application/json", <https://chia-cundinamarca.gov.co/web/>; rel=shortlink
X-TEC-API-VERSION: v1
X-TEC-API-ROOT: https://chia-cundinamarca.gov.co/web/wp-json/tribe/events/v1/
X-TEC-API-ORIGIN: https://chia-cundinamarca.gov.co/web
Content-Encoding: gzip

INSTANCE

<https://chia-cundinamarca.gov.co/test.php>

Identification

OUTPUT

The scanner detected the lack of X-XSS-Protection header in the target application response.

HTTP Info

REQUEST MADE

GET https://chia-cundinamarca.gov.co/test.php

REQUEST HEADERS

Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: none
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx

Date: Thu, 19 Dec 2024 02:22:54 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Content-Encoding: gzip

INSTANCE

<https://chia-cundinamarca.gov.co/cache/>

Identification

OUTPUT

The scanner detected the lack of X-XSS-Protection header in the target application response.

HTTP Info

REQUEST MADE

GET https://chia-cundinamarca.gov.co/cache/

REQUEST HEADERS

Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: none
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 02:08:25 GMT
Content-Type: text/html
Content-Length: 31
Connection: keep-alive
Last-Modified: Sun, 11 Dec 2016 21:51:10 GMT
Accept-Ranges: bytes

INSTANCE

<https://chia-cundinamarca.gov.co/web/2024/12/17/los-salones-de-artes-plasticas-abren-sus-puertas-para-el-arte-y-cultura-en-chia/>

Identification

OUTPUT

The scanner detected the lack of X-XSS-Protection header in the target application response.

HTTP Info

REQUEST MADE

GET https://chia-cundinamarca.gov.co/web/2024/12/17/los-salones-de-artes-plasticas-abren-sus-puertas-para-el-arte-y-cultura-en-chia/

REQUEST HEADERS

Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: none
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 07:35:13 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Link: <https://chia-cundinamarca.gov.co/web/wp-json/>; rel="https://api.w.org/", <https://chia-cundinamarca.gov.co/web/wp-json/wp/v2/posts/22370>; rel="alternate"; title="JSON"; type="application/json", <https://chia-cundinamarca.gov.co/web/?p=22370>; rel=shortlink
X-TEC-API-VERSION: v1
X-TEC-API-ROOT: https://chia-cundinamarca.gov.co/web/wp-json/tribe/events/v1/
X-TEC-API-ORIGIN: https://chia-cundinamarca.gov.co/web
Content-Encoding: gzip

INSTANCE

<https://chia-cundinamarca.gov.co/web/participa/>

Identification

OUTPUT

The scanner detected the lack of X-XSS-Protection header in the target application response.

HTTP Info

REQUEST MADE

GET https://chia-cundinamarca.gov.co/web/participa/

REQUEST HEADERS

Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: none
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 03:39:13 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Link: <https://chia-cundinamarca.gov.co/web/wp-json/>; rel="https://api.w.org/", <https://chia-cundinamarca.gov.co/web/wp-json/wp/v2/pages/21196>; rel="alternate"; title="JSON"; type="application/json", <https://chia-cundinamarca.gov.co

/web/?p=21196>; rel=shortlink
X-TEC-API-VERSION: v1
X-TEC-API-ROOT: https://chia-cundinamarca.gov.co/web/wp-json/tribe/events/v1/
X-TEC-API-ORIGIN: https://chia-cundinamarca.gov.co/web
Content-Encoding: gzip

INSTANCE

<https://chia-cundinamarca.gov.co/controlpanel/>

Identification

OUTPUT

The scanner detected the lack of X-XSS-Protection header in the target application response.

HTTP Info

REQUEST MADE

GET /controlpanel/ HTTP/1.1

REQUEST HEADERS

Host: chia-cundinamarca.gov.co
Accept-Encoding: gzip, deflate, br
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Accept: */*
Accept-Language: en-US,en;q=0.5
Cookie: googtrans=/es/it; cpsession=%3aHqQl26kRGUsy2BtJ%2c4b043945560fda9514b19964b4b5be42

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 01:57:07 GMT
Content-Type: text/html
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Content-Encoding: gzip

INSTANCE

<https://chia-cundinamarca.gov.co/web/2024/12/18/los-adultos-mayores-de-chia-se-gozaron-boyaca/>

Identification

OUTPUT

The scanner detected the lack of X-XSS-Protection header in the target application response.

HTTP Info

REQUEST MADE

GET https://chia-cundinamarca.gov.co/web/2024/12/18/los-adultos-mayores-de-chia-se-gozaron-boyaca/

REQUEST HEADERS

Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: none
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"

Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 07:21:39 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Link: <https://chia-cundinamarca.gov.co/web/wp-json/>; rel="https://api.w.org/", <https://chia-cundinamarca.gov.co/web/wp-json/wp/v2/posts/22400>; rel="alternate"; title="JSON"; type="application/json", <https://chia-cundinamarca.gov.co/web/?p=22400>; rel=shortlink
X-TEC-API-VERSION: v1
X-TEC-API-ROOT: https://chia-cundinamarca.gov.co/web/wp-json/tribe/events/v1/
X-TEC-API-ORIGIN: https://chia-cundinamarca.gov.co/web
Content-Encoding: gzip

INSTANCE

<https://chia-cundinamarca.gov.co/web/2023/12/28/datos-abiertos/>

Identification

OUTPUT

The scanner detected the lack of X-XSS-Protection header in the target application response.

HTTP Info

REQUEST MADE

GET https://chia-cundinamarca.gov.co/web/2023/12/28/datos-abiertos/

REQUEST HEADERS

Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: none
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 04:52:23 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Link: <https://chia-cundinamarca.gov.co/web/wp-json/>; rel="https://api.w.org/", <https://chia-cundinamarca.gov.co/web/wp-json/wp/v2/posts/585>; rel="alternate"; title="JSON"; type="application/json", <https://chia-cundinamarca.gov.co/web/?p=585>; rel=shortlink
X-TEC-API-VERSION: v1
X-TEC-API-ROOT: https://chia-cundinamarca.gov.co/web/wp-json/tribe/events/v1/
X-TEC-API-ORIGIN: https://chia-cundinamarca.gov.co/web
Content-Encoding: gzip

INSTANCE

<https://chia-cundinamarca.gov.co/images/>

Identification

OUTPUT

The scanner detected the lack of X-XSS-Protection header in the target application response.

HTTP Info

REQUEST MADE

GET https://chia-cundinamarca.gov.co/images/

REQUEST HEADERS

Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: none
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 01:41:55 GMT
Content-Type: text/html
Content-Length: 31
Connection: keep-alive
Last-Modified: Sun, 11 Dec 2016 21:51:10 GMT
Accept-Ranges: bytes

INSTANCE

<https://chia-cundinamarca.gov.co/web/2024/05/10/tramite-para-solicitar-certificados-de-residencia-en-el-territorio-de-chia-y-personerias-juridicas/>

Identification

OUTPUT

The scanner detected the lack of X-XSS-Protection header in the target application response.

HTTP Info

REQUEST MADE

GET https://chia-cundinamarca.gov.co/web/2024/05/10/tramite-para-solicitar-certificados-de-residencia-en-el-territorio-de-chia-y-personerias-juridicas/

REQUEST HEADERS

Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: none
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0

Sec-Ch-Ua-Platform: "Linux"
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 05:04:12 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Link: <https://chia-cundinamarca.gov.co/web/wp-json/>; rel="https://api.w.org/", <https://chia-cundinamarca.gov.co/web/wp-json/wp/v2/posts/7526>; rel="alternate"; title="JSON"; type="application/json", <https://chia-cundinamarca.gov.co/web/?p=7526>; rel=shortlink
X-TEC-API-VERSION: v1
X-TEC-API-ROOT: https://chia-cundinamarca.gov.co/web/wp-json/tribe/events/v1/
X-TEC-API-ORIGIN: https://chia-cundinamarca.gov.co/web
Content-Encoding: gzip

INSTANCE

<https://chia-cundinamarca.gov.co/web/2024/12/18/chia-se-destaca-en-gestion-social-gracias-a-blanca-donoso/>

Identification

OUTPUT

The scanner detected the lack of X-XSS-Protection header in the target application response.

HTTP Info

REQUEST MADE

GET https://chia-cundinamarca.gov.co/web/2024/12/18/chia-se-destaca-en-gestion-social-gracias-a-blanca-donoso/

REQUEST HEADERS

Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: none
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 07:08:06 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Link: <https://chia-cundinamarca.gov.co/web/wp-json/>; rel="https://api.w.org/", <https://chia-cundinamarca.gov.co/web/wp-json/wp/v2/posts/22424>; rel="alternate"; title="JSON"; type="application/json", <https://chia-cundinamarca.gov.co/web/?p=22424>; rel=shortlink
X-TEC-API-VERSION: v1
X-TEC-API-ROOT: https://chia-cundinamarca.gov.co/web/wp-json/tribe/events/v1/
X-TEC-API-ORIGIN: https://chia-cundinamarca.gov.co/web
Content-Encoding: gzip

INSTANCE

<https://chia-cundinamarca.gov.co/web/directorio/>

Identification

OUTPUT

The scanner detected the lack of X-XSS-Protection header in the target application response.

HTTP Info

REQUEST MADE

GET https://chia-cundinamarca.gov.co/web/directorio/

REQUEST HEADERS

Referer: https://chia-cundinamarca.gov.co/web/
Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: same-origin
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 00:46:26 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Link: <https://chia-cundinamarca.gov.co/web/wp-json/>; rel="https://api.w.org/", <https://chia-cundinamarca.gov.co/web/wp-json/wp/v2/pages/566>; rel="alternate"; title="JSON"; type="application/json", <https://chia-cundinamarca.gov.co/web/?p=566>; rel=shortlink
X-TEC-API-VERSION: v1
X-TEC-API-ROOT: https://chia-cundinamarca.gov.co/web/wp-json/tribe/events/v1/
X-TEC-API-ORIGIN: https://chia-cundinamarca.gov.co/web
Content-Encoding: gzip

INSTANCE

<https://chia-cundinamarca.gov.co/web/2023/12/29/control-interno-disciplinario/>

Identification

OUTPUT

The scanner detected the lack of X-XSS-Protection header in the target application response.

HTTP Info

REQUEST MADE

GET https://chia-cundinamarca.gov.co/web/2023/12/29/control-interno-disciplinario/

REQUEST HEADERS

Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: none
Sec-Fetch-User: ?1

Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 05:37:32 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Link: <https://chia-cundinamarca.gov.co/web/wp-json/>; rel="https://api.w.org/", <https://chia-cundinamarca.gov.co/web/wp-json/wp/v2/posts/616>; rel="alternate"; title="JSON"; type="application/json", <https://chia-cundinamarca.gov.co/web/?p=616>; rel=shortlink
X-TEC-API-VERSION: v1
X-TEC-API-ROOT: https://chia-cundinamarca.gov.co/web/wp-json/tribe/events/v1/
X-TEC-API-ORIGIN: https://chia-cundinamarca.gov.co/web
Content-Encoding: gzip

INSTANCE

<https://chia-cundinamarca.gov.co/web/2023/12/29/informacion-de-la-entidad/>

Identification

OUTPUT

The scanner detected the lack of X-XSS-Protection header in the target application response.

HTTP Info

REQUEST MADE

GET https://chia-cundinamarca.gov.co/web/2023/12/29/informacion-de-la-entidad/

REQUEST HEADERS

Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: none
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 03:11:24 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Link: <https://chia-cundinamarca.gov.co/web/wp-json/>; rel="https://api.w.org/", <https://chia-cundinamarca.gov.co/web/wp-json/wp/v2/posts/632>; rel="alternate"; title="JSON"; type="application/json", <https://chia-cundinamarca.gov.co/web/?p=632>; rel=shortlink
X-TEC-API-VERSION: v1
X-TEC-API-ROOT: https://chia-cundinamarca.gov.co/web/wp-json/tribe/events/v1/
X-TEC-API-ORIGIN: https://chia-cundinamarca.gov.co/web

Content-Encoding: gzip

INSTANCE

<https://chia-cundinamarca.gov.co/web/2023/12/29/secretarias/>

Identification

OUTPUT

The scanner detected the lack of X-XSS-Protection header in the target application response.

HTTP Info

REQUEST MADE

GET https://chia-cundinamarca.gov.co/web/2023/12/29/secretarias/

REQUEST HEADERS

Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: none
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 03:25:45 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Link: <https://chia-cundinamarca.gov.co/web/wp-json/>; rel="https://api.w.org/", <https://chia-cundinamarca.gov.co/web/wp-json/wp/v2/posts/653>; rel="alternate"; title="JSON"; type="application/json", <https://chia-cundinamarca.gov.co/web/?p=653>; rel=shortlink
X-TEC-API-VERSION: v1
X-TEC-API-ROOT: https://chia-cundinamarca.gov.co/web/wp-json/tribe/events/v1/
X-TEC-API-ORIGIN: https://chia-cundinamarca.gov.co/web
Content-Encoding: gzip

INSTANCE

<https://chia-cundinamarca.gov.co/web/transparencia-y-acceso-a-la-informacion-publica/>

Identification

OUTPUT

The scanner detected the lack of X-XSS-Protection header in the target application response.

HTTP Info

REQUEST MADE

GET https://chia-cundinamarca.gov.co/web/transparencia-y-acceso-a-la-informacion-publica/

REQUEST HEADERS

Referer: https://chia-cundinamarca.gov.co/web/
Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: same-origin
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 00:38:08 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Link: <https://chia-cundinamarca.gov.co/web/wp-json/>; rel="https://api.w.org/", <https://chia-cundinamarca.gov.co/web/wp-json/wp/v2/pages/21>; rel="alternate"; title="JSON"; type="application/json", <https://chia-cundinamarca.gov.co/web/?p=21>; rel=shortlink
X-TEC-API-VERSION: v1
X-TEC-API-ROOT: https://chia-cundinamarca.gov.co/web/wp-json/tribe/events/v1/
X-TEC-API-ORIGIN: https://chia-cundinamarca.gov.co/web
Content-Encoding: gzip

INSTANCE

<https://chia-cundinamarca.gov.co/index.php/tramites-y-servicios/sisben>

Identification

OUTPUT

The scanner detected the lack of X-XSS-Protection header in the target application response.

HTTP Info

REQUEST MADE

GET /index.php/tramites-y-servicios/sisben HTTP/1.1

REQUEST HEADERS

Host: chia-cundinamarca.gov.co
Accept-Encoding: gzip, deflate, br
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Accept: */*
Accept-Language: en-US,en;q=0.5
Cookie: googtrans=/es/it; cpsession=%3aHqQl26kRGUsy2BtJ%2c4b043945560fda9514b19964b4b5be42; timezone=Etc/UTC

RESPONSE HEADERS

HTTP/1.1 503 Service Temporarily Unavailable
Server: nginx
Date: Thu, 19 Dec 2024 04:01:41 GMT
Content-Type: text/html; charset=utf-8
Transfer-Encoding: chunked
Connection: keep-alive
X-Logged-In: False
X-Content-Powered-By: K2 v2.8.0 (by JoomlaWorks)
P3P: CP="NOI ADM DEV PSAi COM NAV OUR OTR STP IND DEM"
Expires: Wed, 17 Aug 2005 00:00:00 GMT
Cache-Control: no-store, no-cache, must-revalidate, post-check=0, pre-check=0
Pragma: no-cache
Set-Cookie: 8b58dc30ff9e4328565181726d3386f8=a5b853b5f45bde4860b15e2765387503; path=/; HttpOnly

Last-Modified: Thu, 19 Dec 2024 04:01:41 GMT

INSTANCE

<https://chia-cundinamarca.gov.co/web/2024/09/16/conozca-los-canales-de-atencion-de-las-empresas-prestadoras-de-servicios-publicos/>

Identification

OUTPUT

The scanner detected the lack of X-XSS-Protection header in the target application response.

HTTP Info

REQUEST MADE

GET https://chia-cundinamarca.gov.co/web/2024/09/16/conozca-los-canales-de-atencion-de-las-empresas-prestadoras-de-servicios-publicos/

REQUEST HEADERS

Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: none
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 05:51:53 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Link: <https://chia-cundinamarca.gov.co/web/wp-json/>; rel="https://api.w.org/", <https://chia-cundinamarca.gov.co/web/wp-json/wp/v2/posts/19440>; rel="alternate"; title="JSON"; type="application/json", <https://chia-cundinamarca.gov.co/web/?p=19440>; rel=shortlink
X-TEC-API-VERSION: v1
X-TEC-API-ROOT: https://chia-cundinamarca.gov.co/web/wp-json/tribe/events/v1/
X-TEC-API-ORIGIN: https://chia-cundinamarca.gov.co/web
Content-Encoding: gzip

INSTANCE

<https://chia-cundinamarca.gov.co/web/tramites-y-servicios/>

Identification

OUTPUT

The scanner detected the lack of X-XSS-Protection header in the target application response.

HTTP Info

REQUEST MADE

GET https://chia-cundinamarca.gov.co/web/tramites-y-servicios/

REQUEST HEADERS

Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: none
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 03:50:28 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Link: <https://chia-cundinamarca.gov.co/web/wp-json/>; rel="https://api.w.org/", <https://chia-cundinamarca.gov.co/web/wp-json/wp/v2/pages/63>; rel="alternate"; title="JSON"; type="application/json", <https://chia-cundinamarca.gov.co/web/?p=63>; rel=shortlink
X-TEC-API-VERSION: v1
X-TEC-API-ROOT: https://chia-cundinamarca.gov.co/web/wp-json/tribe/events/v1/
X-TEC-API-ORIGIN: https://chia-cundinamarca.gov.co/web
Content-Encoding: gzip

INSTANCE

<https://chia-cundinamarca.gov.co/web/2024/10/24/comienza-el-censo-a-bares-y-establecimientos-nocturnos/>

Identification

OUTPUT

The scanner detected the lack of X-XSS-Protection header in the target application response.

HTTP Info

REQUEST MADE

GET https://chia-cundinamarca.gov.co/web/2024/10/24/comienza-el-censo-a-bares-y-establecimientos-nocturnos/

REQUEST HEADERS

Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: none
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 06:43:09 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Link: <https://chia-cundinamarca.gov.co/web/wp-json/>; rel="https://api.w.org/", <https://chia-cundinamarca.gov.co/web/wp-json/wp/v2/posts/20823>; rel="alternate"; title="JSON"; type="application/json", <https://chia-cundinamarca.gov.co

/web/?p=20823>; rel=shortlink
X-TEC-API-VERSION: v1
X-TEC-API-ROOT: https://chia-cundinamarca.gov.co/web/wp-json/tribe/events/v1/
X-TEC-API-ORIGIN: https://chia-cundinamarca.gov.co/web
Content-Encoding: gzip

INSTANCE

<https://chia-cundinamarca.gov.co/web/2023/12/30/7-1-4-programa-de-gestion-documental/>

Identification

OUTPUT

The scanner detected the lack of X-XSS-Protection header in the target application response.

HTTP Info

REQUEST MADE

GET https://chia-cundinamarca.gov.co/web/2023/12/30/7-1-4-programa-de-gestion-documental/

REQUEST HEADERS

Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: none
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 05:16:57 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Link: <https://chia-cundinamarca.gov.co/web/wp-json/>; rel="https://api.w.org/", <https://chia-cundinamarca.gov.co/web/wp-json/wp/v2/posts/805>; rel="alternate"; title="JSON"; type="application/json", <https://chia-cundinamarca.gov.co/web/?p=805>; rel=shortlink
X-TEC-API-VERSION: v1
X-TEC-API-ROOT: https://chia-cundinamarca.gov.co/web/wp-json/tribe/events/v1/
X-TEC-API-ORIGIN: https://chia-cundinamarca.gov.co/web
Content-Encoding: gzip

SSL/TLS Versions Supported

VULNERABILITY **INFO** PLUGIN ID 112530

Description

This plugin displays information about the SSL/TLS versions supported by remote server for HTTPS connection.

Solution

-

See Also

<https://www.iana.org/assignments/tls-parameters/tls-parameters.xhtml>

Plugin Details

| | |
|-------------------|---------------------------|
| PUBLICATION DATE | 2018-10-03T00:00:00+00:00 |
| MODIFICATION DATE | 2020-10-02T00:00:00+00:00 |
| FAMILY | SSL/TLS |
| SEVERITY | Info |
| PLUGIN ID | 112530 |

Risk Information

| | |
|-------------------|---|
| CVSSV4 BASE SCORE | - |
| CVSSV4 VECTOR | - |
| CVSSV3 BASE SCORE | - |
| CVSSV3 VECTOR | - |
| CVSS BASE SCORE | - |
| CVSS VECTOR | - |

Reference Information

| | |
|-------|---|
| CWE | - |
| WASC | - |
| OWASP | - |
| CVE | - |
| BID | - |

SSL/TLS Versions Supported Instances (1)

VULNERABILITY

INFO

PLUGIN ID 112530

INSTANCE

<https://chia-cundinamarca.gov.co/>

Identification

OUTPUT

Protocol Supported

```
-----  
SSL 2.0 No  
SSL 3.0 No  
TLS 1.0 No  
TLS 1.1 No  
TLS 1.2 Yes  
TLS 1.3 Yes
```

Full Path Disclosure

VULNERABILITY

INFO

PLUGIN ID 112550

Description

The remote web server contains an application which is affected by a path disclosure issue. It may be possible for an attacker to view full path names and conduct further attacks.

Solution

Disable all notice, warning and error displaying.

See Also

https://www.owasp.org/index.php/Full_Path_Disclosure

Plugin Details

| | |
|-------------------|---------------------------|
| PUBLICATION DATE | 2018-12-13T00:00:00+00:00 |
| MODIFICATION DATE | 2024-10-03T00:00:00+00:00 |
| FAMILY | Data Exposure |
| SEVERITY | Info |
| PLUGIN ID | 112550 |

Risk Information

| | |
|-------------------|---|
| CVSSV4 BASE SCORE | - |
| CVSSV4 VECTOR | - |
| CVSSV3 BASE SCORE | - |
| CVSSV3 VECTOR | - |
| CVSS BASE SCORE | - |
| CVSS VECTOR | - |

Reference Information

| | |
|-------|---|
| CWE | - |
| WASC | - |
| OWASP | - |
| CVE | - |
| BID | - |

Full Path Disclosure Instances (1)

VULNERABILITY **INFO** PLUGIN ID 112550

INSTANCE

<https://chia-cundinamarca.gov.co/web/>

Identification

PROOF

The following patterns were detected in the HTTP response body :

- C:\Windows\win

OUTPUT

The scanner detected the disclosure of full paths in the web application response.

HTTP Info

REQUEST MADE

GET /web/?s=type%20C%3A%5CWindows%5Cwin.ini&clear-with-button=nessus_was_text2bw592d0 HTTP/1.1

REQUEST HEADERS

Host: chia-cundinamarca.gov.co
Accept-Encoding: gzip, deflate, br
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 00:23:53 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Link: <https://chia-cundinamarca.gov.co/web/wp-json/>; rel="https://api.w.org/"
X-TEC-API-VERSION: v1
X-TEC-API-ROOT: https://chia-cundinamarca.gov.co/web/wp-json/tribe/events/v1/
X-TEC-API-ORIGIN: https://chia-cundinamarca.gov.co/web
Content-Encoding: gzip

SSL/TLS Server Cipher Suite Preference

VULNERABILITY

INFO

PLUGIN ID 112598

Description

The remote server is configured with a SSL/TLS cipher suite preference list used to determine the cipher suite during the negotiation with the client.

Solution

-

See Also

<http://www.exploresecurity.com/testing-for-cipher-suite-preference/>

https://wiki.mozilla.org/Security/Server_Side_TLS

Plugin Details

| | |
|-------------------|---------------------------|
| PUBLICATION DATE | 2020-09-24T00:00:00+00:00 |
| MODIFICATION DATE | 2020-09-24T00:00:00+00:00 |
| FAMILY | SSL/TLS |
| SEVERITY | Info |
| PLUGIN ID | 112598 |

Risk Information

| | |
|-------------------|---|
| CVSSV4 BASE SCORE | - |
| CVSSV4 VECTOR | - |
| CVSSV3 BASE SCORE | - |
| CVSSV3 VECTOR | - |
| CVSS BASE SCORE | - |
| CVSS VECTOR | - |

Reference Information

| | |
|-------|---|
| CWE | - |
| WASC | - |
| OWASP | - |
| CVE | - |
| BID | - |

SSL/TLS Server Cipher Suite Preference Instances (1)

VULNERABILITY

INFO

PLUGIN ID 112598

INSTANCE

<https://chia-cundinamarca.gov.co/>

Identification

OUTPUT

The scanner detected that the remote host is configured with cipher suite preference on the following protocol(s):

TLS v1.3

TLS_AES_256_GCM_SHA384

TLS_CHACHA20_POLY1305_SHA256

TLS_AES_128_GCM_SHA256

TLS v1.2

TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256

TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384

TLS_DHE_RSA_WITH_AES_128_GCM_SHA256

TLS_DHE_RSA_WITH_AES_256_GCM_SHA384

Allowed HTTP Versions

VULNERABILITY **INFO** PLUGIN ID 112613

Description

The Hypertext Transfer Protocol (HTTP) is the underlying protocol of the World Wide Web. Since its first release, HTTP has evolved to support modern web usages and currently exists in three versions:

- HTTP/1.0
- HTTP/1.1
- HTTP/2

The scanner identified the supported versions of the HTTP protocol on the target web application.

Solution

-

See Also

https://developer.mozilla.org/en-US/docs/Web/HTTP/Basics_of_HTTP/Evolution_of_HTTP

Plugin Details

| | |
|-------------------|---------------------------|
| PUBLICATION DATE | 2020-10-13T00:00:00+00:00 |
| MODIFICATION DATE | 2023-01-17T00:00:00+00:00 |
| FAMILY | Web Applications |
| SEVERITY | Info |
| PLUGIN ID | 112613 |

Risk Information

| | |
|-------------------|---|
| CVSSV4 BASE SCORE | - |
| CVSSV4 VECTOR | - |
| CVSSV3 BASE SCORE | - |
| CVSSV3 VECTOR | - |
| CVSS BASE SCORE | - |
| CVSS VECTOR | - |

Reference Information

| | |
|-------|---|
| CWE | - |
| WASC | - |
| OWASP | - |
| CVE | - |
| BID | - |

Allowed HTTP Versions Instances (1)

VULNERABILITY **INFO** PLUGIN ID 112613

INSTANCE

<https://chia-cundinamarca.gov.co/>

Identification

OUTPUT

The scanner detected the following HTTP versions on the target application :

- HTTP/1.1

The list of requests and responses observed is provided in attachment.

API Detected

VULNERABILITY **INFO** PLUGIN ID 112616

Description

The scan detected that some XHR requests seem to call an API. The scanner generated an OpenAPI file based on the observed requests and attached it to the plugin output. This OpenAPI file can then be used to run a scan against the API with WAS API Scanning.

Solution

-

See Also

Plugin Details

| | |
|-------------------|---------------------------|
| PUBLICATION DATE | 2020-10-21T00:00:00+00:00 |
| MODIFICATION DATE | 2020-10-21T00:00:00+00:00 |
| FAMILY | General |
| SEVERITY | Info |
| PLUGIN ID | 112616 |

Risk Information

| | |
|-------------------|---|
| CVSSV4 BASE SCORE | - |
| CVSSV4 VECTOR | - |
| CVSSV3 BASE SCORE | - |
| CVSSV3 VECTOR | - |
| CVSS BASE SCORE | - |
| CVSS VECTOR | - |

Reference Information

| | |
|-------|---|
| CWE | - |
| WASC | - |
| OWASP | - |
| CVE | - |
| BID | - |

API Detected Instances (1)

VULNERABILITY **INFO** PLUGIN ID 112616

INSTANCE

<https://chia-cundinamarca.gov.co/>

Identification

OUTPUT

API endpoints have been detected for the following host(s):

- <https://googleads.g.doubleclick.net>
- <https://jnn-pa.googleapis.com>
- <https://play.google.com>
- <https://www.youtube.com>
- <https://chia-cundinamarca.gov.co>
- <https://translate-pa.googleapis.com>
- <https://cdn.syndication.twimg.com>
- <https://video.twimg.com>
- <https://maps.googleapis.com>
- <https://docs.google.com>
- <https://content.googleapis.com>
- <https://translate.googleapis.com>
- <https://syndication.twitter.com>
- <https://www.google-analytics.com>
- <https://apis.google.com>
- <https://www.google.com>

Security.txt File Not Detected

VULNERABILITY **INFO** PLUGIN ID 112723

Description

A Security.txt file has not been detected on the target.

When security risks in web services are discovered by independent security researchers, this file defines the channels to disclose them properly & enables 3rd party researchers to disclose issues securely in a manner defined by the organization.

Organizations should consider creating a security.txt file containing contact and other information in the defined format and place it under the .well-known directory of the server.

Solution

-

See Also

<https://securitytxt.org/>

<https://tools.ietf.org/html/draft-foudil-securitytxt-11>

Plugin Details

| | |
|-------------------|---------------------------|
| PUBLICATION DATE | 2021-03-17T00:00:00+00:00 |
| MODIFICATION DATE | 2021-03-17T00:00:00+00:00 |
| FAMILY | Web Servers |
| SEVERITY | Info |
| PLUGIN ID | 112723 |

Risk Information

| | |
|-------------------|---|
| CVSSV4 BASE SCORE | - |
| CVSSV4 VECTOR | - |
| CVSSV3 BASE SCORE | - |
| CVSSV3 VECTOR | - |
| CVSS BASE SCORE | - |
| CVSS VECTOR | - |

Reference Information

| | |
|-------|---|
| CWE | - |
| WASC | - |
| OWASP | - |
| CVE | - |
| BID | - |

Security.txt File Not Detected Instances (1)

VULNERABILITY **INFO** PLUGIN ID 112723

INSTANCE

<https://chia-cundinamarca.gov.co/.well-known/security.txt>

Identification

OUTPUT

No or a malformed security.txt was found at 'https://chia-cundinamarca.gov.co/.well-known/security.txt'.

HTTP Info

REQUEST MADE

GET /.well-known/security.txt HTTP/1.1

REQUEST HEADERS

Host: chia-cundinamarca.gov.co
Accept-Encoding: gzip, deflate, br
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 303 See other
Server: nginx
Date: Thu, 19 Dec 2024 00:11:47 GMT
Content-Type: text/html; charset=utf-8
Content-Length: 0
Connection: keep-alive
Set-Cookie: 8b58dc30ff9e4328565181726d3386f8=0b4c34e51b723fb20fc3aa9269860871; path=/; HttpOnly
Location: https://chia-cundinamarca.gov.co/index.php

Out-of-Date JQuery Detected

VULNERABILITY **INFO** PLUGIN ID 113027

Description

An out-of-date version of JQuery has been detected. An outdated version could have vulnerabilities or missing security features.

Solution

Upgrade to the latest version of JQuery.

See Also

<https://blog.jquery.com/>

<https://github.com/jquery/jquery/tags>

<https://jquery.com/>

Plugin Details

| | |
|-------------------|---------------------------|
| PUBLICATION DATE | 2021-10-25T00:00:00+00:00 |
| MODIFICATION DATE | 2024-01-11T00:00:00+00:00 |
| FAMILY | Component Vulnerability |
| SEVERITY | Info |
| PLUGIN ID | 113027 |

Risk Information

| | |
|-------------------|---|
| CVSSV4 BASE SCORE | - |
| CVSSV4 VECTOR | - |
| CVSSV3 BASE SCORE | - |
| CVSSV3 VECTOR | - |
| CVSS BASE SCORE | - |
| CVSS VECTOR | - |

Reference Information

| | |
|-------|---|
| CWE | - |
| WASC | - |
| OWASP | - |
| CVE | - |
| BID | - |

Out-of-Date JQuery Detected Instances (1)

VULNERABILITY

INFO

PLUGIN ID 113027

INSTANCE

<https://chia-cundinamarca.gov.co/index.php/tramites-y-servicios/sisben>

Identification

OUTPUT

Technology jquery has been detected with version 1.12.4. Latest version available is : 3.7.1

Out-of-Date JQuery UI Detected

VULNERABILITY

INFO

PLUGIN ID 113031

Description

An out-of-date version of JQuery UI has been detected. An outdated version could have vulnerabilities or missing security features.

Solution

Upgrade to the latest version of JQuery UI.

See Also

<https://github.com/jquery/jquery-ui/tags>

<https://jqueryui.com/>

<https://jqueryui.com/changelog/>

Plugin Details

| | |
|-------------------|---------------------------|
| PUBLICATION DATE | 2021-10-27T00:00:00+00:00 |
| MODIFICATION DATE | 2024-08-06T00:00:00+00:00 |
| FAMILY | Component Vulnerability |
| SEVERITY | Info |
| PLUGIN ID | 113031 |

Risk Information

| | |
|-------------------|---|
| CVSSV4 BASE SCORE | - |
| CVSSV4 VECTOR | - |
| CVSSV3 BASE SCORE | - |
| CVSSV3 VECTOR | - |
| CVSS BASE SCORE | - |
| CVSS VECTOR | - |

Reference Information

| | |
|-------|---|
| CWE | - |
| WASC | - |
| OWASP | - |
| CVE | - |
| BID | - |

Out-of-Date JQuery UI Detected Instances (1)

VULNERABILITY

INFO

PLUGIN ID 113031

INSTANCE

<https://chia-cundinamarca.gov.co/>

Identification

OUTPUT

Technology jquery UI has been detected with version 1.13.3. Latest version available is : 1.14.0

Out-of-Date MediaElement.Js Detected

VULNERABILITY **INFO** PLUGIN ID 113034

Description

An out-of-date version of MediaElement.Js has been detected. An outdated version could have vulnerabilities or missing security features.

Solution

Upgrade to the latest version of MediaElement.Js.

See Also

<https://github.com/mediaelement/mediaelement/tags>

<https://www.mediaelementjs.com/>

Plugin Details

| | |
|-------------------|---------------------------|
| PUBLICATION DATE | 2021-10-27T00:00:00+00:00 |
| MODIFICATION DATE | 2024-08-06T00:00:00+00:00 |
| FAMILY | Component Vulnerability |
| SEVERITY | Info |
| PLUGIN ID | 113034 |

Risk Information

| | |
|-------------------|---|
| CVSSV4 BASE SCORE | - |
| CVSSV4 VECTOR | - |
| CVSSV3 BASE SCORE | - |
| CVSSV3 VECTOR | - |
| CVSS BASE SCORE | - |
| CVSS VECTOR | - |

Reference Information

| | |
|-------|---|
| CWE | - |
| WASC | - |
| OWASP | - |
| CVE | - |
| BID | - |

Out-of-Date MediaElement.Js Detected Instances (1)

VULNERABILITY

INFO

PLUGIN ID 113034

INSTANCE

<https://chia-cundinamarca.gov.co/index.php/tramites-y-servicios/sisben>

Identification

OUTPUT

Technology MediaElement.Js has been detected with version 2.17.0. Latest version available is : 7.0.5

Performance Telemetry

VULNERABILITY INFO PLUGIN ID 113393

Description

This finding provides information to assist in scan performance tuning.

Solution

-

See Also

Plugin Details

| | |
|-------------------|---------------------------|
| PUBLICATION DATE | 2022-10-17T00:00:00+00:00 |
| MODIFICATION DATE | 2024-10-03T00:00:00+00:00 |
| FAMILY | General |
| SEVERITY | Info |
| PLUGIN ID | 113393 |

Risk Information

| | |
|-------------------|---|
| CVSSV4 BASE SCORE | - |
| CVSSV4 VECTOR | - |
| CVSSV3 BASE SCORE | - |
| CVSSV3 VECTOR | - |
| CVSS BASE SCORE | - |
| CVSS VECTOR | - |

Reference Information

| | |
|-------|---|
| CWE | - |
| WASC | - |
| OWASP | - |
| CVE | - |
| BID | - |

Performance Telemetry Instances (1)

VULNERABILITY

INFO

PLUGIN ID 113393

INSTANCE

<https://chia-cundinamarca.gov.co/>

Identification

OUTPUT

Three attachments are included in this finding to assist in performance tuning of your scan:

- pages_telemetry.csv: Scan statistics organized by page
 - plugins_telemetry.csv: Scan statistics organized by plugin
 - time_telemetry.csv: Chronological scan statistics
-

WordPress Plugins Detected

VULNERABILITY **INFO** PLUGIN ID 113452

Description

This is an informational notice that the scanner was able to detect one or more installed WordPress plugins.

Solution

-

See Also

Plugin Details

| | |
|-------------------|---------------------------|
| PUBLICATION DATE | 2022-12-21T00:00:00+00:00 |
| MODIFICATION DATE | 2024-05-21T00:00:00+00:00 |
| FAMILY | Web Applications |
| SEVERITY | Info |
| PLUGIN ID | 113452 |

Risk Information

| | |
|-------------------|---|
| CVSSV4 BASE SCORE | - |
| CVSSV4 VECTOR | - |
| CVSSV3 BASE SCORE | - |
| CVSSV3 VECTOR | - |
| CVSS BASE SCORE | - |
| CVSS VECTOR | - |

Reference Information

| | |
|-------|---|
| CWE | - |
| WASC | - |
| OWASP | - |
| CVE | - |
| BID | - |

WordPress Plugins Detected Instances (1)

VULNERABILITY

INFO

PLUGIN ID 113452

INSTANCE

<https://chia-cundinamarca.gov.co/web/>

Identification

OUTPUT

The scanner was able to detect the presence of the following plugins :

- custom-fonts v2.1.6
- templately v3.0.4
- pojo-accessibility v2.1.0
- embedpress v4.0.3
- event-tickets v5.9.0
- backup-backup v1.4.5
- interactive-3d-flipbook-powered-physics-engine v1.16.7
- pdf-viewer-for-elementor v2.9.3
- ays-popup-box v4.9.3

WordPress Current Theme Detected

VULNERABILITY **INFO** PLUGIN ID 113455

Description

This is an informational notice that the scanner was able to detect the current WordPress installed theme.

Solution

-

See Also

Plugin Details

| | |
|-------------------|---------------------------|
| PUBLICATION DATE | 2022-12-21T00:00:00+00:00 |
| MODIFICATION DATE | 2022-12-21T00:00:00+00:00 |
| FAMILY | Web Applications |
| SEVERITY | Info |
| PLUGIN ID | 113455 |

Risk Information

| | |
|-------------------|---|
| CVSSV4 BASE SCORE | - |
| CVSSV4 VECTOR | - |
| CVSSV3 BASE SCORE | - |
| CVSSV3 VECTOR | - |
| CVSS BASE SCORE | - |
| CVSS VECTOR | - |

Reference Information

| | |
|-------|---|
| CWE | - |
| WASC | - |
| OWASP | - |
| CVE | - |
| BID | - |

WordPress Current Theme Detected Instances (1)

VULNERABILITY **INFO** PLUGIN ID 113455

INSTANCE

<https://chia-cundinamarca.gov.co/web/>

Identification

OUTPUT

The scanner detected a WordPress instance using the theme 'hello' in version '2.9.0'.

HTTP Info

REQUEST MADE

GET /web/ HTTP/1.1

REQUEST HEADERS

Host: chia-cundinamarca.gov.co
Accept-Encoding: gzip, deflate, br
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Accept: */*
Accept-Language: en-US,en;q=0.5
Cookie: googtrans=/es/it

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 01:00:24 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Link: <https://chia-cundinamarca.gov.co/web/wp-json/>; rel="https://api.w.org/", <https://chia-cundinamarca.gov.co/web/wp-json/wp/v2/pages/1107>; rel="alternate"; title="JSON"; type="application/json", <https://chia-cundinamarca.gov.co/web/>; rel=shortlink
X-TEC-API-VERSION: v1
X-TEC-API-ROOT: https://chia-cundinamarca.gov.co/web/wp-json/tribe/events/v1/
X-TEC-API-ORIGIN: https://chia-cundinamarca.gov.co/web
Content-Encoding: gzip

PostMessage Wildcard Event Listener Detected

VULNERABILITY

INFO

PLUGIN ID 113851

Description

Web applications relying on JavaScript often need to perform cross-origin communication between `Window` objects such as a page and an embedded iframe or a popup window. The postMessage API allows developers to circumvent the same-origin policy restrictions in order to exchange data between scripts located on different origins.

Depending on the application needs, messages event listeners could be added to use received messages in part of its logic. However, if the data received in these messages are used, for example, to build the page DOM, an attacker could leverage this issue to inject malicious data and conduct client-side attacks like Cross-Site Scripting (XSS) or Prototype Pollution.

Solution

Remove the message event listener if this is not needed in the application logic or verify that the message sender origin is matching with a trusted allowlist.

See Also

<https://blog.yeswehack.com/yeswerhackers/introduction-postmessage-vulnerabilities/>

<https://developer.mozilla.org/en-US/docs/Web/API/Window/postMessage>

Plugin Details

| | |
|-------------------|---------------------------|
| PUBLICATION DATE | 2023-05-05T00:00:00+00:00 |
| MODIFICATION DATE | 2023-05-05T00:00:00+00:00 |
| FAMILY | Web Applications |
| SEVERITY | Info |
| PLUGIN ID | 113851 |

Risk Information

| | |
|-------------------|---|
| CVSSV4 BASE SCORE | - |
| CVSSV4 VECTOR | - |
| CVSSV3 BASE SCORE | - |
| CVSSV3 VECTOR | - |
| CVSS BASE SCORE | - |
| CVSS VECTOR | - |

Reference Information

| | |
|-------|---|
| CWE | - |
| WASC | - |
| OWASP | - |
| CVE | - |
| BID | - |

PostMessage Wildcard Event Listener Detected Instances (1)

VULNERABILITY **INFO** PLUGIN ID 113851

INSTANCE

<https://chia-cundinamarca.gov.co/web/>

Identification

OUTPUT

The scanner detected the presence of listeners which does not check for the message origin. The code of the JavaScript function used by the listener is available in attachment.

HTTP Info

REQUEST MADE

GET <https://chia-cundinamarca.gov.co/web/>

REQUEST HEADERS

Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: none
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 00:15:28 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Link: <<https://chia-cundinamarca.gov.co/web/wp-json/>>; rel="https://api.w.org/", <<https://chia-cundinamarca.gov.co/web/wp-json/wp/v2/pages/1107>>; rel="alternate"; title="JSON"; type="application/json", <<https://chia-cundinamarca.gov.co/web/>>; rel=shortlink
X-TEC-API-VERSION: v1
X-TEC-API-ROOT: <https://chia-cundinamarca.gov.co/web/wp-json/tribe/events/v1/>
X-TEC-API-ORIGIN: <https://chia-cundinamarca.gov.co/web/>
Content-Encoding: gzip

HTML Comments Detected

VULNERABILITY **INFO** PLUGIN ID 113897

Description

HTML comments are often used by developers to include information related to the application inline, which are ignored by a client's browser during rendering. These comments may include sensitive information such as SQL queries, credentials or internal IP for example.

Solution

Review the HTML comments identified on the page for any information leakage, and remove any sensitive information identified.

See Also

https://owasp.org/www-project-web-security-testing-guide/v42/4-Web_Application_Security_Testing/01-Information_Gathering/05-Review_Webpage_Content_for_Information_Leakage

Plugin Details

| | |
|-------------------|---------------------------|
| PUBLICATION DATE | 2023-06-09T00:00:00+00:00 |
| MODIFICATION DATE | 2024-11-08T00:00:00+00:00 |
| FAMILY | Data Exposure |
| SEVERITY | Info |
| PLUGIN ID | 113897 |

Risk Information

| | |
|-------------------|---|
| CVSSV4 BASE SCORE | - |
| CVSSV4 VECTOR | - |
| CVSSV3 BASE SCORE | - |
| CVSSV3 VECTOR | - |
| CVSS BASE SCORE | - |
| CVSS VECTOR | - |

Reference Information

| | |
|-------|---|
| CWE | - |
| WASC | - |
| OWASP | - |
| CVE | - |
| BID | - |

HTML Comments Detected Instances (21)

VULNERABILITY **INFO** PLUGIN ID 113897

INSTANCE

<https://chia-cundinamarca.gov.co/web/2024/02/26/impuesto-predial-unificado/>

Identification

OUTPUT

2 HTML comments have been detected in the application HTTP response. Please see the attachment for further details.

HTTP Info

REQUEST MADE

GET https://chia-cundinamarca.gov.co/web/2024/02/26/impuesto-predial-unificado/

REQUEST HEADERS

Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: none
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 06:17:33 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Link: <https://chia-cundinamarca.gov.co/web/wp-json/>; rel="https://api.w.org/", <https://chia-cundinamarca.gov.co/web/wp-json/wp/v2/posts/4113>; rel="alternate"; title="JSON"; type="application/json", <https://chia-cundinamarca.gov.co/web/?p=4113>; rel=shortlink
X-TEC-API-VERSION: v1
X-TEC-API-ROOT: https://chia-cundinamarca.gov.co/web/wp-json/tribe/events/v1/
X-TEC-API-ORIGIN: https://chia-cundinamarca.gov.co/web
Content-Encoding: gzip

INSTANCE

<https://chia-cundinamarca.gov.co/web/2023/12/30/7-1-4-programa-de-gestion-documental/>

Identification

OUTPUT

2 HTML comments have been detected in the application HTTP response. Please see the attachment for further details.

HTTP Info

REQUEST MADE

GET https://chia-cundinamarca.gov.co/web/2023/12/30/7-1-4-programa-de-gestion-documental/

REQUEST HEADERS

Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: none
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 05:16:57 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Link: <https://chia-cundinamarca.gov.co/web/wp-json/>; rel="https://api.w.org/", <https://chia-cundinamarca.gov.co/web/wp-json/wp/v2/posts/805>; rel="alternate"; title="JSON"; type="application/json", <https://chia-cundinamarca.gov.co/web/?p=805>; rel=shortlink
X-TEC-API-VERSION: v1
X-TEC-API-ROOT: https://chia-cundinamarca.gov.co/web/wp-json/tribe/events/v1/
X-TEC-API-ORIGIN: https://chia-cundinamarca.gov.co/web
Content-Encoding: gzip

INSTANCE

<https://chia-cundinamarca.gov.co/web/2024/05/10/tramite-para-solicitar-certificados-de-residencia-en-el-territorio-de-chia-y-personerias-juridicas/>

Identification

OUTPUT

2 HTML comments have been detected in the application HTTP response. Please see the attachment for further details.

HTTP Info

REQUEST MADE

GET https://chia-cundinamarca.gov.co/web/2024/05/10/tramite-para-solicitar-certificados-de-residencia-en-el-territorio-de-chia-y-personerias-juridicas/

REQUEST HEADERS

Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: none
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 05:04:12 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Connection: keep-alive

Vary: Accept-Encoding
Link: <https://chia-cundinamarca.gov.co/web/wp-json/>; rel="https://api.w.org/", <https://chia-cundinamarca.gov.co/web/wp-json/wp/v2/posts/7526>; rel="alternate"; title="JSON"; type="application/json", <https://chia-cundinamarca.gov.co/web/?p=7526>; rel=shortlink
X-TEC-API-VERSION: v1
X-TEC-API-ROOT: https://chia-cundinamarca.gov.co/web/wp-json/tribe/events/v1/
X-TEC-API-ORIGIN: https://chia-cundinamarca.gov.co/web
Content-Encoding: gzip

INSTANCE

<https://chia-cundinamarca.gov.co/web/2023/12/28/datos-abiertos/>

Identification

OUTPUT

2 HTML comments have been detected in the application HTTP response. Please see the attachment for further details.

HTTP Info

REQUEST MADE

GET https://chia-cundinamarca.gov.co/web/2023/12/28/datos-abiertos/

REQUEST HEADERS

Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: none
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 04:52:23 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Link: <https://chia-cundinamarca.gov.co/web/wp-json/>; rel="https://api.w.org/", <https://chia-cundinamarca.gov.co/web/wp-json/wp/v2/posts/585>; rel="alternate"; title="JSON"; type="application/json", <https://chia-cundinamarca.gov.co/web/?p=585>; rel=shortlink
X-TEC-API-VERSION: v1
X-TEC-API-ROOT: https://chia-cundinamarca.gov.co/web/wp-json/tribe/events/v1/
X-TEC-API-ORIGIN: https://chia-cundinamarca.gov.co/web
Content-Encoding: gzip

INSTANCE

<https://chia-cundinamarca.gov.co/web/participa/>

Identification

OUTPUT

2 HTML comments have been detected in the application HTTP response. Please see the attachment for further details.

HTTP Info

REQUEST MADE

GET https://chia-cundinamarca.gov.co/web/participa/

REQUEST HEADERS

Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: none
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 03:39:13 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Link: <https://chia-cundinamarca.gov.co/web/wp-json/>; rel="https://api.w.org/", <https://chia-cundinamarca.gov.co/web/wp-json/wp/v2/pages/21196>; rel="alternate"; title="JSON"; type="application/json", <https://chia-cundinamarca.gov.co/web/?p=21196>; rel=shortlink
X-TEC-API-VERSION: v1
X-TEC-API-ROOT: https://chia-cundinamarca.gov.co/web/wp-json/tribe/events/v1/
X-TEC-API-ORIGIN: https://chia-cundinamarca.gov.co/web
Content-Encoding: gzip

INSTANCE

<https://chia-cundinamarca.gov.co/web/2024/12/17/los-salones-de-artes-plasticas-abren-sus-puertas-para-el-arte-y-cultura-en-chia/>

Identification

OUTPUT

2 HTML comments have been detected in the application HTTP response. Please see the attachment for further details.

HTTP Info

REQUEST MADE

GET https://chia-cundinamarca.gov.co/web/2024/12/17/los-salones-de-artes-plasticas-abren-sus-puertas-para-el-arte-y-cultura-en-chia/

REQUEST HEADERS

Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: none
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 07:35:13 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Link: <https://chia-cundinamarca.gov.co/web/wp-json/>; rel="https://api.w.org/", <https://chia-cundinamarca.gov.co/web/wp-json/wp/v2/posts/22370>; rel="alternate"; title="JSON"; type="application/json", <https://chia-cundinamarca.gov.co/web/?p=22370>; rel=shortlink
X-TEC-API-VERSION: v1
X-TEC-API-ROOT: https://chia-cundinamarca.gov.co/web/wp-json/tribe/events/v1/
X-TEC-API-ORIGIN: https://chia-cundinamarca.gov.co/web
Content-Encoding: gzip

INSTANCE

<https://chia-cundinamarca.gov.co/web/2023/12/29/secretarias/>

Identification

OUTPUT

2 HTML comments have been detected in the application HTTP response. Please see the attachment for further details.

HTTP Info

REQUEST MADE

GET https://chia-cundinamarca.gov.co/web/2023/12/29/secretarias/

REQUEST HEADERS

Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: none
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 03:25:45 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Link: <https://chia-cundinamarca.gov.co/web/wp-json/>; rel="https://api.w.org/", <https://chia-cundinamarca.gov.co/web/wp-json/wp/v2/posts/653>; rel="alternate"; title="JSON"; type="application/json", <https://chia-cundinamarca.gov.co/web/?p=653>; rel=shortlink
X-TEC-API-VERSION: v1
X-TEC-API-ROOT: https://chia-cundinamarca.gov.co/web/wp-json/tribe/events/v1/
X-TEC-API-ORIGIN: https://chia-cundinamarca.gov.co/web
Content-Encoding: gzip

INSTANCE

<https://chia-cundinamarca.gov.co/web/2023/12/29/informacion-de-la-entidad/>

Identification

OUTPUT

2 HTML comments have been detected in the application HTTP response. Please see the attachment for further details.

HTTP Info

REQUEST MADE

GET <https://chia-cundinamarca.gov.co/web/2023/12/29/informacion-de-la-entidad/>

REQUEST HEADERS

Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: none
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 03:11:24 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Link: <<https://chia-cundinamarca.gov.co/web/wp-json/>>; rel="https://api.w.org/", <<https://chia-cundinamarca.gov.co/web/wp-json/wp/v2/posts/632>>; rel="alternate"; title="JSON"; type="application/json", <<https://chia-cundinamarca.gov.co/web/?p=632>>; rel=shortlink
X-TEC-API-VERSION: v1
X-TEC-API-ROOT: <https://chia-cundinamarca.gov.co/web/wp-json/tribe/events/v1/>
X-TEC-API-ORIGIN: <https://chia-cundinamarca.gov.co/web>
Content-Encoding: gzip

INSTANCE

<https://chia-cundinamarca.gov.co/web/2023/12/29/alcalde/>

Identification

OUTPUT

2 HTML comments have been detected in the application HTTP response. Please see the attachment for further details.

HTTP Info

REQUEST MADE

GET <https://chia-cundinamarca.gov.co/web/2023/12/29/alcalde/>

REQUEST HEADERS

Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: none
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"

Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 02:58:37 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Link: <https://chia-cundinamarca.gov.co/web/wp-json/>; rel="https://api.w.org/", <https://chia-cundinamarca.gov.co/web/wp-json/wp/v2/posts/623>; rel="alternate"; title="JSON"; type="application/json", <https://chia-cundinamarca.gov.co/web/?p=623>; rel=shortlink
X-TEC-API-VERSION: v1
X-TEC-API-ROOT: https://chia-cundinamarca.gov.co/web/wp-json/tribe/events/v1/
X-TEC-API-ORIGIN: https://chia-cundinamarca.gov.co/web
Content-Encoding: gzip

INSTANCE

<https://chia-cundinamarca.gov.co/web/2024/08/24/paso-a-paso-para-acceder-a-su-estado-de-cuenta-liquidacion-y-factura-de-los-impuestos-predial-e-ica/>

Identification

OUTPUT

2 HTML comments have been detected in the application HTTP response. Please see the attachment for further details.

HTTP Info

REQUEST MADE

GET https://chia-cundinamarca.gov.co/web/2024/08/24/paso-a-paso-para-acceder-a-su-estado-de-cuenta-liquidacion-y-factura-de-los-impuestos-predial-e-ica/

REQUEST HEADERS

Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: none
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 06:04:16 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Link: <https://chia-cundinamarca.gov.co/web/wp-json/>; rel="https://api.w.org/", <https://chia-cundinamarca.gov.co/web/wp-json/wp/v2/posts/18365>; rel="alternate"; title="JSON"; type="application/json", <https://chia-cundinamarca.gov.co/web/?p=18365>; rel=shortlink
X-TEC-API-VERSION: v1
X-TEC-API-ROOT: https://chia-cundinamarca.gov.co/web/wp-json/tribe/events/v1/
X-TEC-API-ORIGIN: https://chia-cundinamarca.gov.co/web
Content-Encoding: gzip

INSTANCE

<https://chia-cundinamarca.gov.co/web/tramites-y-servicios/>

Identification

OUTPUT

2 HTML comments have been detected in the application HTTP response. Please see the attachment for further details.

HTTP Info

REQUEST MADE

GET https://chia-cundinamarca.gov.co/web/tramites-y-servicios/

REQUEST HEADERS

Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: none
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 03:50:28 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Link: <https://chia-cundinamarca.gov.co/web/wp-json/>; rel="https://api.w.org/", <https://chia-cundinamarca.gov.co/web/wp-json/wp/v2/pages/63>; rel="alternate"; title="JSON"; type="application/json", <https://chia-cundinamarca.gov.co/web/?p=63>; rel=shortlink
X-TEC-API-VERSION: v1
X-TEC-API-ROOT: https://chia-cundinamarca.gov.co/web/wp-json/tribe/events/v1/
X-TEC-API-ORIGIN: https://chia-cundinamarca.gov.co/web
Content-Encoding: gzip

INSTANCE

<https://chia-cundinamarca.gov.co/web/2023/12/29/control-interno-disciplinario/>

Identification

OUTPUT

2 HTML comments have been detected in the application HTTP response. Please see the attachment for further details.

HTTP Info

REQUEST MADE

GET https://chia-cundinamarca.gov.co/web/2023/12/29/control-interno-disciplinario/

REQUEST HEADERS

Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: none
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1

User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 05:37:32 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Link: <https://chia-cundinamarca.gov.co/web/wp-json/>; rel="https://api.w.org/", <https://chia-cundinamarca.gov.co/web/wp-json/wp/v2/posts/616>; rel="alternate"; title="JSON"; type="application/json", <https://chia-cundinamarca.gov.co/web/?p=616>; rel=shortlink
X-TEC-API-VERSION: v1
X-TEC-API-ROOT: https://chia-cundinamarca.gov.co/web/wp-json/tribe/events/v1/
X-TEC-API-ORIGIN: https://chia-cundinamarca.gov.co/web
Content-Encoding: gzip

INSTANCE

<https://chia-cundinamarca.gov.co/web/transparencia-y-acceso-a-la-informacion-publica/>

Identification

OUTPUT

2 HTML comments have been detected in the application HTTP response. Please see the attachment for further details.

HTTP Info

REQUEST MADE

GET https://chia-cundinamarca.gov.co/web/transparencia-y-acceso-a-la-informacion-publica/

REQUEST HEADERS

Referer: https://chia-cundinamarca.gov.co/web/
Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: same-origin
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 00:38:08 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Link: <https://chia-cundinamarca.gov.co/web/wp-json/>; rel="https://api.w.org/", <https://chia-cundinamarca.gov.co/web/wp-json/wp/v2/pages/21>; rel="alternate"; title="JSON"; type="application/json", <https://chia-cundinamarca.gov.co/web/?p=21>; rel=shortlink
X-TEC-API-VERSION: v1
X-TEC-API-ROOT: https://chia-cundinamarca.gov.co/web/wp-json/tribe/events/v1/
X-TEC-API-ORIGIN: https://chia-cundinamarca.gov.co/web

Content-Encoding: gzip

INSTANCE

<https://chia-cundinamarca.gov.co/web/2024/12/18/los-adultos-mayores-de-chia-se-gozaron-boyaca/>

Identification

OUTPUT

2 HTML comments have been detected in the application HTTP response. Please see the attachment for further details.

HTTP Info

REQUEST MADE

GET https://chia-cundinamarca.gov.co/web/2024/12/18/los-adultos-mayores-de-chia-se-gozaron-boyaca/

REQUEST HEADERS

Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: none
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 07:21:39 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Link: <https://chia-cundinamarca.gov.co/web/wp-json/>; rel="https://api.w.org/", <https://chia-cundinamarca.gov.co/web/wp-json/wp/v2/posts/22400>; rel="alternate"; title="JSON"; type="application/json", <https://chia-cundinamarca.gov.co/web/?p=22400>; rel=shortlink
X-TEC-API-VERSION: v1
X-TEC-API-ROOT: https://chia-cundinamarca.gov.co/web/wp-json/tribe/events/v1/
X-TEC-API-ORIGIN: https://chia-cundinamarca.gov.co/web
Content-Encoding: gzip

INSTANCE

<https://chia-cundinamarca.gov.co/web/directorio/>

Identification

OUTPUT

2 HTML comments have been detected in the application HTTP response. Please see the attachment for further details.

HTTP Info

REQUEST MADE

GET https://chia-cundinamarca.gov.co/web/directorio/

REQUEST HEADERS

Referer: https://chia-cundinamarca.gov.co/web/
Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: same-origin
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 00:46:26 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Link: <https://chia-cundinamarca.gov.co/web/wp-json/>; rel="https://api.w.org/", <https://chia-cundinamarca.gov.co/web/wp-json/wp/v2/pages/566>; rel="alternate"; title="JSON"; type="application/json", <https://chia-cundinamarca.gov.co/web/?p=566>; rel=shortlink
X-TEC-API-VERSION: v1
X-TEC-API-ROOT: https://chia-cundinamarca.gov.co/web/wp-json/tribe/events/v1/
X-TEC-API-ORIGIN: https://chia-cundinamarca.gov.co/web
Content-Encoding: gzip

INSTANCE

<https://chia-cundinamarca.gov.co/web/2024/12/17/6-paraderos-fueron-demarcados-para-mejorar-la-experiencia-del-usuario-del-transporte-publico/>

Identification

OUTPUT

2 HTML comments have been detected in the application HTTP response. Please see the attachment for further details.

HTTP Info

REQUEST MADE

GET https://chia-cundinamarca.gov.co/web/2024/12/17/6-paraderos-fueron-demarcados-para-mejorar-la-experiencia-del-usuario-del-transporte-publico/

REQUEST HEADERS

Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: none
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 07:49:06 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Connection: keep-alive

Vary: Accept-Encoding
Link: <https://chia-cundinamarca.gov.co/web/wp-json/>; rel="https://api.w.org/", <https://chia-cundinamarca.gov.co/web/wp-json/wp/v2/posts/22364>; rel="alternate"; title="JSON"; type="application/json", <https://chia-cundinamarca.gov.co/web/?p=22364>; rel=shortlink
X-TEC-API-VERSION: v1
X-TEC-API-ROOT: https://chia-cundinamarca.gov.co/web/wp-json/tribe/events/v1/
X-TEC-API-ORIGIN: https://chia-cundinamarca.gov.co/web
Content-Encoding: gzip

INSTANCE

<https://chia-cundinamarca.gov.co/web/alcaldia/>

Identification

OUTPUT

2 HTML comments have been detected in the application HTTP response. Please see the attachment for further details.

HTTP Info

REQUEST MADE

GET https://chia-cundinamarca.gov.co/web/alcaldia/

REQUEST HEADERS

Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: none
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 02:45:09 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Link: <https://chia-cundinamarca.gov.co/web/wp-json/>; rel="https://api.w.org/", <https://chia-cundinamarca.gov.co/web/wp-json/wp/v2/pages/49>; rel="alternate"; title="JSON"; type="application/json", <https://chia-cundinamarca.gov.co/web/?p=49>; rel=shortlink
X-TEC-API-VERSION: v1
X-TEC-API-ROOT: https://chia-cundinamarca.gov.co/web/wp-json/tribe/events/v1/
X-TEC-API-ORIGIN: https://chia-cundinamarca.gov.co/web
Content-Encoding: gzip

INSTANCE

<https://chia-cundinamarca.gov.co/web/>

Identification

OUTPUT

2 HTML comments have been detected in the application HTTP response. Please see the attachment for further details.

HTTP Info

REQUEST MADE

GET https://chia-cundinamarca.gov.co/web/

REQUEST HEADERS

Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: none
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 00:15:28 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Link: <https://chia-cundinamarca.gov.co/web/wp-json/>; rel="https://api.w.org/", <https://chia-cundinamarca.gov.co/web/wp-json/wp/v2/pages/1107>; rel="alternate"; title="JSON"; type="application/json", <https://chia-cundinamarca.gov.co/web/>; rel=shortlink
X-TEC-API-VERSION: v1
X-TEC-API-ROOT: https://chia-cundinamarca.gov.co/web/wp-json/tribe/events/v1/
X-TEC-API-ORIGIN: https://chia-cundinamarca.gov.co/web
Content-Encoding: gzip

INSTANCE

<https://chia-cundinamarca.gov.co/web/2024/12/18/chia-se-destaca-en-gestion-social-gracias-a-blanca-donoso/>

Identification

OUTPUT

2 HTML comments have been detected in the application HTTP response. Please see the attachment for further details.

HTTP Info

REQUEST MADE

GET https://chia-cundinamarca.gov.co/web/2024/12/18/chia-se-destaca-en-gestion-social-gracias-a-blanca-donoso/

REQUEST HEADERS

Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: none
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx

Date: Thu, 19 Dec 2024 07:08:06 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Link: <https://chia-cundinamarca.gov.co/web/wp-json/>; rel="https://api.w.org/", <https://chia-cundinamarca.gov.co/web/wp-json/wp/v2/posts/22424>; rel="alternate"; title="JSON"; type="application/json", <https://chia-cundinamarca.gov.co/web/?p=22424>; rel=shortlink
X-TEC-API-VERSION: v1
X-TEC-API-ROOT: https://chia-cundinamarca.gov.co/web/wp-json/tribe/events/v1/
X-TEC-API-ORIGIN: https://chia-cundinamarca.gov.co/web
Content-Encoding: gzip

INSTANCE

<https://chia-cundinamarca.gov.co/web/2024/09/16/conozca-los-canales-de-atencion-de-las-empresas-prestadoras-de-servicios-publicos/>

Identification

OUTPUT

2 HTML comments have been detected in the application HTTP response. Please see the attachment for further details.

HTTP Info

REQUEST MADE

GET https://chia-cundinamarca.gov.co/web/2024/09/16/conozca-los-canales-de-atencion-de-las-empresas-prestadoras-de-servicios-publicos/

REQUEST HEADERS

Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: none
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 05:51:53 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Link: <https://chia-cundinamarca.gov.co/web/wp-json/>; rel="https://api.w.org/", <https://chia-cundinamarca.gov.co/web/wp-json/wp/v2/posts/19440>; rel="alternate"; title="JSON"; type="application/json", <https://chia-cundinamarca.gov.co/web/?p=19440>; rel=shortlink
X-TEC-API-VERSION: v1
X-TEC-API-ROOT: https://chia-cundinamarca.gov.co/web/wp-json/tribe/events/v1/
X-TEC-API-ORIGIN: https://chia-cundinamarca.gov.co/web
Content-Encoding: gzip

INSTANCE

<https://chia-cundinamarca.gov.co/web/2024/10/24/comienzo-el-censo-a-bares-y-establecimientos-nocturnos/>

Identification

OUTPUT

2 HTML comments have been detected in the application HTTP response. Please see the attachment for further details.

HTTP Info

REQUEST MADE

GET <https://chia-cundinamarca.gov.co/web/2024/10/24/comienza-el-censo-a-bares-y-establecimientos-nocturnos/>

REQUEST HEADERS

Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: none
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 06:43:09 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Link: <<https://chia-cundinamarca.gov.co/web/wp-json/>>; rel="https://api.w.org/", <<https://chia-cundinamarca.gov.co/web/wp-json/wp/v2/posts/20823>>; rel="alternate"; title="JSON"; type="application/json", <<https://chia-cundinamarca.gov.co/web/?p=20823>>; rel=shortlink
X-TEC-API-VERSION: v1
X-TEC-API-ROOT: <https://chia-cundinamarca.gov.co/web/wp-json/tribe/events/v1/>
X-TEC-API-ORIGIN: <https://chia-cundinamarca.gov.co/web>
Content-Encoding: gzip

Input Reflected

VULNERABILITY **INFO** PLUGIN ID 114135

Description

This is an informational plugin to inform that user data controlled input is reflected in the response.

Solution

-

See Also

https://cheatsheetseries.owasp.org/cheatsheets/Input_Validation_Cheat_Sheet.html

Plugin Details

| | |
|-------------------|---------------------------|
| PUBLICATION DATE | 2023-12-18T00:00:00+00:00 |
| MODIFICATION DATE | 2023-12-18T00:00:00+00:00 |
| FAMILY | Injection |
| SEVERITY | Info |
| PLUGIN ID | 114135 |

Risk Information

| | |
|-------------------|---|
| CVSSV4 BASE SCORE | - |
| CVSSV4 VECTOR | - |
| CVSSV3 BASE SCORE | - |
| CVSSV3 VECTOR | - |
| CVSS BASE SCORE | - |
| CVSS VECTOR | - |

Reference Information

| | |
|-------|---|
| CWE | - |
| WASC | - |
| OWASP | - |
| CVE | - |
| BID | - |

Input Reflected Instances (2)

VULNERABILITY **INFO** PLUGIN ID 114135

INSTANCE

<https://chia-cundinamarca.gov.co/web/>

| | |
|------------|-------------------|
| INPUT TYPE | form |
| INPUT NAME | clear-with-button |

Identification

PAYLOAD

was-tnb-xfk

PROOF

Input reflected in the response body : 'was-tnb-xfk'.

OUTPUT

The scanner was able to detect an input reflected in the response body.

HTTP Info

REQUEST MADE

GET /web/?s=&clear-with-button=was-tnb-xfk HTTP/1.1

REQUEST HEADERS

Host: chia-cundinamarca.gov.co
Accept-Encoding: gzip, deflate, br
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 00:22:31 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Link: <https://chia-cundinamarca.gov.co/web/wp-json/>; rel="https://api.w.org/"
X-TEC-API-VERSION: v1
X-TEC-API-ROOT: https://chia-cundinamarca.gov.co/web/wp-json/tribe/events/v1/
X-TEC-API-ORIGIN: https://chia-cundinamarca.gov.co/web
Content-Encoding: gzip

INSTANCE

<https://chia-cundinamarca.gov.co/web/>

| | |
|------------|------|
| INPUT TYPE | form |
| INPUT NAME | s |

Identification

PAYLOAD

was-tnb-xfk

PROOF

Input reflected in the response body : 'was-tnb-xfk'.

OUTPUT

The scanner was able to detect an input reflected in the response body.

HTTP Info

REQUEST MADE

GET /web/?s=was-tnb-xfk&clear-with-button=nessus_was_text2wtrufcy HTTP/1.1

REQUEST HEADERS

Host: chia-cundinamarca.gov.co
Accept-Encoding: gzip, deflate, br
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 00:22:29 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Link: <https://chia-cundinamarca.gov.co/web/wp-json/>; rel="https://api.w.org/"
X-TEC-API-VERSION: v1
X-TEC-API-ROOT: https://chia-cundinamarca.gov.co/web/wp-json/tribe/events/v1/
X-TEC-API-ORIGIN: https://chia-cundinamarca.gov.co/web
Content-Encoding: gzip

Path Relative Stylesheet Import

VULNERABILITY **INFO** PLUGIN ID 114466

Description

A Path Relative Style Sheet Import occurs when the application imports a style sheet via a relative URL and uses user input in the file name. This vulnerability mainly affects older browsers such as Internet Explorer and allows an attacker to exploit the way the browser handles stylesheet imports in order to perform CSS Injection.

Solution

It is preferable not to use path-related URLs in stylesheet imports, and also to use the 'X-Content-Type-Options: nosnif' and 'X-Frame-Options: deny' headers.

See Also

<https://csplite.com/csp290/>

Plugin Details

| | |
|-------------------|---------------------------|
| PUBLICATION DATE | 2024-10-30T00:00:00+00:00 |
| MODIFICATION DATE | 2024-11-08T00:00:00+00:00 |
| FAMILY | Injection |
| SEVERITY | Info |
| PLUGIN ID | 114466 |

Risk Information

| | |
|-------------------|---|
| CVSSV4 BASE SCORE | - |
| CVSSV4 VECTOR | - |
| CVSSV3 BASE SCORE | - |
| CVSSV3 VECTOR | - |
| CVSS BASE SCORE | - |
| CVSS VECTOR | - |

Reference Information

| | |
|-------|---|
| CWE | - |
| WASC | - |
| OWASP | - |
| CVE | - |
| BID | - |

Path Relative Stylesheet Import Instances (23)

VULNERABILITY **INFO** PLUGIN ID 114466

INSTANCE

<https://chia-cundinamarca.gov.co/web/2023/12/29/control-interno-disciplinario/>

Identification

PROOF

The following value is extracted from a <link> tag that imports a style sheet with a 'href' that does not begin with a / :

* `https://chia-cundinamarca.gov.co/web/wp-content/plugins/header-footer-elementor/inc/widgets-css/frontend.css?ver=1.6.45`

OUTPUT

The scanner was able to detect a Path Relative Stylesheet Import.

HTTP Info

REQUEST MADE

GET `https://chia-cundinamarca.gov.co/web/2023/12/29/control-interno-disciplinario/`

REQUEST HEADERS

```
Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: none
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"
Accept: */*
Accept-Language: en-US,en;q=0.5
```

RESPONSE HEADERS

```
HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 05:37:32 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Link: <https://chia-cundinamarca.gov.co/web/wp-json/>; rel="https://api.w.org/", <https://chia-cundinamarca.gov.co/web/wp-json/wp/v2/posts/616>; rel="alternate"; title="JSON"; type="application/json", <https://chia-cundinamarca.gov.co/web/?p=616>; rel="shortlink"
X-TEC-API-VERSION: v1
X-TEC-API-ROOT: https://chia-cundinamarca.gov.co/web/wp-json/tribe/events/v1/
X-TEC-API-ORIGIN: https://chia-cundinamarca.gov.co/web
Content-Encoding: gzip
```

INSTANCE

<https://chia-cundinamarca.gov.co/web/directorio/>

Identification

PROOF

The following value is extracted from a <link> tag that imports a style sheet with a 'href' that does not begin with a / :

* https://chia-cundinamarca.gov.co/web/wp-content/plugins/header-footer-elementor/inc/widgets-css/frontend.css?ver=1.6.45

OUTPUT

The scanner was able to detect a Path Relative Stylesheet Import.

HTTP Info

REQUEST MADE

GET https://chia-cundinamarca.gov.co/web/directorio/

REQUEST HEADERS

Referer: https://chia-cundinamarca.gov.co/web/
Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: same-origin
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"
Accept: /*/*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 00:46:26 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Link: <https://chia-cundinamarca.gov.co/web/wp-json/>; rel="https://api.w.org/", <https://chia-cundinamarca.gov.co/web/wp-json/wp/v2/pages/566>; rel="alternate"; title="JSON"; type="application/json", <https://chia-cundinamarca.gov.co/web/?p=566>; rel=shortlink
X-TEC-API-VERSION: v1
X-TEC-API-ROOT: https://chia-cundinamarca.gov.co/web/wp-json/tribe/events/v1/
X-TEC-API-ORIGIN: https://chia-cundinamarca.gov.co/web
Content-Encoding: gzip

INSTANCE

<https://chia-cundinamarca.gov.co/web/2024/12/17/6-paraderos-fueron-demarcados-para-mejorar-la-experiencia-del-usuario-del-transporte-publico/>

Identification

PROOF

The following value is extracted from a <link> tag that imports a style sheet with a 'href' that does not begin with a / :

* https://chia-cundinamarca.gov.co/web/wp-content/plugins/header-footer-elementor/inc/widgets-css/frontend.css?ver=1.6.45

OUTPUT

The scanner was able to detect a Path Relative Stylesheet Import.

HTTP Info

REQUEST MADE

GET https://chia-cundinamarca.gov.co/web/2024/12/17/6-paraderos-fueron-demarcados-para-mejorar-la-experiencia-del-usuario-del-transporte-publico/

REQUEST HEADERS

Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: none
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 07:49:06 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Link: <https://chia-cundinamarca.gov.co/web/wp-json/>; rel="https://api.w.org/", <https://chia-cundinamarca.gov.co/web/wp-json/wp/v2/posts/22364>; rel="alternate"; title="JSON"; type="application/json", <https://chia-cundinamarca.gov.co/web/?p=22364>; rel=shortlink
X-TEC-API-VERSION: v1
X-TEC-API-ROOT: https://chia-cundinamarca.gov.co/web/wp-json/tribe/events/v1/
X-TEC-API-ORIGIN: https://chia-cundinamarca.gov.co/web
Content-Encoding: gzip

INSTANCE

<https://chia-cundinamarca.gov.co/web/2024/12/18/los-adultos-mayores-de-chia-se-gozaron-boyaca/>

Identification

PROOF

The following value is extracted from a <link> tag that imports a style sheet with a 'href' that does not begin with a / :
* https://chia-cundinamarca.gov.co/web/wp-content/plugins/header-footer-elementor/inc/widgets-css/frontend.css?ver=1.6.45

OUTPUT

The scanner was able to detect a Path Relative Stylesheet Import.

HTTP Info

REQUEST MADE

GET https://chia-cundinamarca.gov.co/web/2024/12/18/los-adultos-mayores-de-chia-se-gozaron-boyaca/

REQUEST HEADERS

Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: none
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx

Date: Thu, 19 Dec 2024 07:21:39 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Link: <https://chia-cundinamarca.gov.co/web/wp-json/>; rel="https://api.w.org/", <https://chia-cundinamarca.gov.co/web/wp-json/wp/v2/posts/22400>; rel="alternate"; title="JSON"; type="application/json", <https://chia-cundinamarca.gov.co/web/?p=22400>; rel=shortlink
X-TEC-API-VERSION: v1
X-TEC-API-ROOT: https://chia-cundinamarca.gov.co/web/wp-json/tribe/events/v1/
X-TEC-API-ORIGIN: https://chia-cundinamarca.gov.co/web
Content-Encoding: gzip

INSTANCE

<https://chia-cundinamarca.gov.co/web/2024/05/10/tramite-para-solicitar-certificados-de-residencia-en-el-territorio-de-chia-y-personerias-juridicas/>

Identification

PROOF

The following value is extracted from a <link> tag that imports a style sheet with a 'href' that does not begin with a / :

```
* https://chia-cundinamarca.gov.co/web/wp-content/plugins/header-footer-elementor/inc/widgets-css/frontend.css?ver=1.6.45
```

OUTPUT

The scanner was able to detect a Path Relative Stylesheet Import.

HTTP Info

REQUEST MADE

GET https://chia-cundinamarca.gov.co/web/2024/05/10/tramite-para-solicitar-certificados-de-residencia-en-el-territorio-de-chia-y-personerias-juridicas/

REQUEST HEADERS

Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: none
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 05:04:12 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Link: <https://chia-cundinamarca.gov.co/web/wp-json/>; rel="https://api.w.org/", <https://chia-cundinamarca.gov.co/web/wp-json/wp/v2/posts/7526>; rel="alternate"; title="JSON"; type="application/json", <https://chia-cundinamarca.gov.co/web/?p=7526>; rel=shortlink
X-TEC-API-VERSION: v1
X-TEC-API-ROOT: https://chia-cundinamarca.gov.co/web/wp-json/tribe/events/v1/
X-TEC-API-ORIGIN: https://chia-cundinamarca.gov.co/web
Content-Encoding: gzip

INSTANCE

<https://chia-cundinamarca.gov.co/index.php/tramites-y-servicios/sisben>

Identification

PROOF

The following value is extracted from a <link> tag that imports a style sheet with a 'href' that does not begin with a / :

* <https://cdnjs.cloudflare.com/ajax/libs/simple-line-icons/2.4.1/css/simple-line-icons.min.css>

OUTPUT

The scanner was able to detect a Path Relative Stylesheet Import.

HTTP Info

REQUEST MADE

GET /index.php/tramites-y-servicios/sisben HTTP/1.1

REQUEST HEADERS

Host: chia-cundinamarca.gov.co
Accept-Encoding: gzip, deflate, br
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Accept: */*
Accept-Language: en-US,en;q=0.5
Cookie: googtrans=/es/it; cpsession=%3aHqQl26kRGUy2BtJ%2c4b043945560fda9514b19964b4b5be42; timezone=Etc/UTC

RESPONSE HEADERS

HTTP/1.1 503 Service Temporarily Unavailable
Server: nginx
Date: Thu, 19 Dec 2024 04:01:41 GMT
Content-Type: text/html; charset=utf-8
Transfer-Encoding: chunked
Connection: keep-alive
X-Logged-In: False
X-Content-Powered-By: K2 v2.8.0 (by JoomlaWorks)
P3P: CP="NOI ADM DEV PSAi COM NAV OUR OTRo STP IND DEM"
Expires: Wed, 17 Aug 2005 00:00:00 GMT
Cache-Control: no-store, no-cache, must-revalidate, post-check=0, pre-check=0
Pragma: no-cache
Set-Cookie: 8b58dc30ff9e4328565181726d3386f8=a5b853b5f45bde4860b15e2765387503; path=/; HttpOnly
Last-Modified: Thu, 19 Dec 2024 04:01:41 GMT

INSTANCE

<https://chia-cundinamarca.gov.co/web/2023/12/29/informacion-de-la-entidad/>

Identification

PROOF

The following value is extracted from a <link> tag that imports a style sheet with a 'href' that does not begin with a / :

* <https://chia-cundinamarca.gov.co/web/wp-content/plugins/header-footer-elementor/inc/widgets-css/frontend.css?ver=1.6.45>

OUTPUT

The scanner was able to detect a Path Relative Stylesheet Import.

HTTP Info

REQUEST MADE

GET https://chia-cundinamarca.gov.co/web/2023/12/29/informacion-de-la-entidad/

REQUEST HEADERS

Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: none
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 03:11:24 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Link: <https://chia-cundinamarca.gov.co/web/wp-json/>; rel="https://api.w.org/", <https://chia-cundinamarca.gov.co/web/wp-json/wp/v2/posts/632>; rel="alternate"; title="JSON"; type="application/json", <https://chia-cundinamarca.gov.co/web/?p=632>; rel=shortlink
X-TEC-API-VERSION: v1
X-TEC-API-ROOT: https://chia-cundinamarca.gov.co/web/wp-json/tribe/events/v1/
X-TEC-API-ORIGIN: https://chia-cundinamarca.gov.co/web
Content-Encoding: gzip

INSTANCE

<https://chia-cundinamarca.gov.co/web/participa/>

Identification

PROOF

The following value is extracted from a <link> tag that imports a style sheet with a 'href' that does not begin with a / :

```
* https://chia-cundinamarca.gov.co/web/wp-content/plugins/header-footer-elementor/inc/widgets-css/frontend.css?ver=1.6.45
```

OUTPUT

The scanner was able to detect a Path Relative Stylesheet Import.

HTTP Info

REQUEST MADE

GET https://chia-cundinamarca.gov.co/web/participa/

REQUEST HEADERS

Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: none
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx

Date: Thu, 19 Dec 2024 03:39:13 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Link: <https://chia-cundinamarca.gov.co/web/wp-json/>; rel="https://api.w.org/", <https://chia-cundinamarca.gov.co/web/wp-json/wp/v2/pages/21196>; rel="alternate"; title="JSON"; type="application/json", <https://chia-cundinamarca.gov.co/web/?p=21196>; rel=shortlink
X-TEC-API-VERSION: v1
X-TEC-API-ROOT: https://chia-cundinamarca.gov.co/web/wp-json/tribe/events/v1/
X-TEC-API-ORIGIN: https://chia-cundinamarca.gov.co/web
Content-Encoding: gzip

INSTANCE

<https://chia-cundinamarca.gov.co/web/2024/08/24/paso-a-paso-para-acceder-a-su-estado-de-cuenta-liquidacion-y-factura-de-los-impuestos-predial-e-ica/>

Identification

PROOF

The following value is extracted from a <link> tag that imports a style sheet with a 'href' that does not begin with a / :

```
* https://chia-cundinamarca.gov.co/web/wp-content/plugins/header-footer-elementor/inc/widgets-css/frontend.css?ver=1.6.45
```

OUTPUT

The scanner was able to detect a Path Relative Stylesheet Import.

HTTP Info

REQUEST MADE

GET https://chia-cundinamarca.gov.co/web/2024/08/24/paso-a-paso-para-acceder-a-su-estado-de-cuenta-liquidacion-y-factura-de-los-impuestos-predial-e-ica/

REQUEST HEADERS

Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: none
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 06:04:16 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Link: <https://chia-cundinamarca.gov.co/web/wp-json/>; rel="https://api.w.org/", <https://chia-cundinamarca.gov.co/web/wp-json/wp/v2/posts/18365>; rel="alternate"; title="JSON"; type="application/json", <https://chia-cundinamarca.gov.co/web/?p=18365>; rel=shortlink
X-TEC-API-VERSION: v1
X-TEC-API-ROOT: https://chia-cundinamarca.gov.co/web/wp-json/tribe/events/v1/
X-TEC-API-ORIGIN: https://chia-cundinamarca.gov.co/web
Content-Encoding: gzip

INSTANCE

<https://chia-cundinamarca.gov.co/web/2024/02/26/impuesto-predial-unificado/>

Identification

PROOF

The following value is extracted from a <link> tag that imports a style sheet with a 'href' that does not begin with a / :

```
* https://chia-cundinamarca.gov.co/web/wp-content/plugins/header-footer-elementor/inc/widgets-css/frontend.css?ver=1.6.45
```

OUTPUT

The scanner was able to detect a Path Relative Stylesheet Import.

HTTP Info

REQUEST MADE

GET <https://chia-cundinamarca.gov.co/web/2024/02/26/impuesto-predial-unificado/>

REQUEST HEADERS

```
Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: none
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"
Accept: */*
Accept-Language: en-US,en;q=0.5
```

RESPONSE HEADERS

```
HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 06:17:33 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Link: <https://chia-cundinamarca.gov.co/web/wp-json/>; rel="https://api.w.org/", <https://chia-cundinamarca.gov.co/web/wp-json/wp/v2/posts/4113>; rel="alternate"; title="JSON"; type="application/json", <https://chia-cundinamarca.gov.co/web/?p=4113>; rel=shortlink
X-TEC-API-VERSION: v1
X-TEC-API-ROOT: https://chia-cundinamarca.gov.co/web/wp-json/tribe/events/v1/
X-TEC-API-ORIGIN: https://chia-cundinamarca.gov.co/web
Content-Encoding: gzip
```

INSTANCE

<https://chia-cundinamarca.gov.co/web/2024/09/16/conozca-los-canales-de-atencion-de-las-empresas-prestadoras-de-servicios-publicos/>

Identification

PROOF

The following value is extracted from a <link> tag that imports a style sheet with a 'href' that does not begin with a / :

```
* https://chia-cundinamarca.gov.co/web/wp-content/plugins/header-footer-elementor/inc/widgets-css/frontend.css?ver=1.6.45
```

OUTPUT

The scanner was able to detect a Path Relative Stylesheet Import.

HTTP Info

REQUEST MADE

GET https://chia-cundinamarca.gov.co/web/2024/09/16/conozca-los-canales-de-atencion-de-las-empresas-prestadoras-de-servicios-publicos/

REQUEST HEADERS

Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: none
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 05:51:53 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Link: <https://chia-cundinamarca.gov.co/web/wp-json/>; rel="https://api.w.org/", <https://chia-cundinamarca.gov.co/web/wp-json/wp/v2/posts/19440>; rel="alternate"; title="JSON"; type="application/json", <https://chia-cundinamarca.gov.co/web/?p=19440>; rel=shortlink
X-TEC-API-VERSION: v1
X-TEC-API-ROOT: https://chia-cundinamarca.gov.co/web/wp-json/tribe/events/v1/
X-TEC-API-ORIGIN: https://chia-cundinamarca.gov.co/web
Content-Encoding: gzip

INSTANCE

<https://chia-cundinamarca.gov.co/web/>

Identification

PROOF

The following value is extracted from a <link> tag that imports a style sheet with a 'href' that does not begin with a / :

```
* https://chia-cundinamarca.gov.co/web/wp-content/plugins/header-footer-elementor/inc/widgets-css/frontend.css?ver=1.6.45
```

OUTPUT

The scanner was able to detect a Path Relative Stylesheet Import.

HTTP Info

REQUEST MADE

GET https://chia-cundinamarca.gov.co/web/

REQUEST HEADERS

Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: none
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0

Sec-Ch-Ua-Platform: "Linux"
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 00:15:28 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Link: <https://chia-cundinamarca.gov.co/web/wp-json/>; rel="https://api.w.org/", <https://chia-cundinamarca.gov.co/web/wp-json/wp/v2/pages/1107>; rel="alternate"; title="JSON"; type="application/json", <https://chia-cundinamarca.gov.co/web/>; rel=shortlink
X-TEC-API-VERSION: v1
X-TEC-API-ROOT: https://chia-cundinamarca.gov.co/web/wp-json/tribe/events/v1/
X-TEC-API-ORIGIN: https://chia-cundinamarca.gov.co/web
Content-Encoding: gzip

INSTANCE

<https://chia-cundinamarca.gov.co/web/2023/12/29/secretarias/>

Identification

PROOF

The following value is extracted from a <link> tag that imports a style sheet with a 'href' that does not begin with a / :
* https://chia-cundinamarca.gov.co/web/wp-content/plugins/header-footer-elementor/inc/widgets-css/frontend.css?ver=1.6.45

OUTPUT

The scanner was able to detect a Path Relative Stylesheet Import.

HTTP Info

REQUEST MADE

GET https://chia-cundinamarca.gov.co/web/2023/12/29/secretarias/

REQUEST HEADERS

Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: none
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 03:25:45 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Link: <https://chia-cundinamarca.gov.co/web/wp-json/>; rel="https://api.w.org/", <https://chia-cundinamarca.gov.co/web/wp-json/wp/v2/posts/653>; rel="alternate"; title="JSON"; type="application/json", <https://chia-cundinamarca.gov.co/web/?p=653>; rel=shortlink
X-TEC-API-VERSION: v1

X-TEC-API-ROOT: https://chia-cundinamarca.gov.co/web/wp-json/tribe/events/v1/
X-TEC-API-ORIGIN: https://chia-cundinamarca.gov.co/web
Content-Encoding: gzip

INSTANCE

<https://chia-cundinamarca.gov.co/web/2023/12/30/7-1-4-programa-de-gestion-documental/>

Identification

PROOF

The following value is extracted from a <link> tag that imports a style sheet with a 'href' that does not begin with a / :

* https://chia-cundinamarca.gov.co/web/wp-content/plugins/header-footer-elementor/inc/widgets-css/frontend.css?ver=1.6.45

OUTPUT

The scanner was able to detect a Path Relative Stylesheet Import.

HTTP Info

REQUEST MADE

GET https://chia-cundinamarca.gov.co/web/2023/12/30/7-1-4-programa-de-gestion-documental/

REQUEST HEADERS

Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: none
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 05:16:57 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Link: <https://chia-cundinamarca.gov.co/web/wp-json/>; rel="https://api.w.org/", <https://chia-cundinamarca.gov.co/web/wp-json/wp/v2/posts/805>; rel="alternate"; title="JSON"; type="application/json", <https://chia-cundinamarca.gov.co/web/?p=805>; rel=shortlink
X-TEC-API-VERSION: v1
X-TEC-API-ROOT: https://chia-cundinamarca.gov.co/web/wp-json/tribe/events/v1/
X-TEC-API-ORIGIN: https://chia-cundinamarca.gov.co/web
Content-Encoding: gzip

INSTANCE

<https://chia-cundinamarca.gov.co/web/2024/12/18/chia-se-destaca-en-gestion-social-gracias-a-blanca-donoso/>

Identification

PROOF

The following value is extracted from a <link> tag that imports a style sheet with a 'href' that does not begin with a / :

* https://chia-cundinamarca.gov.co/web/wp-content/plugins/header-footer-elementor/inc/widgets-css/frontend.css?ver=1.6.45

OUTPUT

The scanner was able to detect a Path Relative Stylesheet Import.

HTTP Info

REQUEST MADE

GET https://chia-cundinamarca.gov.co/web/2024/12/18/chia-se-destaca-en-gestion-social-gracias-a-blanca-donoso/

REQUEST HEADERS

Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: none
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 07:08:06 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Link: <https://chia-cundinamarca.gov.co/web/wp-json/>; rel="https://api.w.org/", <https://chia-cundinamarca.gov.co/web/wp-json/wp/v2/posts/22424>; rel="alternate"; title="JSON"; type="application/json", <https://chia-cundinamarca.gov.co/web/?p=22424>; rel=shortlink
X-TEC-API-VERSION: v1
X-TEC-API-ROOT: https://chia-cundinamarca.gov.co/web/wp-json/tribe/events/v1/
X-TEC-API-ORIGIN: https://chia-cundinamarca.gov.co/web
Content-Encoding: gzip

INSTANCE

<https://chia-cundinamarca.gov.co/web/2024/10/24/comienza-el-censo-a-bares-y-establecimientos-nocturnos/>

Identification

PROOF

The following value is extracted from a <link> tag that imports a style sheet with a 'href' that does not begin with a / :

* https://chia-cundinamarca.gov.co/web/wp-content/plugins/header-footer-elementor/inc/widgets-css/frontend.css?ver=1.6.45

OUTPUT

The scanner was able to detect a Path Relative Stylesheet Import.

HTTP Info

REQUEST MADE

GET https://chia-cundinamarca.gov.co/web/2024/10/24/comienza-el-censo-a-bares-y-establecimientos-nocturnos/

REQUEST HEADERS

Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate

Sec-Fetch-Site: none
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 06:43:09 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Link: <https://chia-cundinamarca.gov.co/web/wp-json/>; rel="https://api.w.org/", <https://chia-cundinamarca.gov.co/web/wp-json/wp/v2/posts/20823>; rel="alternate"; title="JSON"; type="application/json", <https://chia-cundinamarca.gov.co/web/?p=20823>; rel=shortlink
X-TEC-API-VERSION: v1
X-TEC-API-ROOT: https://chia-cundinamarca.gov.co/web/wp-json/tribe/events/v1/
X-TEC-API-ORIGIN: https://chia-cundinamarca.gov.co/web
Content-Encoding: gzip

INSTANCE

<https://chia-cundinamarca.gov.co/web/alcaldia/>

Identification

PROOF

The following value is extracted from a <link> tag that imports a style sheet with a 'href' that does not begin with a / :

```
* https://chia-cundinamarca.gov.co/web/wp-content/plugins/header-footer-elementor/inc/widgets-css/frontend.css?ver=1.6.45
```

OUTPUT

The scanner was able to detect a Path Relative Stylesheet Import.

HTTP Info

REQUEST MADE

GET https://chia-cundinamarca.gov.co/web/alcaldia/

REQUEST HEADERS

Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: none
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 02:45:09 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked

Connection: keep-alive
Vary: Accept-Encoding
Link: <https://chia-cundinamarca.gov.co/web/wp-json/>; rel="https://api.w.org/", <https://chia-cundinamarca.gov.co/web/wp-json/wp/v2/pages/49>; rel="alternate"; title="JSON"; type="application/json", <https://chia-cundinamarca.gov.co/web/?p=49>; rel=shortlink
X-TEC-API-VERSION: v1
X-TEC-API-ROOT: https://chia-cundinamarca.gov.co/web/wp-json/tribe/events/v1/
X-TEC-API-ORIGIN: https://chia-cundinamarca.gov.co/web
Content-Encoding: gzip

INSTANCE

<https://chia-cundinamarca.gov.co/web/2024/12/17/los-salones-de-artes-plasticas-abren-sus-puertas-para-el-arte-y-cultura-en-chia/>

Identification

PROOF

The following value is extracted from a <link> tag that imports a style sheet with a 'href' that does not begin with a / :
* https://chia-cundinamarca.gov.co/web/wp-content/plugins/header-footer-elementor/inc/widgets-css/frontend.css?ver=1.6.45

OUTPUT

The scanner was able to detect a Path Relative Stylesheet Import.

HTTP Info

REQUEST MADE

GET https://chia-cundinamarca.gov.co/web/2024/12/17/los-salones-de-artes-plasticas-abren-sus-puertas-para-el-arte-y-cultura-en-chia/

REQUEST HEADERS

Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: none
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 07:35:13 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Link: <https://chia-cundinamarca.gov.co/web/wp-json/>; rel="https://api.w.org/", <https://chia-cundinamarca.gov.co/web/wp-json/wp/v2/posts/22370>; rel="alternate"; title="JSON"; type="application/json", <https://chia-cundinamarca.gov.co/web/?p=22370>; rel=shortlink
X-TEC-API-VERSION: v1
X-TEC-API-ROOT: https://chia-cundinamarca.gov.co/web/wp-json/tribe/events/v1/
X-TEC-API-ORIGIN: https://chia-cundinamarca.gov.co/web
Content-Encoding: gzip

INSTANCE

<https://chia-cundinamarca.gov.co/web/2023/12/28/datos-abiertos/>

Identification

PROOF

The following value is extracted from a <link> tag that imports a style sheet with a 'href' that does not begin with a / :

```
* https://chia-cundinamarca.gov.co/web/wp-content/plugins/header-footer-elementor/inc/widgets-css/frontend.css?ver=1.6.45
```

OUTPUT

The scanner was able to detect a Path Relative Stylesheet Import.

HTTP Info

REQUEST MADE

GET <https://chia-cundinamarca.gov.co/web/2023/12/28/datos-abiertos/>

REQUEST HEADERS

```
Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: none
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"
Accept: */*
Accept-Language: en-US,en;q=0.5
```

RESPONSE HEADERS

```
HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 04:52:23 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Link: <https://chia-cundinamarca.gov.co/web/wp-json/>; rel="https://api.w.org/", <https://chia-cundinamarca.gov.co/web/wp-json/wp/v2/posts/585>; rel="alternate"; title="JSON"; type="application/json", <https://chia-cundinamarca.gov.co/web/?p=585>; rel=shortlink
X-TEC-API-VERSION: v1
X-TEC-API-ROOT: https://chia-cundinamarca.gov.co/web/wp-json/tribe/events/v1/
X-TEC-API-ORIGIN: https://chia-cundinamarca.gov.co/web
Content-Encoding: gzip
```

INSTANCE

https://chia-cundinamarca.gov.co/web/?s=nessus_was_textgqvi0tc4

Identification

PROOF

The following value is extracted from a <link> tag that imports a style sheet with a 'href' that does not begin with a / :

```
* https://chia-cundinamarca.gov.co/web/wp-content/plugins/header-footer-elementor/inc/widgets-css/frontend.css?ver=1.6.45
```

OUTPUT

The scanner was able to detect a Path Relative Stylesheet Import.

HTTP Info

REQUEST MADE

GET https://chia-cundinamarca.gov.co/web/?s=nessus_was_textgqvi0tc4

REQUEST HEADERS

Referer: https://chia-cundinamarca.gov.co/web/
Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: same-origin
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 00:54:11 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Link: <https://chia-cundinamarca.gov.co/web/wp-json/>; rel="https://api.w.org/"
X-TEC-API-VERSION: v1
X-TEC-API-ROOT: https://chia-cundinamarca.gov.co/web/wp-json/tribe/events/v1/
X-TEC-API-ORIGIN: https://chia-cundinamarca.gov.co/web
Content-Encoding: gzip

INSTANCE

<https://chia-cundinamarca.gov.co/web/2023/12/29/alcalde/>

Identification

PROOF

The following value is extracted from a <link> tag that imports a style sheet with a 'href' that does not begin with a / :

* https://chia-cundinamarca.gov.co/web/wp-content/plugins/header-footer-elementor/inc/widgets-css/frontend.css?ver=1.6.45

OUTPUT

The scanner was able to detect a Path Relative Stylesheet Import.

HTTP Info

REQUEST MADE

GET https://chia-cundinamarca.gov.co/web/2023/12/29/alcalde/

REQUEST HEADERS

Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: none
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"

Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 02:58:37 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Link: <https://chia-cundinamarca.gov.co/web/wp-json/>; rel="https://api.w.org/", <https://chia-cundinamarca.gov.co/web/wp-json/wp/v2/posts/623>; rel="alternate"; title="JSON"; type="application/json", <https://chia-cundinamarca.gov.co/web/?p=623>; rel=shortlink
X-TEC-API-VERSION: v1
X-TEC-API-ROOT: https://chia-cundinamarca.gov.co/web/wp-json/tribe/events/v1/
X-TEC-API-ORIGIN: https://chia-cundinamarca.gov.co/web
Content-Encoding: gzip

INSTANCE

<https://chia-cundinamarca.gov.co/web/transparencia-y-acceso-a-la-informacion-publica/>

Identification

PROOF

The following value is extracted from a <link> tag that imports a style sheet with a 'href' that does not begin with a / :
* https://chia-cundinamarca.gov.co/web/wp-content/plugins/header-footer-elementor/inc/widgets-css/frontend.css?ver=1.6.45

OUTPUT

The scanner was able to detect a Path Relative Stylesheet Import.

HTTP Info

REQUEST MADE

GET https://chia-cundinamarca.gov.co/web/transparencia-y-acceso-a-la-informacion-publica/

REQUEST HEADERS

Referer: https://chia-cundinamarca.gov.co/web/
Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: same-origin
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"
Sec-Ch-Ua-Mobile: ?0
Sec-Ch-Ua-Platform: "Linux"
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 00:38:08 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Link: <https://chia-cundinamarca.gov.co/web/wp-json/>; rel="https://api.w.org/", <https://chia-cundinamarca.gov.co/web/wp-json/wp/v2/pages/21>; rel="alternate"; title="JSON"; type="application/json", <https://chia-cundinamarca.gov.co/web/?p=21>; rel=shortlink
X-TEC-API-VERSION: v1

X-TEC-API-ROOT: https://chia-cundinamarca.gov.co/web/wp-json/tribe/events/v1/
X-TEC-API-ORIGIN: https://chia-cundinamarca.gov.co/web
Content-Encoding: gzip

INSTANCE

<https://chia-cundinamarca.gov.co/web/tramites-y-servicios/>

Identification

PROOF

The following value is extracted from a <link> tag that imports a style sheet with a 'href' that does not begin with a / :

```
* https://chia-cundinamarca.gov.co/web/wp-content/plugins/header-footer-elementor/inc/widgets-css/frontend.css?ver=1.6.45
```

OUTPUT

The scanner was able to detect a Path Relative Stylesheet Import.

HTTP Info

REQUEST MADE

GET https://chia-cundinamarca.gov.co/web/tramites-y-servicios/

REQUEST HEADERS

```
Sec-Fetch-Dest: document  
Sec-Fetch-Mode: navigate  
Sec-Fetch-Site: none  
Sec-Fetch-User: ?1  
Upgrade-Insecure-Requests: 1  
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36  
Sec-Ch-Ua: "Chromium";v="124", "HeadlessChrome";v="124", "Not-A.Brand";v="99"  
Sec-Ch-Ua-Mobile: ?0  
Sec-Ch-Ua-Platform: "Linux"  
Accept: */*  
Accept-Language: en-US,en;q=0.5
```

RESPONSE HEADERS

```
HTTP/1.1 200 OK  
Server: nginx  
Date: Thu, 19 Dec 2024 03:50:28 GMT  
Content-Type: text/html; charset=UTF-8  
Transfer-Encoding: chunked  
Connection: keep-alive  
Vary: Accept-Encoding  
Link: <https://chia-cundinamarca.gov.co/web/wp-json/>; rel="https://api.w.org/", <https://chia-cundinamarca.gov.co/web/wp-json/wp/v2/pages/63>; rel="alternate"; title="JSON"; type="application/json", <https://chia-cundinamarca.gov.co/web/?p=63>; rel=shortlink  
X-TEC-API-VERSION: v1  
X-TEC-API-ROOT: https://chia-cundinamarca.gov.co/web/wp-json/tribe/events/v1/  
X-TEC-API-ORIGIN: https://chia-cundinamarca.gov.co/web  
Content-Encoding: gzip
```

Virtual Hosts Detected

VULNERABILITY **INFO** PLUGIN ID 114503

Description

This is an informational plugin to inform the user that the scanner detected the presence of one or multiple virtual hosts on the target server.

Solution

Review all the detected virtual hosts to ensure they are expected to be externally reachable.

See Also

<https://httpd.apache.org/docs/2.4/vhosts/examples.html>

<https://www.thehacker.recipes/web/recon/virtual-host-fuzzing>

Plugin Details

| | |
|-------------------|---------------------------|
| PUBLICATION DATE | 2024-11-20T00:00:00+00:00 |
| MODIFICATION DATE | 2024-11-26T00:00:00+00:00 |
| FAMILY | Web Applications |
| SEVERITY | Info |
| PLUGIN ID | 114503 |

Risk Information

| | |
|-------------------|---|
| CVSSV4 BASE SCORE | - |
| CVSSV4 VECTOR | - |
| CVSSV3 BASE SCORE | - |
| CVSSV3 VECTOR | - |
| CVSS BASE SCORE | - |
| CVSS VECTOR | - |

Reference Information

| | |
|-------|---|
| CWE | - |
| WASC | - |
| OWASP | - |
| CVE | - |
| BID | - |

Virtual Hosts Detected Instances (1)

VULNERABILITY **INFO** PLUGIN ID 114503

INSTANCE

<https://chia-cundinamarca.gov.co/>

Identification

PROOF

By crafting a request with a specific 'Host' header the scanner obtained a different response

OUTPUT

The scanner was able to detect the present of another virtual host on the target ip 5.189.172.225: 'webmail.co:443'

HTTP Info

REQUEST MADE

GET / HTTP/1.1

REQUEST HEADERS

Host: webmail.co:443
Accept-Encoding: gzip, deflate, br
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.6367.207 Safari/537.36
Accept: */*
Accept-Language: en-US,en;q=0.5

RESPONSE HEADERS

HTTP/1.1 200 OK
Server: nginx
Date: Thu, 19 Dec 2024 00:12:34 GMT
Content-Type: text/html; charset="utf-8"
Transfer-Encoding: chunked
Connection: keep-alive
Vary: Accept-Encoding
Cache-Control: no-cache, no-store, must-revalidate, private
Pragma: no-cache
Cache-Control: no-cache, no-store, must-revalidate, private
X-Frame-Options: SAMEORIGIN
X-Content-Type-Options: nosniff
Set-Cookie: webmailrelogin=no; HttpOnly; expires=Thu, 01-Jan-1970 00:00:01 GMT; path=/; port=443; secure
Set-Cookie: webmailsession=%3adVKn5oXYAuWR7m89%2c7290f2855262416e92369d2063a5baa0; HttpOnly; path=/; port=443; secure
Set-Cookie: roundcube_sessid=expired; HttpOnly; expires=Thu, 01-Jan-1970 00:00:01 GMT; path=/; port=443; secure
Set-Cookie: roundcube_sessauth=expired; HttpOnly; domain=vm1181126.contaboserver.net; expires=Thu, 01-Jan-1970 00:00:01 GMT; path=/; port=443; secure
Set-Cookie: PPA_ID=expired; HttpOnly; expires=Thu, 01-Jan-1970 00:00:01 GMT; path=/; port=443; secure
Set-Cookie: roundcube_cookies=enabled; HttpOnly; expires=Fri, 19-Dec-2025 00:12:34 GMT; path=/; port=443; secure
Content-Encoding: gzip

SSL/TLS Cipher Suites Supported

VULNERABILITY **INFO** PLUGIN ID 115491

Description

This plugin displays supported SSL/TLS cipher suites.

Solution

-

See Also

<https://www.iana.org/assignments/tls-parameters/tls-parameters.xhtml>

Plugin Details

| | |
|-------------------|---------------------------|
| PUBLICATION DATE | 2019-01-09T00:00:00+00:00 |
| MODIFICATION DATE | 2022-10-07T00:00:00+00:00 |
| FAMILY | SSL/TLS |
| SEVERITY | Info |
| PLUGIN ID | 115491 |

Risk Information

| | |
|-------------------|---|
| CVSSV4 BASE SCORE | - |
| CVSSV4 VECTOR | - |
| CVSSV3 BASE SCORE | - |
| CVSSV3 VECTOR | - |
| CVSS BASE SCORE | - |
| CVSS VECTOR | - |

Reference Information

| | |
|-------|---|
| CWE | - |
| WASC | - |
| OWASP | - |
| CVE | - |
| BID | - |

SSL/TLS Cipher Suites Supported Instances (1)

VULNERABILITY **INFO** PLUGIN ID 115491

INSTANCE

<https://chia-cundinamarca.gov.co/>

Identification

OUTPUT

Protocol Cipher Suite Name (RFC) Key Exchange Strength

```
-----  
TLS1.3 TLS_AES_256_GCM_SHA384 x25519 256  
TLS1.3 TLS_CHACHA20_POLY1305_SHA256 x25519 256  
TLS1.3 TLS_AES_128_GCM_SHA256 x25519 256  
TLS1.2 TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256 x25519 256  
TLS1.2 TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384 x25519 256  
TLS1.2 TLS_DHE_RSA_WITH_AES_128_GCM_SHA256 DHE_RSA 2048  
TLS1.2 TLS_DHE_RSA_WITH_AES_256_GCM_SHA384 DHE_RSA 2048
```